



2015

LIFE-CYCLE COST ANALYSIS OF REINFORCED CONCRETE BRIDGES REHABILITATED WITH CFRP

Jeffrey L. Smith

University of Kentucky, csmith39@roadrunner.com

[Click here to let us know how access to this document benefits you.](#)

Recommended Citation

Smith, Jeffrey L., "LIFE-CYCLE COST ANALYSIS OF REINFORCED CONCRETE BRIDGES REHABILITATED WITH CFRP" (2015). *Theses and Dissertations--Civil Engineering*. 33.
https://uknowledge.uky.edu/ce_etds/33

This Doctoral Dissertation is brought to you for free and open access by the Civil Engineering at UKnowledge. It has been accepted for inclusion in Theses and Dissertations--Civil Engineering by an authorized administrator of UKnowledge. For more information, please contact UKnowledge@lsv.uky.edu.

STUDENT AGREEMENT:

I represent that my thesis or dissertation and abstract are my original work. Proper attribution has been given to all outside sources. I understand that I am solely responsible for obtaining any needed copyright permissions. I have obtained needed written permission statement(s) from the owner(s) of each third-party copyrighted matter to be included in my work, allowing electronic distribution (if such use is not permitted by the fair use doctrine) which will be submitted to UKnowledge as Additional File.

I hereby grant to The University of Kentucky and its agents the irrevocable, non-exclusive, and royalty-free license to archive and make accessible my work in whole or in part in all forms of media, now or hereafter known. I agree that the document mentioned above may be made available immediately for worldwide access unless an embargo applies.

I retain all other ownership rights to the copyright of my work. I also retain the right to use in future works (such as articles or books) all or part of my work. I understand that I am free to register the copyright to my work.

REVIEW, APPROVAL AND ACCEPTANCE

The document mentioned above has been reviewed and accepted by the student's advisor, on behalf of the advisory committee, and by the Director of Graduate Studies (DGS), on behalf of the program; we verify that this is the final, approved version of the student's thesis including all changes required by the advisory committee. The undersigned agree to abide by the statements above.

Jeffrey L. Smith, Student

Dr. Issam Harik, Major Professor

Dr. Y.T. Wang, Director of Graduate Studies

LIFE-CYCLE COST ANALYSIS OF REINFORCED CONCRETE BRIDGES
REHABILITATED WITH CFRP

DISSERTATION

A dissertation submitted in partial fulfillment of the
requirements for the degree of Doctor of Philosophy in the
College of Engineering
at the University of Kentucky

By
Jeffrey L. Smith

Lexington, Kentucky

Director: Dr. Issam Harik, Professor of Civil Engineering

Lexington, Kentucky

2015

Copyright © Jeffrey L. Smith 2015

ABSTRACT OF DISSERTATION

LIFE-CYCLE COST ANALYSIS OF REINFORCED CONCRETE BRIDGES REHABILITATED WITH CFRP

The deterioration of highway bridges and structures and the cost of repairing, rehabilitating, or replacing deteriorated structures is a major issue for bridge owners. An aging infrastructure as well as the need to upgrade structural capacity for heavier trucks adds to problem. Life-cycle cost analysis (LCCA) is a useful tool for determining when the deployment of fiber-reinforced polymer (FRP) composite components is an economically viable alternative for rehabilitating deteriorated concrete bridges.

The use of LCCA in bridge design and rehabilitation has been limited. The use of LCCA for bridges on a project level basis has often been limited to the non-routine design of major bridges where the life-cycle cost model is customized.

LCCA has historically been deterministic. The deterministic analysis uses discrete values for inputs and is fairly simple and easy to do. It does not give any indication of risk, i.e. the probability that the input values used in the analysis and the resulting life-cycle cost will actually occur.

Probabilistic analysis accounts for uncertainty and variability in input variables. It requires more effort than a deterministic analysis because probability distribution functions are required, random sampling is used, and a large number of iterations of the life-cycle cost calculations are carried out. The data needed is often not available.

The significance of this study lies in its identification of the parameters that had the most influence on life-cycle costs of concrete bridge and how those parameters interacted. The parameters are: (1) Time to construct the new bridge; (2) traffic volume under bridge (when applicable); (3) value of time for cars; and (4) delay time under the bridge during new bridge construction (when applicable). Using these parameters the analyst can now “simulate” a probabilistic analysis by using the deterministic approach and reducing the number of iterations. This study also extended the use of LCCA to bridge rehabilitations and to bridges with low traffic volumes. A large number of bridges in the United States have low traffic volumes. For the highway bridge considered in the

parametric study, rehabilitation using FRP had a lower life-cycle cost when compared to the new bridge alternative.

KEYWORDS: life-cycle cost analysis, bridge rehabilitation, reinforced concrete t-beam bridges, fiber-reinforced polymer

Jeffrey L. Smith

November 24, 2015

LIFE-CYCLE COST ANALYSIS OF REINFORCED CONCRETE BRIDGES
REHABILITATED WITH CFRP

By

Jeffrey L. Smith

Dr. Issam Harik

Director of Dissertation

Dr. Y.T. Wang

Director of Graduate Studies

November 24, 2015

ACKNOWLEDGEMENTS

I wish to acknowledge the Kentucky Transportation Cabinet for construction bid cost and vehicle crash data. I wish to thank the FHWA Kentucky Division for assistance in providing the bridge data needed to determine unit costs for new bridge construction. I wish to thank Dr. Issam Harik, Dr. Hans Gesund, Dr. Bradley D. Davis, Dr. Timothy R. Taylor, and Dr. Glenn C. Blomquist for their guidance. Support for this research was provided by the University of Kentucky, Department of Civil Engineering, O. H. Raymond Fellowship.

TABLE OF CONTENTS

| | |
|--|------|
| ACKNOWLEDGEMENTS | iii |
| LIST OF TABLES | vi |
| LIST OF FIGURES | viii |
| CHAPTER ONE: INTRODUCTION | 1 |
| Bridge Strengthening | 2 |
| Fiber-reinforced Polymers | 3 |
| Life-cycle Cost Analysis | 4 |
| Dissertation Objective and Tasks | 6 |
| Dissertation Significance | 6 |
| CHAPTER TWO: LITERATURE REVIEW | 8 |
| Life-cycle Cost Analysis for Pavements | 9 |
| Life-cycle Cost Analysis for Bridges | 10 |
| Life-cycle Cost Analysis for Bridge Rehabilitation | 11 |
| CHAPTER THREE: LIFE-CYCLE COST ANALYSIS | 13 |
| Discount Factors | 13 |
| Bridge Alternatives | 14 |
| Remaining Service Life | 15 |
| Bridge Activities and Costs | 19 |
| Agency Costs | 20 |
| Bridge Replacement Cost | 22 |
| Bridge Deck Replacement Cost | 23 |
| Bridge Deck Restoration Cost | 24 |
| Bridge Rehabilitation Cost | 24 |
| User Costs | 25 |
| User Cost Calculations | 27 |
| CHAPTER FOUR: DETERMINISTIC ANALYSIS | 36 |
| Bridge over Highway | 36 |
| Bridge over Highway with Modified Bridge Construction Time and Cost | 38 |
| Bridge over Waterway | 39 |
| Bridge over Waterway with Modified Bridge Construction Time and Cost | 40 |
| Deterministic Analysis Summary | 40 |
| CHAPTER FIVE: SENSITIVITY ANALYSIS | 51 |
| Replacement Alternative | 53 |
| Rehabilitation Alternative | 54 |
| Replacement and Rehabilitation Alternatives | 55 |
| Sensitivity Analysis Summary | 56 |
| CHAPTER SIX: PROBABILISTIC ANALYSIS | 61 |
| Bridge over Highway | 62 |
| Bridge over Highway with Limited Random Variables | 68 |
| Bridge over Highway with Modified Bridge Construction Time and Cost | 69 |
| Bridge over Waterway | 70 |
| Bridge over Waterway with Modified Bridge Construction Time and Cost | 71 |
| Probabilistic Analysis Summary | 72 |
| CHAPTER SEVEN: SUMMARY AND CONCLUSIONS | 84 |
| Sensitivity Analysis | 84 |

| | |
|--|-----|
| Bridge over Highway..... | 85 |
| Bridge over Highway with Limited Random Variables | 86 |
| Bridge over Highway with Modified Bridge Construction Time and Cost | 87 |
| Bridge over Waterway..... | 88 |
| Bridge over Waterway with Modified Bridge Construction Time and Cost | 88 |
| Conclusions and Recommendations | 89 |
| APPENDIX A: KYTC PROJECTS..... | 91 |
| APPENDIX B: CONSTRUCTION TIME | 111 |
| APPENDIX C: CONSTRUCTION UNIT COSTS | 117 |
| APPENDIX D: MAINTENANCE OF TRAFFIC COSTS | 174 |
| APPENDIX E: PROBABILISTIC ANALYSIS..... | 198 |
| APPENDIX F: SPREADSHEET INPUT | 377 |
| REFERENCES | 380 |
| VITA..... | 396 |

LIST OF TABLES

| | |
|--|----|
| Table 3.1, Bridge activity timing | 30 |
| Table 3.2, Agency cost parameters | 30 |
| Table 3.3, User cost parameters | 31 |
| Table 3.4, Baseline vehicle operating costs | 31 |
| Table 3.5, Cost for a non-fatal crash | 32 |
| Table 3.6, Initial average daily traffic, ADT, volume | 32 |
| Table 4.1, Summary of life-cycle costs for highway bridge | 42 |
| Table 4.2, Comparison of total life-cycle costs for highway bridge..... | 42 |
| Table 4.3, Life-cycle costs replacement alternative highway bridge..... | 43 |
| Table 4.4, Life-cycle costs rehabilitation alternative highway bridge..... | 44 |
| Table 4.5, User life-cycle cost summary highway bridge replacement alternative | 45 |
| Table 4.6, User life-cycle cost summary bridge highway rehabilitation alternative | 45 |
| Table 4.7, Percent user costs for highway bridge | 45 |
| Table 4.8, Bridge construction times | 46 |
| Table 4.9, Bridge construction unit costs..... | 46 |
| Table 4.10, Modified bridge construction time and cost | 46 |
| Table 4.11, Summary of life-cycle costs for highway bridge with modification 1a | 46 |
| Table 4.12, Summary of life-cycle costs for highway bridge with modification 1b | 47 |
| Table 4.13, Summary of life-cycle costs for highway bridge with modification 1c | 47 |
| Table 4.14, Summary of life-cycle costs for highway bridge with modification 2a | 47 |
| Table 4.15, Summary of life-cycle costs for highway bridge with modification 2b | 48 |
| Table 4.16, Summary of life-cycle costs for highway bridge with modification 2c | 48 |
| Table 4.17, Summary of life-cycle costs for waterway bridge | 48 |
| Table 4.18, Summary of life-cycle costs for waterway bridge with modification 1a | 49 |
| Table 4.19, Summary of life-cycle costs for waterway bridge with modification 1b | 49 |
| Table 4.20, Summary of life-cycle costs for waterway bridge with modification 1c | 49 |
| Table 4.21, Summary of life-cycle costs for waterway bridge with modification 2a | 49 |
| Table 4.22, Summary of life-cycle costs for waterway bridge with modification 2b | 50 |
| Table 4.23, Summary of life-cycle costs for waterway bridge with modification 2c | 50 |
| Table 4.24, Summary of difference in total life-cycle costs for all bridges..... | 50 |
| Table 5.1, Sensitivity analysis parameters..... | 58 |
| Table 5.2, Sensitivity analysis categories | 58 |
| Table 5.3, Sensitivity analysis summary bridge replacement alternative | 59 |
| Table 5.4, Sensitivity analysis summary bridge rehabilitation alternative | 60 |
| Table 6.1, Probabilistic analysis input-normal distribution | 74 |
| Table 6.2, Probabilistic analysis input-triangular distribution | 74 |
| Table 6.3, Total life-cycle costs for highway bridge | 75 |
| Table 6.4, Change in minimum and maximum life-cycle cost (LCC) with constant traffic on bridge | 76 |
| Table 6.5, Change in minimum and maximum life-cycle cost (LCC) with constant traffic under bridge | 76 |
| Table 6.6, Comparison of life-cycle costs for highway bridge, deterministic and probabilistic analysis..... | 77 |
| Table 6.7, Estimated probability for highway bridge with limited variables | 77 |

| | |
|--|----|
| Table 6.8, Estimated life-cycle costs for highway bridge with limited variables..... | 78 |
| Table 6.9, Modified bridge construction times..... | 78 |
| Table 6.10, Modified bridge construction unit costs | 78 |
| Table 6.11, Bridge construction time and cost modifications | 78 |
| Table 6.12, Estimated probability for highway bridge with modified construction time and cost | 79 |
| Table 6.13, Estimated life-cycle costs for highway bridge with modified construction time and cost | 79 |
| Table 6.14, Estimated probability for waterway bridge | 79 |
| Table 6.15, Estimated life-cycle costs for waterway bridge..... | 80 |
| Table 6.16, Estimated probability for waterway bridge with modified construction time and cost | 80 |
| Table 6.17, Estimated life-cycle costs for waterway bridge with modified construction time and cost | 80 |
| Table 6.18, Estimated probability for all bridges | 81 |
| Table 6.19, Estimated life-cycle costs for all bridges..... | 81 |

LIST OF FIGURES

| | |
|--|----|
| Figure 3.1, Typical sections | 33 |
| Figure 3.2, Bridge rail retrofit with thrie beam | 34 |
| Figure 3.3, Expenditure stream diagrams | 35 |
| Figure 6.1, Ascending cumulative probability distributions for highway bridge, ADT case 1 (Table 3.6)..... | 82 |
| Figure 6.2, Ascending cumulative probability distributions for waterway bridge, ADT case 1, 2, 3 (Table 3.6)..... | 82 |
| Figure 6.3, Ascending cumulative probability distributions for waterway bridge with modification 1a, ADT case 1 (Table 3.6) | 83 |
| Figure 6.4, Ascending cumulative probability distributions for waterway bridge with modification 2a, ADT case 1 (Table 3.6) | 83 |

CHAPTER ONE: INTRODUCTION

The deterioration of highway bridges and structures is a major problem worldwide. In 2010 about 25.9 percent of the 604,493 bridges in the United States are deficient (USDOT 2013a). This includes both structurally deficient and functionally obsolete bridges. About 11.7 percent of the bridges are structurally deficient.

There are various reasons to replace or rehabilitate deficient bridges (Seible et al. 1991; Arduini and Nanni 1997; Weissmann and Harrison 1998; Lees et al. 2002; Aidoo et al. 2004; Nezamian and Setunge 2007; Choi et al. 2008; Kim and Harries 2013). The reasons may be design, construction, or operation related. Design related reasons include design errors, changes in design specifications, and deficiencies in design specifications. Construction related reasons include construction errors and deficiencies in construction specifications. Operation related reasons include element deterioration, increases in traffic volumes, truck collisions, earthquakes, and increases in legal loads (commercial vehicle sizes and weights) and permit loads.

There are three alternatives for dealing with deficient bridges (Klaiber et al. 1988; Alkhrdaji et al. 2000; Deniaud and Cheng 2003; Flowers et. al. 2010). One alternative is to do nothing. This often leads to load posting the bridge for weight restrictions. Load posting imposes financial hardships on those who then must detour around the posted bridge and can increase congestion on the alternate routes. Another alternative is to rehabilitate the bridge to increase the live load capacity. A third alternative is to replace the bridge.

Bridge Strengthening

There are some advantages to bridge strengthening in lieu of replacement or load posting (Klaiber et al. 1988; Reed et al. 2002; Tavakkolizadeh and Saadatmanesh 2003; Jones et al. 2004; Flowers et. al. 2010; Okeil et al. 2013). Bridge rehabilitation extends the service life of existing bridges. It can cost less to strengthen a bridge than to replace it. The reduced construction time can minimize construction-related impacts such as an increase in traffic delay and congestion, the disruption to local businesses, and environmental impacts (i.e. noise and air quality).

There are several traditional methods to increase the live load capacity of existing bridges (Berger and Gorgon 1978; Klaiber et al. 1988; Nezamian and Setunge 2007). One method is to add supplemental supports or members. Another is to strengthen critical members by increasing their cross section or replacing them. Live load capacity can be increased by reducing dead load, usually by replacing the normal weight concrete deck with a lightweight concrete one. Another is to change the behavior of the structural system by making simple spans continuous or making non-composite beams composite. Most of these methods require closing the bridge or limiting traffic. This has an economic impact on the travelling public (Carolin et al. 2005; Hoult and Lees 2009). One alternative that can minimize these impacts is the addition of external reinforcement.

One traditional method for adding external reinforcement is externally bonded steel plates (Klaiber et al. 1988; Reed et al. 2002; Petrou et al. 2008). It can be accomplished with minimal disruption to traffic (Carolin et al. 2005). However, problems with using steel have led to the search for alternate materials (Bakis et al. 2002; Deniaud and Cheng 2003; Petrou et al. 2008). The two primary issues with using steel plates are

corrosion of the steel and the heavy weight of the plates. Fiber-reinforced polymer (FRP) plates can be used in place of steel (Arduini and Nanni 1997; Chaallal et al. 1998; Malek and Patel 2002; Monti and Santini 2002; Alagusundaramoorthy et al. 2003; Choi et al. 2008; Petrou et al. 2008; Hoult and Lees 2009).

Fiber-reinforced Polymers

Fiber-reinforced polymers (FRPs) are being used to strengthen concrete bridges (Alkhrdaji et al. 2000; Shekar et al. 2003; Ekenel et al. 2005; Catbas et al. 2006; Täljsten et al. 2007). The benefits and advantages of FRP composites are widely reported in the published literature (Spadea et al. 1998; Bakis et al. 2002; Alagusundaramoorthy et al. 2003; Deniaud and Cheng 2003; Tavakkolizadeh and Saadatmanesh 2003; Aidoo et al. 2004; Shahrooz and Boy 2004; El Maaddawy and Soudki 2005; Kim et al. 2008; Allen and Atadero 2012; Kim and Harries 2013; Wang et al. 2013). They include a high strength-to-weight ratio, a high tensile strength, superior fatigue resistance, excellent corrosion resistance, strong chemical resistance, advantageous electromagnetic properties, and versatility of use.

The FRP strengthening technique has several advantages (Shahawy et al. 2000; Malek and Patel 2002; Deniaud and Cheng 2003; Wang et al. 2004; Nezamian and Setunge 2007; Soudki et al. 2007; Kim et al. 2008; Allen and Atadero 2012; Kim and Harries 2013; Wang et al. 2013). One of the primary advantages is its lightweight. As a result it is easy to install, requires a minimum amount of equipment to support, and can be installed quickly. This simplifies construction and reduces the amount of time required for installation which can lower the cost. FRP systems can be installed without disrupting

traffic on the bridge which decreases the impact on the travelling public. They can increase the ductility, shear resistance, and flexural strength of bridge members. The system can be designed to provide strength where needed. It may be possible to bond FRPs to surfaces that are curved and wrap them to match member geometry. Some other advantages include reduced maintenance costs, minimal reduction in clearances, and minimal changes in member dimensions.

Life-cycle Cost Analysis

The cost of repairing, rehabilitating, or replacing deteriorated structures is a major issue for State Departments of Transportation (DOT). The National Bridge Investment Analysis System model estimates a backlog of bridge investments in 2010 of \$106.4 billion (USDOT 2013a). It is estimated that \$20.5 billion annually is needed to eliminate the backlog of deficient bridges by the year 2028, which is a 60 percent increase over the \$12.8 billion currently being spent (ASCE 2013). An aging infrastructure as well as the need to upgrade structural capacity for heavier live loads (trucks) adds to the backlog. FRP can be used to repair and rehabilitate existing concrete bridges (Bae et al. 2013). Life-cycle cost analysis (LCCA) is a useful tool for determining when FRP is an economically viable method for rehabilitating deteriorated concrete bridges.

The Federal Highway Administration (FHWA) defines Life-Cycle Cost Analysis as “an engineering economic analysis tool useful in comparing the relative merit of competing project implementation alternatives” (FHWA 2002). All costs are considered, both agency and user. The effects of agency activities such as construction on user costs are accounted for. The alternative with the lowest life-cycle cost is identified.

LCCA has historically been deterministic (FHWA 2002, Pittenger et al. 2012). The deterministic analysis uses discrete values for inputs and is fairly simple and easy to do. Published tables of discount factors simplified computational effort required. Since a deterministic analysis gives only a single life-cycle cost it does not give any indication of risk, i.e. the probability that the input values used in the analysis and the resulting life-cycle cost will actually occur (FHWA 2002). Costs and timings do however vary and this variability can affect the choice of alternative.

Probabilistic analysis accounts for uncertainty and variability in input variables (FHWA 2002, Reigle and Zaniewski 2002, Smith et al. 2005). It allows for simultaneous variations in more than one input parameter. A probabilistic analysis requires more effort than a deterministic analysis because probability distribution functions are required, random sampling is used, and a large number of iterations of the life-cycle cost calculations are carried out. In addition the results are tracked and stored for further statistical analysis.

A deterministic sensitivity analysis can be done to partially address the uncertainty and variability of input parameters. However the analysis only varies one parameter at a time and the “compounding” effect of changes in multiple inputs is not addressed. Some changes when individually applied increase life-cycle costs and others decrease life-cycle costs. When taken together the changes may additive or subtractive.

Dissertation Objective and Tasks

The objective of this study is to determine when rehabilitating a reinforced concrete bridge with externally applied fiber reinforced polymer composites had a lower life-cycle cost than bridge replacement.

In order to achieve the objective of this study, the following tasks are carried out:

- 1) Conduct a literature search to identify the current state-of -the-art in life cycle cost analysis for highway bridges to identify areas needing further research (Chapters 2 and 3);
- 2) Comparison of the life-cycle cost of reinforced concrete bridges rehabilitated using externally applied FRP composites with a new replacement bridge (Chapter 4);
- 3) Conduct a sensitivity analysis to identify the variables that primarily influence the life-cycle costs (Chapter 5); and
- 4) Determine the probability when rehabilitation has the lower life-cycle cost (Chapter 6);

Tasks 2, 3, and 4 were accomplished by applying the methodology to a reinforced concrete T-beam bridge.

Dissertation Significance

The significance of this study lies in its identification of the parameters that had the most influence on life-cycle costs of concrete bridge and how those parameters interacted. The identification of those parameters with the most influence can allow analysts to “simulate” a probabilistic analysis by using the deterministic approach but

with a reduced number of iterations. The study extended the use of LCCA to bridge rehabilitations and to bridges with low traffic volumes. A large number of bridges in the United States have low traffic volumes. The study introduced the use of time declining discount rates for longer analysis periods.

Parametric studies included a bridge over a highway, a bridge over a highway with modified construction time and cost, a bridge over a highway with a limited number of random variables, a bridge over a waterway, and a bridge over a waterway with modified construction time and cost. The bridge included in the studies was a reinforced concrete bridge that was either rehabilitated with fiber reinforced polymer composites or replaced with a new bridge.

The methodology can be easily programmed in a spreadsheet. Bridge owners can then perform these analyses to assist with the decision making process as it relates to rehabilitating or replacing a concrete bridge. The methodology can easily be applied to other bridge types.

CHAPTER TWO: LITERATURE REVIEW

A historical background on life-cycle cost analysis (LCCA) is presented by Ozbay et al. (2004). The use of economic analysis in highway engineering was first introduced in the 19th century. In 1847 Gillespie published the *Manual of the Principles and Practices of Road Making*. In this manual the cheapest road is not necessarily the one that costs the least but the one with the greatest return on investment. In 1960 the American Association of State Highway Officials (AASHO) Redbook introduced LCCA to transportation. In 1969 the engineering economist Winfrey published *Economic Analysis for Highways*. During this time research began on user and vehicle operating costs. The American Association of State Highway and Transportation Officials (AASHTO) pavement design guides, 1983 and 1993, included LCCA for economic analysis. Sections 1024 and 1025 of the Intermodal Surface Transportation Efficiency Act of 1992 contain provisions for life cycle costs of bridges, tunnels, and pavements. Federal Executive Order 12893 was issued in 1994 and stated that “Benefits and costs should be measured and appropriately discounted over the full life cycle of each project.” The National Highway System (NHS) Designation Act of 1995 required the use of LCCA on NHS projects that cost \$25 million or more. The FHWA issued its policy on LCCA in 1996. To assist in the implementation of LCCA for pavements FHWA Demonstration Project 115, “Life-Cycle Cost Analysis in Pavement Design,” was made available in 1998. In conjunction with this workshop a technical bulletin (Walls III and Smith 1998) and a spreadsheet based program were developed. National Cooperative Highway Research

Program Report 483 (Hawk 2003) provides a methodology and guidance manual for the LCCA of individual bridges in a project level analysis.

A three-stage survey on LCCA usage was conducted in 2001 and 2002. It obtained information from 39 state DOTs (Ozbay et al. 2004). The results were reported by offices or divisions using LCCA and by the types of projects on which LCCA is used. Of the respondents 68 percent of the design and research offices, 37.5 percent of the materials and pavement offices, and 12.5 percent of bridges offices reported using LCCA. All of the respondents reported using LCCA for pavement projects and only 25 percent reported using LCCA for bridge projects.

Life-cycle Cost Analysis for Pavements

As shown by the results of the LCCA survey most of the usage has been for pavements. It has been used to evaluate design alternatives on a project-level basis (Kulkarni 1984; Beg et al. 2000; Safronetz and Sparks 2003; Lee et al. 2011). The California Department of Transportation (Caltrans) has mandated the use of LCCA to evaluate pavement design alternatives (Lee et. al. 2011). It has been used to evaluate rehabilitation, preventive maintenance, preservation alternatives, and construction techniques (Reigle and Zaniewski 2002; Smith et al. 2005; Gerbrandt and Berthelot 2007; Praticò et al. 2011; Pittenger et al. 2011 and 2012; Pour and Jeong 2012). LCCA has been used to optimize the timing and location of road infrastructure (pavements and bridges) maintenance projects (Evdorides et al. 2002), optimize resource allocation (Gerbrandt and Berthelot 2007), and to estimate annualized life-cycle costs of constructing and maintaining representative road segments that included pavements, bridges, and other

road infrastructure components (Swan et al. 2007). Katz (2004) used LCCA to compare FRP reinforced concrete pavement to steel reinforced concrete pavement.

Life-cycle Cost Analysis for Bridges

Many bridge management systems (BMS) use some form of life-cycle cost analysis on a network level (Safi et al. 2012). A BMS typically includes deterioration, life-cycle cost, and budget optimization procedures (Saito and Sinha 1987; Al-Subhi et al. 1990; Shirole et al. 1991; James et al. 1991; Frangopol et al. 2000; Patidar et al. 2007). Chen and Johnston (1990) reported on using economic analysis of alternatives to optimize bridge management decisions (time and cost) for maintenance, rehabilitation, and replacement. Elbehairy et al. (2009) reported on a bridge management system that uses decisions made on the project-level and network-level to optimize bridge repairs. Johnson et al. (1998) reported on using economic analysis to make a preliminary selection of a rehabilitation option, compare the cost and benefits of various rehabilitation alternatives to the no rehabilitation alternative, and establish priorities. Cady (1985) reported on using minimum life-cycle costs for bridge deck protection, repair, rehabilitation, and replacement strategies for the Pennsylvania Department of Transportation. LCCA was used to optimize maintenance of a reinforced concrete bridge deck (Mullard and Stewart 2012) and a reinforced concrete girder bridge (Zhu and Liu 2013).

The use of LCCA in bridge design and rehabilitation has been limited. Fagen and Phares (2000) used LCCA to evaluate a bridge-replacement alternative for low-volume county roads. Okasha et al. (2012) used LCCA to compare steel bridges fabricated with a

new maintenance-free steel and conventional painted carbon steel. Ehlen and Marshall (1996) used LCCA to compare concrete beams reinforced with FRP to beams reinforced with conventional steel. Ehlen (1997, 1999) used LCCA to compare FRP bridge decks to reinforced concrete decks. Grace et al. (2012) used LCCA to compare bridge decks reinforced with carbon fiber-reinforced polymer (CFRP) to bridge decks reinforced with conventional steel. The use of LCCA for bridges on a project level basis has been limited to the non-routine design of major bridges where the life-cycle cost model is customized (Thompson, 2004). Meiarashi et al. (2002) compared the life-cycle costs of a CFRP suspension bridge and a steel bridge.

Life-cycle Cost Analysis for Bridge Rehabilitation

LCCA tools for evaluating and comparing bridge rehabilitation strategies, especially fiber reinforced polymers, on a project level are needed. Klaiber et al. (1987) recommended using a life-cycle cost analysis to compare strengthening and replacement options on a project level. Limited information on life-cycle costs and the lack of simple LCCA tools have kept FRP from being used more (Hastak and Halpin 2000; Thompson 2004; Trejo and Reinschmidt 2007a). Cosenza and Manfredi (2002) and Porter and Harries (2007) identified and reported on the need for life-cycle analysis tools for FRP. These tools would allow designers to justify the use of high performance materials such as FRP even though initial costs are higher (Trejo and Reinschmidt 2007b).

The rehabilitation of reinforced concrete bridges with FRP extends the service life of the bridge which postpones the need for replacement. Since FRP can be installed without major impact on traffic it can reduce the user costs due to the repair or

rehabilitation. When it increases the live load capacity of a bridge it also reduces user costs for those vehicles that no longer need to detour around the bridge. LCCA tools would allow designers to justify the use of high performance materials such as FRP even though initial costs are higher (Trejo and Reinschmidt 2007b).

CHAPTER THREE: LIFE-CYCLE COST ANALYSIS

In a life-cycle cost analysis future costs are discounted to their present value. Costs (initial and future) can be either nominal or real (constant) dollars. While nominal dollars directly include the effect of inflation real dollars do not. Although either can be used in a LCCA they should not be combined in the same analysis and the use of real dollars is recommended (FHWA 2002). Three types of analyses were used in the study: deterministic, sensitivity, and probabilistic.

Discount Factors

Discount factors are used to calculate the present value of future costs (Blank and Tarquin 1998). The discount factor for a single amount (P/F) depends on the discount rate, i , and the time that the cost occurs, n :

$$(P/F, i, n) = \frac{1}{(1+i)^n} \quad (3.1)$$

The discount factor for a uniform series (P/A) depends on the discount rate and the time over which the costs occur, n :

$$(P/A, i, n) = \frac{(1+i)^n - 1}{i(1+i)^n} \quad (3.2)$$

In order to conduct the LCCA an appropriate discount rate must be selected. This allows future and present costs to be combined (James et al. 1991). For analysis periods longer than 50 years the use of a time declining discount rate is recommended (Boardman et al. 2011). A discount rate of 3.5 percent was used for costs occurring 50 or less years in the future and 2.5 percent for costs occurring more than 50 years in the future (Boardman et al. 2011).

Bridge Alternatives

The bridge used in the study is based on an existing bridge located in Woodford County in Central Kentucky. It is a four span continuous reinforced concrete T-beam structure that carries Huntertown Road over the Bluegrass Parkway. There are two lanes on the bridge and four lanes, two in each direction, under the bridge. The maximum span length is 60 feet (18.3 m) and the total bridge length is 204.1 feet (62.2 m). The typical cross section of the existing bridge is shown in Figure 3.1a.

Two alternatives were considered, rehabilitation and replacement. Since the alternatives need to achieve the same level of service or utility, comparable benefits and no externalities, the rehabilitation alternative included deck restoration and safety work. Otherwise LCCA is not appropriate for comparing alternatives and a Benefit-Cost Analysis should be done instead (FHWA 2002). The first alternative was to rehabilitate the existing bridge. The rehabilitation consisted of externally applied CFRP to strengthen it for shear, latex modified concrete (LMC) overlay to improve the deck condition, and retrofitting the existing bridge rail with thrie beam for safety. The second alternative was to replace the existing bridge with a two span prestressed concrete I-beam bridge. The total length of the new bridge is 204 feet (62.2 m). The typical cross section of the replacement bridge is shown in Figure 3.1b. A typical installation of thrie beam retrofit is shown in Figure 3.2.

The analysis period is the time interval used to evaluate all future costs. The length of the analysis period was selected to include at least one major rehabilitation activity after any initial construction (FHWA 2002) and was the same for both alternatives in order to fairly compare results. The analysis period for this study was 75

years which is the designated service life for new bridges designed using the AASHTO Load and Resistance Factor Design specifications (AASHTO 2010a).

Remaining Service Life

The remaining service life (RSL) is the amount of service life remaining for an alternative at the end of the analysis period. In this study this occurs only for the rehabilitation alternative. The RSL is to account for remaining service life of the new bridge constructed at the end of the service life of the bridge rehabilitation. RSL is not the same as salvage value. With RSL the bridge remains in service while with a salvage value the bridge is demolished and materials reused.

The value of any remaining service life depends on when the activity occurs relative to the end of the analysis period. The value of the RSL was determined using activity cost and the amount of service life remaining past the end of the analysis period (Walls III and Smith 1998). The value was assumed to linearly decrease from the full value at the time of its construction to zero at the end of its service life. An RSL was calculated when the construction of an activity occurred before the end of the analysis period but the end of its service life occurred after. When timing of an activity was greater than or equal to the analysis period the RSL and the cost of the activity are equal and there was no net change in life-cycle cost.

In the probabilistic analysis the service lives of the replacement bridge, deck overlay, and deck replacement varied. As a result the activity timings also varied and more than one deck overlay and deck replacement may occur in an analysis period. In addition any activity that would possibly occur five years or closer to the end of the bridge

replacement service life was assumed to not have occurred since replacement would most likely be planned. Expressions were developed to calculate the RSL value for the possible timings of deck overlays and replacements and 21 test examples were used to verify the expressions.

Deck overlay number 1

$$RSL = \left(\frac{T_{DR1} - SL_{BR}}{T_{DR1} - T_{OV1}} \right) (C_{OV}) = \left(\frac{T_{DR1} - SL_{BR}}{SL_{OV}} \right) (C_{OV}) \quad (3.3)$$

Deck replacement number 1

If $T_{DR2} < T_{BR} + SL_{BR}$

$$RSL = \left(\frac{T_{DR2} - SL_{BR}}{T_{DR2} - T_{DR1}} \right) (C_{DR}) \quad (3.4)$$

If $T_{DR2} \geq T_{BR} + SL_{BR}$

$$RSL = \left(\frac{T_{BR} + SL_{BR} - SL_{BR}}{T_{BR} + SL_{BR} - T_{DR1}} \right) (C_{DR}) = \left(\frac{T_{BR}}{T_{BR} + SL_{BR} - T_{DR1}} \right) (C_{DR}) \quad (3.5)$$

Deck overlay number 2

If $T_{DR2} < T_{BR} + SL_{BR}$

$$RSL = \left(\frac{T_{DR2} - SL_{BR}}{T_{DR2} - T_{OV2}} \right) (C_{OV}) = \left(\frac{T_{DR2} - SL_{BR}}{SL_{OV}} \right) (C_{OV}) \quad (3.6)$$

If $T_{DR2} \geq T_{BR} + SL_{BR}$

$$RSL = \left(\frac{T_{BR} + SL_{BR} - SL_{BR}}{T_{BR} + SL_{BR} - T_{OV2}} \right) (C_{OV}) = \left(\frac{T_{BR}}{T_{BR} + SL_{BR} - T_{OV2}} \right) (C_{OV}) \quad (3.7)$$

Deck replacement number 2

$$RSL = \left(\frac{T_{BR}}{T_{BR} + SL_{BR} - T_{DR2}} \right) (C_{DR}) \quad (3.8)$$

Deck overlay number 3

$$RSL = \left(\frac{T_{BR}}{T_{BR} + SL_{BR} - T_{OV3}} \right) (C_{OV}) \quad (3.9)$$

where:

T_{BR} = timing of bridge replacement (years)
 T_{DR1} = timing of deck replacement number 1 (years)
 T_{DR2} = timing of deck replacement number 2 (years)
 T_{OV1} = timing of deck overlay number 1 (years)
 T_{OV2} = timing of deck overlay number 2 (years)
 T_{OV3} = timing of deck overlay number 3 (years)
 SL_{BR} = service life of bridge replacement (years)
 SL_{OV} = service life of deck overlay (years)
 C_{DR} = cost of bridge deck replacement (\$)
 C_{OV} = cost of deck overlay (\$)

RSL test examples used included:

1. 75-year Bridge Service Life (Mean), T_{BR} = 20 years, T_{OV1} = 40 years, T_{DR1} = 60 years, T_{OV2} = 80 years, T_{DR2} = 100 years (Mean Activity Timings)
2. 70-year Bridge Service Life (Minimum), T_{BR} = 20 years, T_{OV1} = 40 years, T_{DR1} = 60 years, T_{OV2} = 80 years, T_{DR2} = 100 years (Mean Activity Timings)
3. 90-year Bridge Service Life (Maximum), T_{BR} = 20 years, T_{OV1} = 40 years, T_{DR1} = 60 years, T_{OV2} = 80 years, T_{DR2} = 100 years, T_{OV3} = 120 years (Mean Activity Timings)
4. 70-year Bridge Service Life (Minimum), T_{BR} = 10 years, T_{OV1} = 25 years, T_{DR1} = 40 years, T_{OV2} = 55 years, T_{DR2} = 70 years, T_{OV3} = 85 years (Minimum Activity Timings)

5. 90-year Bridge Service Life (Maximum), $T_{BR} = 10$ years, $T_{OV1} = 25$ years, $T_{DR1} = 40$ years, $T_{OV2} = 55$ years, $T_{DR2} = 70$ years, $T_{OV3} = 85$ years (Minimum Activity Timings)
6. 70-year Bridge Service Life (Minimum), $T_{BR} = 25$ years, $T_{OV1} = 50$ years, $T_{DR1} = 75$ years, $T_{OV2} = 100$ years (Maximum Activity Timings)
7. 90-year Bridge Service Life (Maximum), $T_{BR} = 25$ years, $T_{OV1} = 50$ years, $T_{DR1} = 75$ years, $T_{OV2} = 100$ years, $T_{DR2} = 125$ years (Maximum Activity Timings)
8. 80-year Bridge Service Life, $T_{BR} = 20$ years, $T_{OV1} = 40$ years, $T_{DR1} = 60$ years, $T_{OV2} = 80$ years, $T_{DR2} = 100$ years, $T_{OV3} = 120$ years (Mean Activity Timings)
9. 75-year Bridge Service Life, $T_{BR} = 10$ years, $T_{OV1} = 25$ years, $T_{DR1} = 40$ years, $T_{OV2} = 55$ years, $T_{DR2} = 70$ years, $T_{OV3} = 85$ years (Minimum Activity Timings)
10. 85-year Bridge Service Life, $T_{BR} = 20$ years, $T_{OV1} = 40$ years, $T_{DR1} = 60$ years, $T_{OV2} = 80$ years, $T_{DR2} = 100$ years, $T_{OV3} = 120$ years (Mean Activity Timings)
11. 75-year Bridge Service Life, $T_{BR} = 20$ years, $T_{OV1} = 45$ years, $T_{DR1} = 70$ years, $T_{OV2} = 95$ years, $T_{DR2} = 120$ years
12. 90-year Bridge Service Life, $T_{BR} = 25$ years, $T_{OV1} = 45$ years, $T_{DR1} = 70$ years, $T_{OV2} = 90$ years, $T_{DR2} = 115$ years
13. 75-year Bridge Service Life, $T_{BR} = 15$ years, $T_{OV1} = 35$ years, $T_{DR1} = 55$ years, $T_{OV2} = 75$ years, $T_{DR2} = 95$ years
14. 80-year Bridge Service Life, $T_{BR} = 15$ years, $T_{OV1} = 35$ years, $T_{DR1} = 55$ years, $T_{OV2} = 75$ years, $T_{DR2} = 95$ years
15. 80-year Bridge Service Life, $T_{BR} = 10$ years, $T_{OV1} = 30$ years, $T_{DR1} = 50$ years, $T_{OV2} = 70$ years, $T_{DR2} = 90$ years

16. 90-year Bridge Service Life, $T_{BR} = 10$ years, $T_{OV1} = 30$ years, $T_{DR1} = 50$ years,
 $T_{OV2} = 70$ years, $T_{DR2} = 90$ years, $T_{OV3} = 110$ years
17. 75-year Bridge Service Life, $T_{BR} = 15$ years, $T_{OV1} = 30$ years, $T_{DR1} = 45$ years,
 $T_{OV2} = 60$ years, $T_{DR2} = 75$ years, $T_{OV3} = 90$ years
18. 85-year Bridge Service Life, $T_{BR} = 15$ years, $T_{OV1} = 35$ years, $T_{DR1} = 50$ years,
 $T_{OV2} = 70$ years, $T_{DR2} = 85$ years, $T_{OV3} = 105$ years
19. 90-year Bridge Service Life, $T_{BR} = 20$ years, $T_{OV1} = 45$ years, $T_{DR1} = 65$ years,
 $T_{OV2} = 90$ years, $T_{DR2} = 110$ years
20. 85-year Bridge Service Life, $T_{BR} = 15$ years, $T_{OV1} = 30$ years, $T_{DR1} = 50$ years,
 $T_{OV2} = 65$ years, $T_{DR2} = 85$ years, $T_{OV3} = 100$ years
21. 75-year Bridge Service Life, $T_{BR} = 15$ years, $T_{OV1} = 35$ years, $T_{DR1} = 60$ years,
 $T_{OV2} = 80$ years, $T_{DR2} = 105$ years

Bridge Activities and Costs

All activities associated with each alternative (initial construction, rehabilitation, and routine maintenance) are identified. The number of activities can be different for each alternative. Activities include routine maintenance (on an annual basis unless detailed data is available), preventive maintenance (preservation), repair, and rehabilitation. A schedule of activity timing includes the performance period or service life of each activity, when work zones and detours will be used, how long work zones will be in place, and the length of detours. The activity timings used in this study are summarized in Table 3.1.

Expenditure stream diagrams show all activities, costs associated with those activities, and activity and cost timing in a single graphic. This can be a visual aid for the analyst and when presenting the LCCA results. Any remaining service life for the rehabilitation alternative is shown at the end of the analysis period as a negative cost. Example expenditure stream diagrams for the replacement and rehabilitation alternatives are shown in Figure 3.

The estimated time to construct the bridge replacement and deck restoration are based on an analysis of contract completion dates included in Kentucky Transportation Cabinet (KYTC) bridge and deck restoration projects let from January 2013 to October 2014. A listing of the projects used is contained in Appendix A. Details of the time analysis are contained in Appendix B.

There are two general categories of costs, agency and user costs (Zimmerman et al. 2000, Beg et al. 2000, FHWA 2002). Costs that were similar for both alternatives were eliminated from the analysis. These are typically user costs during normal operations, i.e. no maintenance or construction activities that require a work zone with traffic restrictions.

Agency Costs

Agency costs include the costs of new construction, repair, rehabilitation, and maintenance of bridges and bridge components. Other agency costs include the cost of design, condition assessment of existing structures, right-of-way acquisition, utility adjustments, and any salvage value. Some costs can be estimated on a unit cost basis, i.e. bridge replacement, deck replacement, repairs, and routine annual maintenance.

However, some of these costs are only for the actual construction. The cost of preliminary engineering (PE), construction engineering (CE), maintenance of traffic (MOT), and any demolition are added to the cost of actual construction. The agency cost parameters used are summarized in Table 3.2.

Agency cost data was obtained from bridge replacement, deck restoration, and guardrail projects constructed in Kentucky and published data. The bid data analysis herein is from the Kentucky Transportation Cabinet (KYTC) projects let from January 2013 to October 2014. The bid data analysis determined unit costs for prestressed concrete girder bridges, deck replacement, bridge removal, deck removal, latex modified concrete (LMC) overlays, bridge overlay approach pavement, bridge rail retrofit, and maintenance of traffic. Details of the analyses are contained in Appendix C for unit construction costs and Appendix D for maintenance of traffic costs.

Bridge replacement projects and roadway projects that included new and replacement bridges were used to determine the unit costs for prestressed concrete girder bridges, deck replacement, and the percentage of the contract price for maintenance of traffic during bridge replacement. The analysis used the bid data (116 bidders) for 30 prestressed concrete I-beam bridges to determine the cost of bridge and deck replacement and the bid data (93 bidders) for 27 bridge projects to determine the percentage of contract price for maintenance of traffic costs. The bridge removal cost was determined using the bid data (23 bidders) for the removal of 10 continuous reinforced concrete T-beam bridges. The deck removal cost used the bid data (three bidders) for two bridges.

Bridge deck restoration projects were used to determine the unit costs for LMC overlays, bridge overlay approach pavement, and the percentage of the contract price for

maintenance of traffic costs during bridge rehabilitation. The analysis used the bid data (595 bidders) for 108 bridges.

Guardrail projects were used to determine the unit cost for bridge rail retrofit with thrie beam. The analysis used the bid data (six bidders) for two bridges.

The unit cost for carbon fiber-reinforced polymer (CFRP) wrap was based on published cost data (e.g. O’Conner et al. 1999). O’Connor et al. (1999) reported costs of CFRP used to strengthen a reinforced concrete pier cap of a bridge in New York. Hag-Elsafi et al. (2001) reported costs of CFRP used to strengthen a reinforced concrete T-beam bridge in New York. Wipf et al. (2004) reported costs of CFRP used to repair impact damaged prestressed concrete beams in Iowa.

A survey by the Washington State Department of Transportation (DOT) in 2002 collected engineering cost data from 25 states. The average cost of PE was 10.3 percent and for CE was 11.2 percent. These values tend to be higher for more complex urban projects than for rural projects (Alam et al. 2005).

Annual routine bridge maintenance costs are the sum of annual maintenance costs for the various bridge components. Wipf et al. (1987) reported annual maintenance costs using data provided by some states. The average annual cost for reinforced concrete deck girders (old bridge) and prestressed concrete beams (new bridge) were converted to 2013 dollars using gross domestic product (GDP) deflators (U.S. Department of Commerce).

Bridge Replacement Cost

The total cost to replace the existing bridge included the costs for PE, CE, removing the existing bridge, constructing the new bridge and approaches, and

maintaining traffic during the construction. The cost of bridge removal and construction were estimated using unit costs and estimated bridge areas. The cost of approach roadway construction was estimated as a percent of the bridge construction cost. The cost of maintenance of traffic was estimated as a percent of the cost of bridge removal, bridge construction, and approach roadway construction. The cost of PE was estimated as a percentage of bridge and approach roadway construction costs. The cost of CE was estimated as a percentage of bridge removal, bridge construction, and approach roadway construction costs.

Bridge Deck Replacement Cost

The total cost to replace the existing bridge deck included the costs for PE, CE, removing the existing reinforced concrete bridge deck and rails, constructing the new reinforced concrete bridge deck and rails, and maintaining traffic during the construction. The cost of bridge deck removal and construction were estimated using unit costs and estimated bridge areas. The cost of maintenance of traffic was estimated as a percent of the cost of bridge deck removal and bridge deck construction. The bridge deck construction unit cost was developed using a subset of bridge construction bid items, those items used to construct the reinforced concrete deck and rails. The cost of PE was estimated as a percentage of bridge deck construction cost. The cost of CE was estimated as a percentage of bridge deck removal and construction costs.

Bridge Deck Restoration Cost

The total cost to construct the bridge deck restoration included the costs for PE, CE, constructing the deck overlay, construct the overlay approach pavement, and maintaining traffic during construction. The costs for PE and CE were estimated as a percentage of deck overlay and overlay approach pavement costs. The quantity of deck overlay for the existing bridge was estimated to be 5,100 ft² (474 m²) and for the replacement bridge to be 5,712 ft² (531 m²). The quantity of overlay approach pavement for the existing bridge was estimated to be 278 yd² (232 m²) and for the replacement bridge to be 355 yd² (297 m²).

Bridge Rehabilitation Cost

The total cost to rehabilitate the existing bridge included the costs for PE, CE, applying the CFRP, restoring the bridge deck, retrofitting the existing bridge rail with thrie beam rail, and maintaining traffic during construction. The cost of CFRP application, bridge deck restoration, and bridge deck approach pavement construction were estimated using unit costs and estimated areas or lengths as appropriate. The cost of maintenance of traffic was estimated as a percent of the cost of bridge rehabilitation construction. The costs of PE and CE were estimated as a percentage of CFRP, deck restoration, and bridge rail retrofit costs. The quantity of CFRP wrap was estimated assuming the girder stems are wrapped with two plies on the bottom and both faces of each stem from the supports to the quarter points in the adjacent spans. An additional ply is added longitudinally near the top of both stem faces for anchorage of the wrapped plies. This resulted in an estimated quantity of single ply CFRP of 5,700 ft² (530 m²).

User Costs

User costs include the costs of time delays (value of time), vehicle operation, and crashes (FHWA 2002, AASHTO 2010b, Watts et al. 2012). Crash costs include costs for property damage only, injury, and fatality crashes. The user cost parameters used are summarized in Table 3.3.

Long term user costs are those costs due to load limits, height restrictions, narrow widths, and poor horizontal alignment. Load limits and height restrictions cause some vehicles to detour around a bridge. Detours lead to an increase in travel time, vehicle operating costs, and accident rates. Narrow bridge widths lead to an increase in travel time due to reduced operating speeds and crashes (Son and Sinha 1997). Deck condition, functional classification, bridge width, and approach roadway alignment can influence accident risks (Thompson et al. 2000). A very badly spalled deck increases user costs as drivers tend to slow down which increases travel time as well as vehicle operating costs (Markow et al. 1993).

Short term user costs are those costs due to work zones for bridge maintenance, repair, rehabilitation, or replacement. When a bridge is closed all traffic must detour around the bridge. When one or more lanes are closed there are increases in travel time and crash rates. Sufficient data to determine any increase in crash rates may not be available. Drivers may also opt to detour around a work zone, where possible, to avoid work zone congestion.

Vehicle operating costs can be broken down by vehicle class, passenger cars and heavy trucks as a minimum, and could also include busses and utility trucks (dos Santos et al. 2011). In order to use a variety of vehicle types the number of each vehicle type

needs to be known. Since this is typically not known, this study used an average value for automobiles, pickups, vans, and sport utility vehicles and another value for commercial trucks (Barnes and Langworthy 2004). The “baseline” case is based on a fuel price of \$1.50 per gallon (\$0.40 per liter) and costs for maintenance/repair, tires, and depreciation in 2003 dollars. This study adjusted the fuel cost using \$3.25 per gallon (\$0.86 per liter) and converted the other costs to 2013 dollars using GDP deflators. The average cost to operate personal vehicles is then 27.25 cents per mile (16.9 cents per kilometer) and the cost to operate commercial trucks is 73.4 cents per mile (45.6 cents per kilometer). The baseline costs and the adjusted costs are summarized in Table 3.4.

The value of time can be broken down by personal and business travel (USDOT 2012). The values are per person-hour. Two weighted averages for automobiles are given: one for local travel and one for intercity travel. The weighted averages were determined using distributions of travel by trip purpose on various modes. This study assumed an equal distribution and used the average of the two.

Crash costs depend on traffic volumes, crash rates, crash distribution by severity level, and the cost associated with each level. This study used the Abbreviated Injury Scale (AIS), National Highway Traffic Safety Administration guidance for the distribution of injuries to the different injury levels, the value of property damage only crashes (AIS 0), and the Value of a Statistical Life (VSL) to calculate the cost of a non-fatal crash, Table 3.5 (USDOT 2012, USDOT 2013b).

User Cost Calculations

In order to calculate user costs it is necessary to estimate traffic volumes, travel delays, additional travel distance, crash rate, and fatality rate. The value of time (VOT), traffic volumes, and vehicle operating costs (VOC) were then used with the estimated amount of delay and vehicle occupancy rates to calculate additional user costs. The vehicle occupancy rates used are from AASHTO (2010b). Traffic volumes, additional travel distance, and crash and fatality rates were used to calculate crash costs. The nine combinations of initial traffic volumes on and under the bridge, average daily traffic (ADT) cases, are shown in Table 3.6. The rates for total crashes and fatalities are from the Kentucky Strategic Highway Safety Plan, 2011-2014 (KYTC 2011). The rates used are for the year 2011 which was the latest year for which rates were given.

This study used the following assumptions in calculating user costs:

- User costs under normal operating conditions are the same for existing and replacement bridges, no delays or additional travel distance
- User costs for identical activities under work zone conditions may be the same (lane closures, delays, or detours, additional travel time and distance) but generally occur at different times
- Crash and fatality rates under normal operating conditions are the same for existing and replacement bridges
- Crash and fatality rates in work zones are the statewide rates due to lack of work zone specific data

The vehicle operating costs (VOC) were calculated using:

$$C_{VOC} = [(ADT)(VOC_C) + (ADTT)(VOC_T)](\Delta D) \quad (3.10)$$

where:

C_{VOC} = total vehicle operating cost per day, \$

VOC_C = vehicle operating cost for cars, \$/vehicle

VOC_T = vehicle operating cost for trucks, \$/vehicle

ADT = average daily traffic, vehicles per day

$ADTT$ = average daily truck traffic, vehicles per day

ΔD = additional distance travelled, mi (km)

The value of time (VOT) costs were calculated using:

$$C_{VOT} = [(ADT)(VOT_C) + (ADTT)(VOT_T)](\Delta T) \quad (3.11)$$

where:

C_{VOC} = total value of time cost per day, \$

VOT_C = value of time for cars, \$/hr

VOT_T = value of time for trucks, \$/hr

ADT = average daily traffic, vehicles per day

$ADTT$ = average daily truck traffic, vehicles per day

ΔT = time delay per vehicle

The crash costs were calculated using:

$$C_{crash} = [(CR)(cost/crash) + (FR)(cost/fatality)](ADT)(D)/1,000,000 \quad (3.12)$$

where:

C_{crash} = total crash cost per day, \$

CR = crash rate, number of crashes per million vehicle-miles (crashes per million vehicle-kilometers)

FR = fatality rate, number of fatalities per million vehicle-miles (crashes per million vehicle-kilometers)

ADT = average daily traffic, vehicles per day

D = distance travelled, mi (km)

Table 3.1-Bridge activity timing

| Activity | Timing (year) | Duration (days) | Detour |
|---|---------------|-----------------|--------|
| Replacement Alternative | | | |
| Construct new bridge | 0 | 240 | Yes |
| Place deck overlay | 20 | 30 | No |
| Replace deck | 40 | 45 | Yes |
| Place deck overlay | 60 | 30 | No |
| End service life | 75 | -- | -- |
| Rehabilitation Alternative | | | |
| Apply FRP, place deck overlay, retrofit bridge rail | 0 | 30 | No |
| Construct new bridge | 20 | 240 | Yes |
| Place deck overlay | 40 | 30 | No |
| Replace deck | 60 | 45 | Yes |
| Remaining service life new bridge | 75 | -- | -- |

Table 3.2-Agency cost parameters

| Parameter | Value |
|--|-------------------|
| Prestressed concrete girder bridge, \$/ft ² (\$/m ²) | 107.52 (1,157.33) |
| Deck overlay-new bridge, \$/ft ² (\$/m ²) | 16.54 (178.03) |
| Deck overlay-old bridge, \$/ft ² (\$/m ²) | 16.54 (178.03) |
| Bridge overlay approach pavement-new bridge, \$/yd ² (\$/m ²) | 40.01 (47.85) |
| Bridge overlay approach pavement-old bridge, \$/yd ² (\$/m ²) | 54.83 (65.58) |
| Deck replacement, \$/ft ² (\$/m ²) | 38.17 (410.86) |
| CFRP wrap (one layer), \$/ft ² (\$/m ²) | 54.39 (585.45) |
| Bridge rail retrofit with thrie beam, \$/ft (\$/m) | 76.99 (252.59) |
| Bridge removal, \$/ft ² (\$/m ²) | 14.13 (152.09) |
| Deck removal, \$/ft ² (\$/m ²) | 4.87 (52.42) |
| Bridge annual maintenance-new bridge, \$/ft ² (\$/m ²) | 0.10 (1.08) |
| Bridge annual maintenance-old bridge, \$/ft ² (\$/m ²) | 0.15 (1.61) |
| Maintenance of traffic-replacement, percent | 3.41 |
| Maintenance of traffic-rehabilitation, percent | 15.12 |
| Preliminary Engineering, percent | 10 |
| Construction Engineering, percent | 11 |

Table 3.3-User cost parameters

| Parameter | Value |
|--|-----------------|
| Length of detour, miles (km) | 2 (3.2) |
| Duration of bridge work, days | 30 to 240 |
| Average daily traffic on bridge-initial, vehicles/day | 100 to 5,000 |
| Truck traffic on bridge, percent | 5 |
| Average daily traffic under bridge-initial, vehicles/day | 5,000 to 25,000 |
| Truck traffic under bridge, percent | 12 |
| Annual traffic growth rate on bridge, percent | 1 |
| Annual traffic growth rate under bridge, percent | 2 |
| Value of time-cars, \$/hour | 16.28 |
| Value of time-trucks, \$/hour | 25.30 |
| Vehicle operating cost-cars, \$/mile (\$/km) | 0.27 (0.17) |
| Vehicle operating cost-trucks | 0.74 (0.46) |
| Vehicle occupancy rate-cars, persons/vehicle | 1.5 |
| Vehicle occupancy rate-trucks, persons/vehicle | 1.05 |
| Estimated travel delay per vehicle on bridge | |
| Bridge replacement, minutes | 10 |
| Bridge rehabilitation, minutes | 5 |
| Deck overlay, minutes | 5 |
| Deck replacement, minutes | 10 |
| Estimated travel delay per vehicle under bridge | |
| Bridge replacement, minutes | 5 |
| Bridge rehabilitation, minutes | 5 |
| Deck overlay, minutes | 0 |
| Deck replacement, minutes | 0 |
| Cost per non-fatal accident, \$ | 126,870 |
| Cost per fatal accident, \$ | 9,100,000 |
| Non-fatal crash rate per million vehicle miles | 2.65 |
| Fatality rate per million vehicle miles | 0.015 |

Table 3.4-Baseline vehicle operating costs

| Cost Category | Automobile | | Pickup/Van/SUV | | Commercial Truck | |
|---|---------------|----------------|----------------|----------------|------------------|----------------|
| | \$2003 | \$2013 | \$2003 | \$2013 | \$2003 | \$2013 |
| Total Marginal Costs cents/mi (cents/km) | 15.3 (9.5) | 23.6 (14.7) | 19.2 (11.9) | 30.9 (19.2) | 43.4 (27.0) | 73.4 (15.6) |
| Fuel cents/mi (cents/km) | 5.1 (3.2) | 11.1 (6.9) | 7.8 (4.8) | 16.9 (10.5) | 21.4 (13.3) | 46.4 (28.8) |
| Maintenance/Repair cents/mi (cents/km) | 3.1 (1.9) | 3.8 (2.4) | 3.7 (2.3) | 4.6 (2.9) | 10.5 (6.5) | 12.9 (8.0) |
| Tires cents/mi (cents/km) | 0.9 (0.6) | 1.1 (0.7) | 1.0 (0.6) | 1.2 (0.7) | 3.5 (2.2) | 4.3 (2.7) |
| Depreciation cents/mi (cents/km) | 6.2 (3.9) | 7.6 (4.7) | 6.7 (4.2) | 8.2 (5.1) | 8.0 (5.0) | 9.8 (6.1) |


Table 3.5-Cost for a non-fatal crash

| Fraction Crashes | | Fraction VSL | Unit Value | Estimated cost per non-fatal crash |
|------------------|---------|--------------|-------------|------------------------------------|
| AIS 0 | 0.43676 | | \$3,465 | \$1,513.37 |
| AIS 1 | 0.41739 | 0.003 | \$9,100,000 | \$11,394.75 |
| AIS 2 | 0.08872 | 0.047 | \$9,100,000 | \$37,945.54 |
| AIS 3 | 0.04817 | 0.105 | \$9,100,000 | \$46,026.44 |
| AIS 4 | 0.00617 | 0.266 | \$9,100,000 | \$14,935.10 |
| AIS 5 | 0.00279 | 0.593 | \$9,100,000 | \$15,055.68 |
| | 1.00000 | 1.000 | | \$126,870.88 |


AIS = Abbreviated Injury Scale

Table 3.6-Initial average daily traffic, ADT, volume

| Case | ADT on bridge, vehicles per day | | ADT under bridge, vehicles per day | |
|------|------------------------------------|--------|---------------------------------------|--------|
| | | | | |
| 1 | 100 | Low | 5,000 | Low |
| 2 | 100 | Low | 10,000 | Medium |
| 3 | 100 | Low | 25,000 | High |
| 4 | 1,000 | Medium | 5,000 | Low |
| 5 | 1,000 | Medium | 10,000 | Medium |
| 6 | 1,000 | Medium | 25,000 | High |
| 7 | 5,000 | High | 5,000 | Low |
| 8 | 5,000 | High | 10,000 | Medium |
| 9 | 5,000 | High | 25,000 | High |



(a) Existing bridge




(b) Replacement bridge


Figure 3.1-Typical sections



Figure 3.2-Bridge rail retrofit with thrie beam



(a) Bridge Replacement Alternative



(b) Bridge Rehabilitation Alternative

Figure 3.3-Expenditure stream diagrams

CHAPTER FOUR: DETERMINISTIC ANALYSIS

In this study deterministic analyses were carried out to determine the life-cycle costs of the replacement and rehabilitation alternatives and which had the lower life-cycle cost. Analyses were carried out for 1) a bridge over a highway, 2) a bridge over a highway with modified bridge construction time and cost, 3) a bridge over a waterway, and 4) a bridge over a waterway with modified bridge construction time and cost. Each analysis used the agency and user cost parameters shown in Table 3.1, Table 3.2 and Table 3.3. Each analysis used a range of initial traffic volumes, both on and under the bridge.

Bridge over Highway

Deterministic analyses were carried out for each of the nine ADT cases (Table 3.6). The agency, user, and total life-cycle costs for the replacement and rehabilitation alternatives of the bridge over a highway are summarized in Table 4.1.

In all the traffic cases the rehabilitation alternative had the lower life-cycle cost. Although the agency costs for both alternatives were almost equal the user costs were not. For this example the agency cost for the replacement alternative is only 1.6 percent more than the rehabilitation. Since agency costs do not depend on traffic volumes they were the same for all traffic cases and the increases in life-cycle costs were primarily due to user costs. The user costs for lower traffic volumes were relatively close and the difference dramatically increased as the traffic volumes increased. The impact of traffic

volume on user costs was especially significant for traffic under the bridge for the estimated delays, i.e. ADT cases 3, 6, and 9 (Table 3.6).

As the traffic volume increased, both on and under the bridge, the difference in total life-cycle cost between the alternatives also increased. The differences in total life-cycle costs are summarized in Table 4.2. The smallest difference was for case 1, 100 vehicles per day (vpd) on the bridge and 5,000 vpd under the bridge. The second smallest difference was for case 2, 100 vpd on the bridge and 10,000 vpd under the bridge. This is followed by cases 4 and 5 with 1,000 vpd on the bridge and 5,000 to 10,000 vpd under the bridge. These are followed by cases 3 and 6 with 25,000 vpd under the bridge and 100 to 1,000 vpd on the bridge. The next two are cases 7 and 8 with 5,000 vpd on the bridge and 5,000 to 10,000 vpd under the bridge. The largest difference was for case 9, 5,000 vpd on the bridge and 25,000 vpd under the bridge.

Agency, user, and total life-cycle costs for all the activities and for each traffic case are summarized in Table 4.3 for the replacement alternative and Table 4.4 for the rehabilitation alternative. Agency costs for the replacement alternative are the same for each of the traffic cases. Agency costs for the rehabilitation alternative are the same for each of the traffic cases.

User life-cycle costs for the replacement alternative is summarized in Table 4.5 and for the rehabilitation alternative is summarized in Table 4.6. Two activities had no impact on traffic under the bridge: deck replacement and deck overlay. For these activities the user costs are the same for those traffic cases where traffic on the bridge is the same. For the remaining activities, user costs increase as traffic on and under the bridge increases.

Bridge over Highway with Modified Bridge Construction Time and Cost

The deterministic analysis of the bridge over a highway showed that user costs were frequently high and also a significant portion of the life-cycle costs, Table 4.7. The percentage of life-cycle costs that were due to user costs for the two alternatives did not differ by much, about three percent or less. For low traffic volumes the user costs ranged from 68.7 to 91.3 percent of total life-cycle costs for the replacement alternative and from 65.8 to 90.3 percent of total life-cycle costs for the rehabilitation alternative. For medium traffic volumes the user costs ranged from 76.9 to 92.1 percent of total life-cycle costs for the replacement alternative and from 73.0 to 90.9 percent of total life-cycle costs for the rehabilitation alternative. For high traffic volumes the user costs ranged from 89.4 to 94.3 percent of total life-cycle costs for the replacement alternative and from 86.0 to 93.1 percent of total life-cycle costs for the rehabilitation alternative. The percentage of life-cycle costs due to user costs increased as traffic volumes increased.

The sensitivity analysis showed that the time to construct the new bridge was one of the four parameters that had the most influence on life-cycle costs. Therefore, two modifications to the bridge construction time were investigated. In the first modification the most likely time to construct the bridge was decreased by 25 percent. In the second modification it was decreased by 50 percent. The times used are summarized in Table 4.8.

Since decreases in construction time would most likely increase the cost three cost variations were used with each time modification. For the first time modification the unit cost to construct the bridge was increased by zero, five, and ten percent. For the second

time modification they were increased by zero, ten, and twenty percent. The unit costs used are summarized in Table 4.9.

The combinations of modified times and costs used are summarized in Table 4.10. Even though no increase in cost is likely to occur it was included as a base line or limiting value.

Six additional deterministic analyses using the modified bridge construction times and costs were carried out for each of the nine traffic cases. The agency, user, and total life-cycle costs for the six modifications are summarized in Tables 4.11 to 4.16. Although the decrease in construction time reduced the difference in life-cycle costs between the replacement and rehabilitation alternative, the rehabilitation alternative still had the lower life-cycle cost. The decrease in construction time had the larger influence on life-cycle costs than subsequent increases in unit costs.

Bridge over Waterway

Since a large number of bridges cross waterways the effect of no vehicular traffic under the bridge was investigated. This reduced the number of traffic cases to just three: low (100 vpd), medium (1,000 vpd), and high (5,000 vpd) traffic volumes on the bridge.

Three additional deterministic analyses were carried out. The agency, user, and total life-cycle costs for the three cases are summarized in Table 4.17. The rehabilitation alternative still had the lower life-cycle cost. However the difference for the low traffic case was only 5.3 percent. This cost difference maybe small enough for some decision makers to choose the replacement alternative. Although the difference in total life-cycle costs between the alternatives decreased, there was a significant decrease for some traffic cases.

Bridge over Waterway with Modified Bridge Construction Time and Cost

The effect of reducing bridge construction time on bridge with no vehicular traffic under the bridge was investigated. Six additional deterministic analyses were carried out for each three traffic volume cases. The agency, user, and total life-cycle costs for the six modifications are summarized in Tables 4.18 to 4.23.

Although the decrease in construction time reduced the difference in life-cycle costs between the replacement and rehabilitation alternative, the rehabilitation alternative still had the lower life-cycle cost. For the lower traffic cases the difference is small enough for one to consider using accelerated bridge technologies for bridge construction as long as any increases in construction costs are minimal. A five percent increase in the bridge construction unit cost, however, resulted in an increase in the difference. The reduced construction time had an adverse effect on the difference.

Deterministic Analysis Summary

Deterministic analyses were carried out for a highway bridge, a highway bridge with modified bridge construction time and cost, a waterway bridge, and a waterway bridge with modified bridge construction time and cost. The percent difference in total life-cycle costs from all the analyses are summarized in Table 4.24.

The rehabilitation alternative had the lower life-cycle cost in all analyses. However there were instances where the difference in life-cycle cost has been reduced enough for a decision maker to consider accelerated bridge construction technologies for low and medium traffic volumes. If it were possible to obtain a 50 percent decrease in

bridge construction time without any increase in cost the life-cycle costs are almost the same, 0.8 percent difference.

When the bridge is over a waterway the differences in life-cycle costs are all reduced. For 100 vpd the difference was 5.3 percent or less. When combined with accelerated bridge construction technologies a further decrease in the difference was possible. For the low traffic volumes the difference was less than five percent for some combinations of decreased construction time and increased cost. However, increases in bridge construction cost negated any decrease in the difference and in some cases increased the difference.

Table 4.1-Summary of life-cycle costs for highway bridge

| ADT Case ¹ | Life-cycle Costs, Dollars | | | | | | Percent Difference ² |
|-----------------------|---------------------------|------------|------------|----------------------------|------------|------------|---------------------------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | | |
| | Agency | User | Total | Agency | User | Total | |
| 1 | 1,191,515 | 2,618,430 | 3,809,944 | 1,172,788 | 2,252,939 | 3,425,727 | 11.1 |
| 2 | 1,191,515 | 5,086,170 | 6,277,684 | 1,172,788 | 4,404,281 | 5,577,069 | 12.5 |
| 3 | 1,191,515 | 12,489,390 | 13,680,904 | 1,172,788 | 10,858,308 | 12,031,096 | 13.7 |
| 4 | 1,191,515 | 3,974,636 | 5,166,151 | 1,172,788 | 3,167,309 | 4,340,097 | 19.1 |
| 5 | 1,191,515 | 6,442,376 | 7,633,891 | 1,172,788 | 5,318,651 | 6,491,439 | 17.6 |
| 6 | 1,191,515 | 13,845,596 | 15,037,111 | 1,172,788 | 11,772,678 | 12,945,466 | 16.1 |
| 7 | 1,191,515 | 10,002,220 | 11,193,735 | 1,172,788 | 7,231,176 | 8,403,964 | 33.2 |
| 8 | 1,191,515 | 12,469,960 | 13,661,475 | 1,172,788 | 9,382,519 | 10,555,307 | 29.4 |
| 9 | 1,191,515 | 19,873,180 | 21,064,695 | 1,172,788 | 15,836,546 | 17,009,334 | 23.8 |

¹Refer to Table 3.6 for ADT cases

²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation

Table 4.2-Comparison of total life-cycle costs for highway bridge

| ADT Case ¹ | Life-cycle Costs, Dollars | | |
|-----------------------|---------------------------|----------------------------|------------|
| | Replacement Alternative | Rehabilitation Alternative | Difference |
| 1 | 3,809,944 | 3,425,727 | 384,217 |
| 2 | 6,277,684 | 5,577,069 | 700,615 |
| 4 | 5,166,151 | 4,340,097 | 826,054 |
| 5 | 7,633,891 | 6,491,439 | 1,142,452 |
| 3 | 13,680,904 | 12,031,096 | 1,649,808 |
| 6 | 15,037,111 | 12,945,466 | 2,091,645 |
| 7 | 11,193,735 | 8,403,964 | 2,789,771 |
| 8 | 13,661,475 | 10,555,307 | 3,106,168 |
| 9 | 21,064,695 | 17,009,334 | 4,055,361 |

¹Refer to Table 3.6 for ADT cases

Table 4.3-Life-cycle costs replacement alternative highway bridge

| ADT Case ¹ | Life-Cycle Cost, Dollars | | | | | | |
|-----------------------|--------------------------|--------------------|--------------|------------------|--------------|----------------------------|------------|
| | Category | Bridge Replacement | Deck Overlay | Deck Replacement | Deck Overlay | Annual Routine Maintenance | Total |
| 1 | Agency | 980,572 | 74,347 | 84,750 | 33,623 | 18,223 | 1,191,515 |
| | User | 2,602,627 | 3,760 | 9,511 | 2,532 | | 2,618,430 |
| | Total | 3,583,198 | 78,107 | 94,260 | 36,155 | 18,223 | 3,809,944 |
| 2 | Agency | 980,572 | 74,347 | 84,750 | 33,623 | 18,223 | 1,191,515 |
| | User | 5,070,367 | 3,760 | 9,511 | 2,532 | | 5,086,170 |
| | Total | 6,050,938 | 78,107 | 94,260 | 36,155 | 18,223 | 6,277,684 |
| 3 | Agency | 980,572 | 74,347 | 84,750 | 33,623 | 18,223 | 1,191,515 |
| | User | 12,473,587 | 3,760 | 9,511 | 2,532 | | 12,489,390 |
| | Total | 13,454,158 | 78,107 | 94,260 | 36,155 | 18,223 | 13,680,904 |
| 4 | Agency | 980,572 | 74,347 | 84,750 | 33,623 | 18,223 | 1,191,515 |
| | User | 3,816,609 | 37,602 | 95,107 | 25,319 | | 3,974,636 |
| | Total | 4,797,180 | 111,949 | 179,856 | 58,942 | 18,223 | 5,166,151 |
| 5 | Agency | 980,572 | 74,347 | 84,750 | 33,623 | 18,223 | 1,191,515 |
| | User | 6,284,349 | 37,602 | 95,107 | 25,319 | | 6,442,376 |
| | Total | 7,264,920 | 111,949 | 179,856 | 58,942 | 18,223 | 7,633,891 |
| 6 | Agency | 980,572 | 74,347 | 84,750 | 33,623 | 18,223 | 1,191,515 |
| | User | 13,687,569 | 37,602 | 95,107 | 25,319 | | 13,845,596 |
| | Total | 14,668,140 | 111,949 | 179,856 | 58,942 | 18,223 | 15,037,111 |
| 7 | Agency | 980,572 | 74,347 | 84,750 | 33,623 | 18,223 | 1,191,515 |
| | User | 9,212,083 | 188,009 | 475,534 | 126,593 | | 10,002,220 |
| | Total | 10,192,655 | 262,357 | 560,284 | 160,216 | 18,223 | 11,193,735 |
| 8 | Agency | 980,572 | 74,347 | 84,750 | 33,623 | 18,223 | 1,191,515 |
| | User | 11,679,823 | 188,009 | 475,534 | 126,593 | | 12,469,960 |
| | Total | 12,660,395 | 262,357 | 560,284 | 160,216 | 18,223 | 13,661,475 |
| 9 | Agency | 980,572 | 74,347 | 84,750 | 33,623 | 18,223 | 1,191,515 |
| | User | 19,083,043 | 188,009 | 475,534 | 126,593 | | 19,873,180 |
| | Total | 20,063,615 | 262,357 | 560,284 | 160,216 | 18,223 | 21,064,695 |

¹Refer to Table 3.6 for ADT cases

Table 4.4-Life-cycle costs rehabilitation alternative highway bridge

| ADT Case ¹ | Life-Cycle Cost, Dollars | | | | | | | |
|-----------------------|--------------------------|-----------------------|--------------------|--------------|------------------|------------------------|----------------------------|------------|
| | Category | Bridge Rehabilitation | Bridge Replacement | Deck Overlay | Deck Replacement | Remaining Service Life | Annual Routine Maintenance | Total |
| 1 | Agency | 602,952 | 492,802 | 37,364 | 76,264 | -57,083 | 20,489 | 1,172,788 |
| | User | 314,599 | 1,925,591 | 2,306 | 10,443 | | | 2,252,939 |
| | Total | 917,552 | 2,418,393 | 39,670 | 86,707 | -57,083 | 20,489 | 3,425,727 |
| 2 | Agency | 602,952 | 492,802 | 37,364 | 76,264 | -57,083 | 20,489 | 1,172,788 |
| | User | 623,067 | 3,768,466 | 2,306 | 10,443 | | | 4,404,281 |
| | Total | 1,226,019 | 4,261,268 | 39,670 | 86,707 | -57,083 | 20,489 | 5,577,069 |
| 3 | Agency | 602,952 | 492,802 | 37,364 | 76,264 | -57,083 | 20,489 | 1,172,788 |
| | User | 1,548,469 | 9,297,090 | 2,306 | 10,443 | | | 10,858,308 |
| | Total | 2,151,422 | 9,789,892 | 39,670 | 86,707 | -57,083 | 20,489 | 12,031,096 |
| 4 | Agency | 602,952 | 492,802 | 37,364 | 76,264 | -57,083 | 20,489 | 1,172,788 |
| | User | 369,786 | 2,670,036 | 23,058 | 104,429 | | | 3,167,309 |
| | Total | 972,738 | 3,162,838 | 60,423 | 180,693 | -57,083 | 20,489 | 4,340,097 |
| 5 | Agency | 602,952 | 492,802 | 37,364 | 76,264 | -57,083 | 20,489 | 1,172,788 |
| | User | 678,253 | 4,512,911 | 23,058 | 104,429 | | | 5,318,651 |
| | Total | 1,281,205 | 5,005,713 | 60,423 | 180,693 | -57,083 | 20,489 | 6,491,439 |
| 6 | Agency | 602,952 | 492,802 | 37,364 | 76,264 | -57,083 | 20,489 | 1,172,788 |
| | User | 1,603,656 | 10,041,535 | 23,058 | 104,429 | | | 11,772,678 |
| | Total | 2,206,608 | 10,534,337 | 60,423 | 180,693 | -57,083 | 20,489 | 12,945,466 |
| 7 | Agency | 602,952 | 492,802 | 37,364 | 76,264 | -57,083 | 20,489 | 1,172,788 |
| | User | 615,058 | 5,978,681 | 115,292 | 522,145 | | | 7,231,176 |
| | Total | 1,218,010 | 6,471,482 | 152,657 | 598,409 | -57,083 | 20,489 | 8,403,964 |
| 8 | Agency | 602,952 | 492,802 | 37,364 | 76,264 | -57,083 | 20,489 | 1,172,788 |
| | User | 923,526 | 7,821,556 | 115,292 | 522,145 | | | 9,382,519 |
| | Total | 1,526,478 | 8,314,357 | 152,657 | 598,409 | -57,083 | 20,489 | 10,555,307 |
| 9 | Agency | 602,952 | 492,802 | 37,364 | 76,264 | -57,083 | 20,489 | 1,172,788 |
| | User | 1,848,928 | 13,350,180 | 115,292 | 522,145 | | | 15,836,546 |
| | Total | 2,451,880 | 13,842,982 | 152,657 | 598,409 | -57,083 | 20,489 | 17,009,334 |

¹Refer to Table 3.6 for ADT cases

Table 4.5-User life-cycle cost summary highway bridge replacement alternative

| ADT Case ¹ | Life-cycle Cost, Dollars | | | | |
|-----------------------|--------------------------|--------------|------------------|--------------|------------|
| | Bridge replacement | Deck overlay | Deck replacement | Deck overlay | Total |
| 1 | 2,602,627 | 3,760 | 9,511 | 2,532 | 2,618,430 |
| 2 | 5,070,367 | 3,760 | 9,511 | 2,532 | 5,086,170 |
| 3 | 12,473,587 | 3,760 | 9,511 | 2,532 | 12,489,390 |
| 4 | 3,816,609 | 37,602 | 95,107 | 25,319 | 3,974,636 |
| 5 | 6,284,349 | 37,602 | 95,107 | 25,319 | 6,442,376 |
| 6 | 13,687,569 | 37,602 | 95,107 | 25,319 | 13,845,596 |
| 7 | 9,212,083 | 188,009 | 475,534 | 126,593 | 10,002,220 |
| 8 | 11,679,823 | 188,009 | 475,534 | 126,593 | 12,469,960 |
| 9 | 19,083,043 | 188,009 | 475,534 | 126,593 | 19,873,180 |

¹Refer to Table 3.6 for ADT cases

Table 4.6-User life-cycle cost summary highway bridge rehabilitation alternative

| ADT Case ¹ | Life-cycle Cost, Dollars | | | | |
|-----------------------|--------------------------|--------------------|--------------|------------------|------------|
| | Bridge rehabilitation | Bridge replacement | Deck overlay | Deck replacement | Total |
| 1 | 314,599 | 1,925,591 | 2,306 | 10,443 | 2,252,939 |
| 2 | 623,067 | 3,768,466 | 2,306 | 10,443 | 4,404,281 |
| 3 | 1,548,469 | 9,297,090 | 2,306 | 10,443 | 10,858,308 |
| 4 | 369,786 | 2,670,036 | 23,058 | 104,429 | 3,167,309 |
| 5 | 678,253 | 4,512,911 | 23,058 | 104,429 | 5,318,651 |
| 6 | 1,603,656 | 10,041,535 | 23,058 | 104,429 | 11,772,678 |
| 7 | 615,058 | 5,978,681 | 115,292 | 522,145 | 7,231,176 |
| 8 | 923,526 | 7,821,556 | 115,292 | 522,145 | 9,382,519 |
| 9 | 1,848,928 | 13,350,180 | 115,292 | 522,145 | 15,836,546 |

¹Refer to Table 3.6 for ADT cases

Table 4.7-Percent user costs for highway bridge

| ADT Case ¹ | Replacement Alternative | | | Rehabilitation Alternative | | |
|-----------------------|-------------------------|-------------|--------------|----------------------------|-------------|--------------|
| | User Costs | Total Costs | Percent User | User Costs | Total Costs | Percent User |
| 1 | 2,618,430 | 3,809,944 | 68.7 | 2,252,939 | 3,425,727 | 65.8 |
| 2 | 5,086,170 | 6,277,684 | 81.0 | 4,404,281 | 5,577,069 | 79.0 |
| 3 | 12,489,390 | 13,680,904 | 91.3 | 10,858,308 | 12,031,096 | 90.3 |
| 4 | 3,974,636 | 5,166,151 | 76.9 | 3,167,309 | 4,340,097 | 73.0 |
| 5 | 6,442,376 | 7,633,891 | 84.4 | 5,318,651 | 6,491,439 | 81.9 |
| 6 | 13,845,596 | 15,037,111 | 92.1 | 11,772,678 | 12,945,466 | 90.9 |
| 7 | 10,002,220 | 11,193,735 | 89.4 | 7,231,176 | 8,403,964 | 86.0 |
| 8 | 12,469,960 | 13,661,475 | 91.3 | 9,382,519 | 10,555,307 | 88.9 |
| 9 | 19,873,180 | 21,064,695 | 94.3 | 15,836,546 | 17,009,334 | 93.1 |

¹Refer to Table 3.6 for ADT cases

Table 4.8-Bridge construction times

| | Most Likely, days |
|-------------------|-------------------|
| Initial | 240 |
| Initial minus 25% | 180 |
| Initial minus 50% | 120 |

Table 4.9-Bridge construction unit costs

| | Mean, \$/ft ² (\$/m ²) |
|------------------|---|
| Initial | 107.52 (1,157.33) |
| Initial plus 5% | 112.90 (1,215.20) |
| Initial plus 10% | 118.27 (1,273.04) |
| Initial plus 20% | 129.02 (1,388.75) |

Table 4.10-Modified bridge construction time and cost

| Modification | Decrease in Time | Increase in Costs |
|--------------|------------------|-------------------|
| 1a | 25% | 0% |
| 1b | 25% | 5% |
| 1c | 25% | 10% |
| 2a | 50% | 0% |
| 2b | 50% | 10% |
| 2c | 50% | 20% |

Table 4.11-Summary of life-cycle costs for highway bridge with modification 1a

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|------------|------------|-------------------------------------|------------|------------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1 | 1,191,515 | 1,967,773 | 3,159,288 | 1,172,788 | 1,771,541 | 2,944,329 | 7.3 |
| 2 | 1,191,515 | 3,818,578 | 5,010,093 | 1,172,788 | 3,462,165 | 4,634,953 | 8.1 |
| 3 | 1,191,515 | 9,370,993 | 10,562,508 | 1,172,788 | 8,534,036 | 9,706,824 | 8.8 |
| 4 | 1,191,515 | 3,020,484 | 4,211,999 | 1,172,788 | 2,499,800 | 3,672,588 | 14.7 |
| 5 | 1,191,515 | 4,871,289 | 6,062,804 | 1,172,788 | 4,190,424 | 5,363,212 | 13.0 |
| 6 | 1,191,515 | 10,423,704 | 11,615,219 | 1,172,788 | 9,262,295 | 10,435,082 | 11.3 |
| 7 | 1,191,515 | 7,699,199 | 8,890,714 | 1,172,788 | 5,736,506 | 6,909,294 | 28.7 |
| 8 | 1,191,515 | 9,550,004 | 10,741,519 | 1,172,788 | 7,427,130 | 8,599,918 | 24.9 |
| 9 | 1,191,515 | 15,102,419 | 16,293,934 | 1,172,788 | 12,499,001 | 13,671,789 | 19.2 |

¹Refer to Table 3.6 for ADT cases

²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation

Table 4.12-Summary of life-cycle costs for highway bridge with modification 1b

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|------------|------------|-------------------------------------|------------|------------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1 | 1,235,959 | 1,967,773 | 3,203,732 | 1,193,264 | 1,771,541 | 2,964,805 | 8.1 |
| 2 | 1,235,959 | 3,818,578 | 5,054,537 | 1,193,264 | 3,462,165 | 4,655,429 | 8.6 |
| 3 | 1,235,959 | 9,370,993 | 10,606,952 | 1,193,264 | 8,534,036 | 9,727,300 | 9.0 |
| 4 | 1,235,959 | 3,020,484 | 4,256,443 | 1,193,264 | 2,499,800 | 3,693,064 | 15.3 |
| 5 | 1,235,959 | 4,871,289 | 6,107,248 | 1,193,264 | 4,190,424 | 5,383,688 | 13.4 |
| 6 | 1,235,959 | 10,423,704 | 11,659,663 | 1,193,264 | 9,262,295 | 10,455,559 | 11.5 |
| 7 | 1,235,959 | 7,699,199 | 8,935,158 | 1,193,264 | 5,736,506 | 6,929,770 | 28.9 |
| 8 | 1,235,959 | 9,550,004 | 10,785,963 | 1,193,264 | 7,427,130 | 8,620,394 | 25.1 |
| 9 | 1,235,959 | 15,102,419 | 16,338,378 | 1,193,264 | 12,499,001 | 13,692,265 | 19.3 |

¹Refer to Table 3.6 for ADT cases²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation**Table 4.13-Summary of life-cycle costs for highway bridge with modification 1c**

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|------------|------------|-------------------------------------|------------|------------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1 | 1,280,321 | 1,967,773 | 3,248,094 | 1,213,703 | 1,771,541 | 2,985,244 | 8.8 |
| 2 | 1,280,321 | 3,818,578 | 5,098,899 | 1,213,703 | 3,462,165 | 4,675,867 | 9.1 |
| 3 | 1,280,321 | 9,370,993 | 10,651,314 | 1,213,703 | 8,534,036 | 9,747,738 | 9.3 |
| 4 | 1,280,321 | 3,020,484 | 4,300,805 | 1,213,703 | 2,499,800 | 3,713,503 | 15.8 |
| 5 | 1,280,321 | 4,871,289 | 6,151,610 | 1,213,703 | 4,190,424 | 5,404,126 | 13.8 |
| 6 | 1,280,321 | 10,423,704 | 11,704,025 | 1,213,703 | 9,262,295 | 10,475,997 | 11.7 |
| 7 | 1,280,321 | 7,699,199 | 8,979,520 | 1,213,703 | 5,736,506 | 6,950,209 | 29.2 |
| 8 | 1,280,321 | 9,550,004 | 10,830,325 | 1,213,703 | 7,427,130 | 8,640,832 | 25.3 |
| 9 | 1,280,321 | 15,102,419 | 16,382,740 | 1,213,703 | 12,499,001 | 13,712,703 | 19.5 |

¹Refer to Table 3.6 for ADT cases²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation**Table 4.14-Summary of life-cycle costs for highway bridge with modification 2a**

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|------------|------------|-------------------------------------|-----------|------------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1 | 1,191,515 | 1,317,116 | 2,508,631 | 1,172,788 | 1,290,144 | 2,462,931 | 1.9 |
| 2 | 1,191,515 | 2,550,986 | 3,742,501 | 1,172,788 | 2,520,048 | 3,692,836 | 1.3 |
| 3 | 1,191,515 | 6,252,596 | 7,444,111 | 1,172,788 | 6,209,763 | 7,382,551 | 0.8 |
| 4 | 1,191,515 | 2,066,332 | 3,257,846 | 1,172,788 | 1,832,291 | 3,005,079 | 8.4 |
| 5 | 1,191,515 | 3,300,202 | 4,491,716 | 1,172,788 | 3,062,196 | 4,234,984 | 6.1 |
| 6 | 1,191,515 | 7,001,812 | 8,193,326 | 1,172,788 | 6,751,911 | 7,924,699 | 3.4 |
| 7 | 1,191,515 | 5,396,178 | 6,587,693 | 1,172,788 | 4,241,836 | 5,414,624 | 21.7 |
| 8 | 1,191,515 | 6,630,048 | 7,821,563 | 1,172,788 | 5,471,741 | 6,644,529 | 17.7 |
| 9 | 1,191,515 | 10,331,658 | 11,523,173 | 1,172,788 | 9,161,456 | 10,334,244 | 11.5 |

¹Refer to Table 3.6 for ADT cases²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation

Table 4.15-Summary of life-cycle costs for highway bridge with modification 2b

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|------------|------------|-------------------------------------|-----------|------------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1 | 1,280,321 | 1,317,116 | 2,597,437 | 1,213,703 | 1,290,144 | 2,503,846 | 3.7 |
| 2 | 1,280,321 | 2,550,986 | 3,831,307 | 1,213,703 | 2,520,048 | 3,733,751 | 2.6 |
| 3 | 1,280,321 | 6,252,596 | 7,532,917 | 1,213,703 | 6,209,763 | 7,423,466 | 1.5 |
| 4 | 1,280,321 | 2,066,332 | 3,346,653 | 1,213,703 | 1,832,291 | 3,045,994 | 9.9 |
| 5 | 1,280,321 | 3,300,202 | 4,580,523 | 1,213,703 | 3,062,196 | 4,275,899 | 7.1 |
| 6 | 1,280,321 | 7,001,812 | 8,282,133 | 1,213,703 | 6,751,911 | 7,965,613 | 4.0 |
| 7 | 1,280,321 | 5,396,178 | 6,676,499 | 1,213,703 | 4,241,836 | 5,455,539 | 22.4 |
| 8 | 1,280,321 | 6,630,048 | 7,910,369 | 1,213,703 | 5,471,741 | 6,685,443 | 18.3 |
| 9 | 1,280,321 | 10,331,658 | 11,611,979 | 1,213,703 | 9,161,456 | 10,375,158 | 11.9 |

¹Refer to Table 3.6 for ADT cases²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation**Table 4.16-Summary of life-cycle costs for highway bridge with modification 2c**

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|------------|------------|-------------------------------------|-----------|------------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1 | 1,369,128 | 1,317,116 | 2,686,244 | 1,254,617 | 1,290,144 | 2,544,761 | 5.6 |
| 2 | 1,369,128 | 2,550,986 | 3,920,114 | 1,254,617 | 2,520,048 | 3,774,666 | 3.9 |
| 3 | 1,369,128 | 6,252,596 | 7,621,724 | 1,254,617 | 6,209,763 | 7,464,380 | 2.1 |
| 4 | 1,369,128 | 2,066,332 | 3,435,459 | 1,254,617 | 1,832,291 | 3,086,908 | 11.3 |
| 5 | 1,369,128 | 3,300,202 | 4,669,329 | 1,254,617 | 3,062,196 | 4,316,813 | 8.2 |
| 6 | 1,369,128 | 7,001,812 | 8,370,939 | 1,254,617 | 6,751,911 | 8,006,528 | 4.6 |
| 7 | 1,369,128 | 5,396,178 | 6,765,306 | 1,254,617 | 4,241,836 | 5,496,453 | 23.1 |
| 8 | 1,369,128 | 6,630,048 | 7,999,176 | 1,254,617 | 5,471,741 | 6,726,358 | 18.9 |
| 9 | 1,369,128 | 10,331,658 | 11,700,786 | 1,254,617 | 9,161,456 | 10,416,073 | 12.3 |

¹Refer to Table 3.6 for ADT cases²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation**Table 4.17-Summary of life-cycle costs for waterway bridge**

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|-----------|-----------|-------------------------------------|-----------|-----------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1,2,3 | 1,191,515 | 150,690 | 1,342,204 | 1,172,788 | 101,597 | 1,274,384 | 5.3 |
| 4,5,6 | 1,191,515 | 1,506,896 | 2,698,411 | 1,172,788 | 1,015,967 | 2,188,755 | 23.3 |
| 7,8,9 | 1,191,515 | 7,534,480 | 8,725,995 | 1,172,788 | 5,079,834 | 6,252,622 | 39.6 |

¹Refer to Table 3.6 for ADT cases²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation

Table 4.18-Summary of life-cycle costs for waterway bridge with modification 1a

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|-----------|-----------|-------------------------------------|-----------|-----------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1,2,3 | 1,191,515 | 116,968 | 1,308,483 | 1,172,788 | 80,918 | 1,253,705 | 4.4 |
| 4,5,6 | 1,191,515 | 1,169,679 | 2,361,194 | 1,172,788 | 809,177 | 1,981,964 | 19.1 |
| 7,8,9 | 1,191,515 | 5,848,394 | 7,039,909 | 1,172,788 | 4,045,883 | 5,218,670 | 34.9 |

¹Refer to Table 3.6 for ADT cases²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation**Table 4.19-Summary of life-cycle costs for waterway bridge with modification 1b**

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|-----------|-----------|-------------------------------------|-----------|-----------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1,2,3 | 1,235,959 | 116,968 | 1,352,927 | 1,193,264 | 80,918 | 1,274,182 | 6.2 |
| 4,5,6 | 1,235,959 | 1,169,679 | 2,405,638 | 1,193,264 | 809,177 | 2,002,441 | 20.1 |
| 7,8,9 | 1,235,959 | 5,848,394 | 7,084,353 | 1,193,264 | 4,045,883 | 5,239,147 | 35.2 |

¹Refer to Table 3.6 for ADT cases²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation**Table 4.20-Summary of life-cycle costs for waterway bridge with modification 1c**

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|-----------|-----------|-------------------------------------|-----------|-----------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1,2,3 | 1,280,321 | 116,968 | 1,397,289 | 1,213,703 | 80,918 | 1,294,620 | 7.9 |
| 4,5,6 | 1,280,321 | 1,169,679 | 2,450,000 | 1,213,703 | 809,177 | 2,022,879 | 21.1 |
| 7,8,9 | 1,280,321 | 5,848,394 | 7,128,715 | 1,213,703 | 4,045,883 | 5,259,585 | 35.5 |

¹Refer to Table 3.6 for ADT cases²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation**Table 4.21-Summary of life-cycle costs for waterway bridge with modification 2a**

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|-----------|-----------|-------------------------------------|-----------|-----------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1,2,3 | 1,191,515 | 83,246 | 1,274,761 | 1,172,788 | 60,239 | 1,233,026 | 3.4 |
| 4,5,6 | 1,191,515 | 832,462 | 2,023,976 | 1,172,788 | 602,386 | 1,775,174 | 14.0 |
| 7,8,9 | 1,191,515 | 4,162,308 | 5,353,823 | 1,172,788 | 3,011,931 | 4,184,719 | 27.9 |

¹Refer to Table 3.6 for ADT cases²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation

Table 4.22-Summary of life-cycle costs for waterway bridge with modification 2b

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|-----------|-----------|-------------------------------------|-----------|-----------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1,2,3 | 1,280,321 | 83,246 | 1,363,567 | 1,213,703 | 60,239 | 1,273,941 | 7.0 |
| 4,5,6 | 1,280,321 | 832,462 | 2,112,783 | 1,213,703 | 602,386 | 1,816,089 | 16.3 |
| 7,8,9 | 1,280,321 | 4,162,308 | 5,442,629 | 1,213,703 | 3,011,931 | 4,225,634 | 28.8 |

¹Refer to Table 3.6 for ADT cases

²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation

Table 4.23-Summary of life-cycle costs for waterway bridge with modification 2c

| ADT Case ¹ | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | | Percent Difference ² |
|-----------------------|----------------------------------|-----------|-----------|-------------------------------------|-----------|-----------|---------------------------------|
| | Agency | User | Total | Agency | User | Total | |
| 1,2,3 | 1,369,128 | 83,246 | 1,452,374 | 1,254,617 | 60,239 | 1,314,856 | 10.5 |
| 4,5,6 | 1,369,128 | 832,462 | 2,201,589 | 1,254,617 | 602,386 | 1,857,003 | 18.6 |
| 7,8,9 | 1,369,128 | 4,162,308 | 5,531,436 | 1,254,617 | 3,011,931 | 4,266,548 | 29.6 |

¹Refer to Table 3.6 for ADT cases

²Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation

Table 4.24-Summary of difference in total life-cycle costs for all bridges

| Analysis | Percent Difference ¹ | | | | | | | | |
|------------------|---------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ² | ADT Case 2 ² | ADT Case 3 ² | ADT Case 4 ² | ADT Case 5 ² | ADT Case 6 ² | ADT Case 7 ² | ADT Case 8 ² | ADT Case 9 ² |
| Highway | 11.1 | 12.5 | 13.7 | 19.1 | 17.6 | 16.1 | 33.2 | 29.4 | 23.8 |
| Highway + Mod 1a | 7.3 | 8.1 | 8.8 | 14.7 | 13.0 | 11.3 | 28.7 | 24.9 | 19.2 |
| Highway + Mod 1b | 8.1 | 8.6 | 9.0 | 15.3 | 13.4 | 11.5 | 28.9 | 25.1 | 19.3 |
| Highway + Mod 1c | 8.8 | 9.1 | 9.3 | 15.8 | 13.8 | 11.7 | 29.2 | 25.3 | 19.5 |
| Highway + Mod 2a | 1.9 | 1.3 | 0.8 | 8.4 | 6.1 | 3.4 | 21.7 | 17.7 | 11.5 |
| Highway + Mod 2b | 3.7 | 2.6 | 1.5 | 9.9 | 7.1 | 4.0 | 22.4 | 18.3 | 11.9 |
| Highway + Mod 2c | 5.6 | 3.9 | 2.1 | 11.3 | 8.2 | 4.6 | 23.1 | 18.9 | 12.3 |
| Waterway | 5.3 | 5.3 | 5.3 | 23.3 | 23.3 | 23.3 | 39.6 | 39.6 | 39.6 |
| Water + Mod 1a | 4.4 | 4.4 | 4.4 | 19.1 | 19.1 | 19.1 | 34.9 | 34.9 | 34.9 |
| Water + Mod 1b | 6.2 | 6.2 | 6.2 | 20.1 | 20.1 | 20.1 | 35.5 | 35.5 | 35.5 |
| Water + Mod 1c | 7.9 | 7.9 | 7.9 | 21.1 | 21.1 | 21.1 | 35.5 | 35.5 | 35.5 |
| Water + Mod 2a | 3.4 | 3.4 | 3.4 | 14.0 | 14.0 | 14.0 | 27.9 | 27.9 | 27.9 |
| Water + Mod 2b | 7.0 | 7.0 | 7.0 | 16.3 | 16.3 | 16.3 | 28.8 | 28.8 | 28.8 |
| Water + Mod 2c | 10.5 | 10.5 | 10.5 | 18.6 | 18.6 | 18.6 | 29.6 | 29.6 | 29.6 |

¹Percent difference = (Total Replacement - Total Rehabilitation)/Total Rehabilitation

²Refer to Table 3.6 for ADT cases

CHAPTER FIVE: SENSITIVITY ANALYSIS

A sensitivity analysis can be used to improve the results of a deterministic analysis (FHWA 2002) by providing a limited measure of the effects of input parameter variability on life-cycle costs. The sensitivity analysis is used to determine which input parameters the life-cycle costs are the most sensitive to. This can assist decision-makers in understanding any variability in the analysis results of the design alternatives. It can also be used to identify which input values need a more refined estimate and which do not. Changes in only one input parameter are made while all the others are held constant. The life-cycle cost is sensitive to an input parameter when a small change in that parameter results in a relatively large change in the life-cycle cost (Trejo and Reinschmidt 2007a). However, since only one input parameter is changed at a time the analysis cannot measure the impact of simultaneous changes in more than one parameter. It also does not give any indication of risk (Pittenger et al. 2012).

The sensitivity analysis in this study used the 26 parameters presented in Table 5.1. Each parameter was changed by plus and minus ten percent from the mean input values. An analysis was done for each of the nine ADT cases. Changes in life-cycle costs were converted to a percentage of the mean life-cycle cost for each ADT case. Except for changes in the service life of the CFRP rehabilitation, both plus and minus changes in parameter mean values of ten percent resulted in the same magnitude, but different sign, of change in life-cycle costs. All parameters had changes less than ten percent.

Although the ranking of parameters varied depending on the alternative and the ADT case, the same four parameters had the most impact on life-cycle cost, user costs in

particular, for both alternatives. They were bridge replacement duration, ADT under bridge, VOT cars, and delay time under the bridge during bridge replacement.

Three summaries of the analysis results are presented. The first one is for the replacement alternative, the second one is for the rehabilitation alternative, and the third one is for both alternatives combined.

The degree of sensitivity depended on the initial traffic volume. Some parameters had changes greater than one percent for all ADT cases. For other parameters some ADT cases had changes less than one percent and other ADT cases had changes greater than one percent. Four categories of changes in life-cycle cost, as a function of initial ADT, were found. Categories A, B, C, and D are described as follows:

- Category A: percent change in life-cycle cost increased as ADT on bridge increased (ADT under bridge constant) and as ADT under bridge increased (ADT on bridge constant)
- Category B: percent change in life-cycle cost decreased as ADT on bridge increased (ADT under bridge constant) and increased as ADT under bridge increased (ADT on bridge constant)
- Category C: percent change in life-cycle cost increased as ADT on bridge increased (ADT under bridge constant) and decreased as ADT under bridge increased (ADT on bridge constant)
- Category D: percent change in life-cycle cost decreased as ADT on bridge increased (ADT under bridge constant) and as ADT under bridge increased (ADT on bridge constant)

The categories of each input parameter for the replacement and rehabilitation alternatives are summarized in Table 5.2

Replacement Alternative

The results of the sensitivity analysis for the replacement alternative are summarized in Table 5.3.

Nine parameters had changes greater than one percent for at least two ADT cases. Four of these had changes greater than one percent for all nine ADT cases: bridge replacement duration (Category A), ADT under bridge (Category B), delay time under the bridge during bridge replacement (Category B), and VOT cars (Category A). Two of these had the same impact on life-cycle cost: ADT under bridge and delay time under the bridge during bridge replacement. The remaining five parameters had changes greater than one percent for the number of ADT cases shown. Category B included one parameter: VOT trucks (3 cases). Category C included three parameters: ADT on bridge (6 cases), delay time on the bridge during bridge replacement (5 cases), and detour length during replacement (2 cases). Category D included one parameter: bridge replacement cost (4 cases).

The remaining 17 parameters had changes less than one percent for all nine ADT cases. Two parameters had the same impact on life-cycle cost: deck overlay duration and delay time on the bridge during deck overlay. Category C included six parameters: VOC cars, deck replacement duration, delay time on the bridge during deck replacement, deck overlay duration, delay time on the bridge during deck overlay, and VOC trucks. Category D included four parameters: deck overlay cost for the new bridge, deck

replacement cost, MOT during replacement, and MOT during rehabilitation. The seven rehabilitation specific parameters had no impact on the life-cycle cost of the replacement alternative.

Rehabilitation Alternative

The results of the sensitivity analysis for the rehabilitation alternative are summarized in Table 5.4.

Fifteen parameters had changes greater than one percent for at least one ADT case. Five of these had changes greater than one percent for all nine ADT cases: ADT under bridge (Category B), VOT cars (Category A), bridge replacement duration (Category A), delay time under the bridge during bridge replacement (Category B) and service life of the CFRP rehabilitation (Category C). The remaining ten parameters had changes greater than one percent for the number of ADT cases shown. Category B included four parameters: deck overlay duration (5 cases), bridge rehabilitation duration (5 cases), delay time under the bridge during bridge rehabilitation (3 cases), and VOT trucks (3 cases). Category C included three parameters: ADT on bridge (5 cases), delay time on the bridge during bridge replacement (4 cases), and detour length during replacement (2 cases). Category D included three parameters: Bridge replacement cost (1 case), FRP strengthening cost (1 case), and quantity of CFRP (1 case). Two parameters had the same impact on LCC: FRP strengthening cost and the quantity of CFRP.

The remaining 11 parameters had changes less than one percent for all nine ADT cases. Category C included six parameters: deck replacement duration, VOC cars, delay time on the bridge during deck replacement, delay time on the bridge during bridge

rehabilitation, delay time on the bridge during deck overlay, and VOC trucks. Category D included five parameters: deck overlay cost for the old bridge, MOT during rehabilitation, deck replacement cost, deck overlay cost for the new bridge, and MOT during replacement.

Replacement and Rehabilitation Alternatives

A comparison of the sensitivity analysis results for both alternatives show some similarities in which parameters have the most influence on the life-cycle cost for each of the nine ADT cases. The same four parameters had the most impact on life-cycle cost, user costs in particular. They were bridge replacement duration, ADT under bridge, VOT cars, and delay time under bridge-bridge replacement. In addition, two of these parameters had changes in life-cycle cost greater than five percent for all nine ADT cases: bridge replacement duration and VOT cars. The other two parameters had changes greater than five percent in six of the nine ADT cases. The ADT on bridge parameter also had changes greater than five percent but only for two ADT cases with the replacement alternative and only one ADT case with the rehabilitation alternative.

The 11 parameters that had changes less than one percent for all ADT cases for the rehabilitation alternative also had changes less than one percent for all ADT cases for the replacement alternative. The deck overlay duration parameter had changes less than one percent for all ADT cases for the replacement alternative but not for the rehabilitation alternative.

The five parameters that had changes greater than one percent for some ADT cases for the replacement alternative also had changes greater than one percent for some

ADT cases for the rehabilitation alternative. Four other parameters had changes greater than one percent for some ADT cases for only the rehabilitation alternative: bridge rehabilitation duration, delay time under bridge-bridge rehabilitation, FRP strengthening cost, and quantity of CFRP. The service life of the CFRP rehabilitation had changes greater than one percent for all ADT cases for the rehabilitation alternative.

Sensitivity Analysis Summary

Although only one parameter at a time is varied in a sensitivity analysis multiple parameters can vary simultaneously in a probabilistic analysis. Individually some parameters had a positive effect on life-cycle costs, an increase in the value of the parameter resulted in an increase in life-cycle costs. Other parameters had a negative effect, an increase in the value of the parameter resulted in a decrease in life-cycle costs. When the individual changes are combined and applied simultaneously the overall effect may be positive, negative, or about neutral.

Four parameters had the most influence on life-cycle costs: bridge replacement duration, ADT under the bridge, VOT cars, and delay time under the bridge during bridge replacement. Two of these were Category A: bridge replacement duration and VOT cars. The other two were Category B: ADT under the bridge and delay time under the bridge during bridge replacement. For increases in traffic volume on the bridge the two categories had the opposite effect on the percent change in life-cycle costs. For increases in traffic volume under the bridge they had the same effect.

For the high traffic volume on the bridge cases the influence was similar to the four parameters that had the most influence, i.e. for high traffic volumes there were five parameters with the most influence on life-cycle costs. It was a Category C parameter:

ADT on the bridge. Increases in traffic volume on the bridge increased the percent change in life-cycle costs and increases in traffic volume under the bridge decreased the percent change in life-cycle costs. Traffic volume under the bridge had the opposite effect. When combined the influence of one of the parameters offset the influence of the other, especially for high traffic volumes.

Table 5.1-Sensitivity analysis parameters

| No. | Parameter | No. | Parameter |
|-----|--------------------------------|-----|---|
| 1 | Bridge replacement cost | 14 | Initial ADT on bridge |
| 2 | Deck replacement cost | 15 | Initial ADT under bridge |
| 3 | FRP strengthening cost | 16 | VOT cars |
| 4 | Deck overlay cost-new bridge | 17 | VOT trucks |
| 5 | Deck overlay cost-old bridge | 18 | VOC cars |
| 6 | Bridge replacement duration | 19 | VOC trucks |
| 7 | Bridge rehabilitation duration | 20 | Delay time on bridge-bridge replacement |
| 8 | Deck overlay duration | 21 | Delay time under bridge-bridge replacement |
| 9 | Deck replacement duration | 22 | Delay time on bridge-bridge rehabilitation |
| 10 | Quantity of CFRP | 23 | Delay time under bridge-bridge rehabilitation |
| 11 | MOT-replacement | 24 | Delay time on bridge-deck overlay |
| 12 | MOT-rehabilitation | 25 | Delay time on bridge-deck replacement |
| 13 | Detour length-replacement | 26 | Service life CFRP rehabilitation |

Table 5.2-Sensitivity analysis categories

| No. | Parameter | Replacement Category | Rehabilitation Category |
|-----|---|----------------------|-------------------------|
| 1 | Bridge replacement cost | D | D |
| 2 | Deck replacement cost | D | D |
| 3 | FRP strengthening cost | NA | D |
| 4 | Deck overlay cost-new bridge | D | D |
| 5 | Deck overlay cost-old bridge | NA | D |
| 6 | Bridge replacement duration | A | A |
| 7 | Bridge rehabilitation duration | NA | B |
| 8 | Deck overlay duration | C | B |
| 9 | Deck replacement duration | C | C |
| 10 | Quantity of CFRP | NA | D |
| 11 | MOT-replacement | D | D |
| 12 | MOT-rehabilitation | D | D |
| 13 | Detour length-replacement | C | C |
| 14 | Initial ADT on bridge | C | C |
| 15 | Initial ADT under bridge | B | B |
| 16 | VOT cars | A | A |
| 17 | VOT trucks | B | B |
| 18 | VOC cars | C | C |
| 19 | VOC trucks | C | C |
| 20 | Delay time on bridge-bridge replacement | C | C |
| 21 | Delay time under bridge-bridge replacement | B | B |
| 22 | Delay time on bridge-bridge rehabilitation | NA | C |
| 23 | Delay time under bridge-bridge rehabilitation | NA | B |
| 24 | Delay time on bridge-deck overlay | C | C |
| 25 | Delay time on bridge-deck replacement | C | C |
| 26 | Service life CFRP rehabilitation | NA | C |

NA=not applicable

Table 5.3-Sensitivity analysis summary highway bridge replacement alternative

| No. | Percent Change Life-cycle Costs | | | | | | | | |
|-----|---------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| 1 | 2.331 | 1.415 | 0.649 | 1.719 | 1.163 | 0.591 | 0.793 | 0.650 | 0.422 |
| 2 | 0.199 | 0.121 | 0.055 | 0.147 | 0.099 | 0.050 | 0.068 | 0.056 | 0.036 |
| 3 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 4 | 0.283 | 0.172 | 0.079 | 0.209 | 0.141 | 0.072 | 0.096 | 0.079 | 0.051 |
| 5 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 6 | 6.831 | 8.077 | 9.118 | 7.388 | 8.232 | 9.103 | 8.230 | 8.549 | 9.059 |
| 7 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 8 | 0.017 | 0.010 | 0.005 | 0.122 | 0.082 | 0.042 | 0.281 | 0.230 | 0.149 |
| 9 | 0.025 | 0.015 | 0.007 | 0.184 | 0.125 | 0.063 | 0.425 | 0.348 | 0.226 |
| 10 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 11 | 0.077 | 0.047 | 0.021 | 0.057 | 0.038 | 0.020 | 0.026 | 0.021 | 0.014 |
| 12 | 0.031 | 0.019 | 0.009 | 0.023 | 0.016 | 0.008 | 0.011 | 0.009 | 0.006 |
| 13 | 0.103 | 0.063 | 0.029 | 0.762 | 0.516 | 0.262 | 1.759 | 1.441 | 0.935 |
| 14 | 0.396 | 0.240 | 0.110 | 2.917 | 1.974 | 1.002 | 6.731 | 5.515 | 3.577 |
| 15 | 6.477 | 7.862 | 9.019 | 4.777 | 6.465 | 8.205 | 2.205 | 3.613 | 5.858 |
| 16 | 5.924 | 7.023 | 7.941 | 6.205 | 7.018 | 7.855 | 6.631 | 7.008 | 7.609 |
| 17 | 0.853 | 1.025 | 1.169 | 0.734 | 0.914 | 1.100 | 0.554 | 0.687 | 0.900 |
| 18 | 0.038 | 0.023 | 0.011 | 0.283 | 0.192 | 0.097 | 0.654 | 0.536 | 0.348 |
| 19 | 0.005 | 0.003 | 0.001 | 0.035 | 0.024 | 0.012 | 0.080 | 0.066 | 0.043 |
| 20 | 0.258 | 0.156 | 0.072 | 1.899 | 1.285 | 0.652 | 4.382 | 3.591 | 2.329 |
| 21 | 6.477 | 7.862 | 9.019 | 4.777 | 6.465 | 8.205 | 2.205 | 3.613 | 5.858 |
| 22 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 23 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |
| 24 | 0.017 | 0.010 | 0.005 | 0.122 | 0.082 | 0.042 | 0.281 | 0.230 | 0.149 |
| 25 | 0.018 | 0.011 | 0.005 | 0.134 | 0.091 | 0.046 | 0.309 | 0.253 | 0.164 |
| 26 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 | 0.000 |

¹Refer to Table 3.6 for ADT cases

Table 5.4-Sensitivity analysis summary highway bridge rehabilitation alternative

| No. | Percent Change Life-cycle Costs | | | | | | | | |
|------------------|---------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| 1 | 1.194 | 0.734 | 0.340 | 0.943 | 0.630 | 0.316 | 0.487 | 0.388 | 0.241 |
| 2 | 0.157 | 0.097 | 0.045 | 0.124 | 0.083 | 0.042 | 0.064 | 0.051 | 0.032 |
| 3 | 1.232 | 0.757 | 0.351 | 0.973 | 0.650 | 0.326 | 0.502 | 0.400 | 0.248 |
| 4 | 0.109 | 0.067 | 0.031 | 0.086 | 0.057 | 0.029 | 0.044 | 0.035 | 0.022 |
| 5 | 0.395 | 0.243 | 0.112 | 0.312 | 0.208 | 0.105 | 0.161 | 0.128 | 0.080 |
| 6 | 5.621 | 6.757 | 7.728 | 6.152 | 6.952 | 7.757 | 7.114 | 7.410 | 7.849 |
| 7 | 0.918 | 1.117 | 1.287 | 0.852 | 1.045 | 1.239 | 0.732 | 0.875 | 1.087 |
| 8 | 0.925 | 1.121 | 1.289 | 0.905 | 1.080 | 1.257 | 0.869 | 0.984 | 1.155 |
| 9 | 0.030 | 0.019 | 0.009 | 0.241 | 0.161 | 0.081 | 0.621 | 0.495 | 0.307 |
| 10 | 1.232 | 0.757 | 0.351 | 0.972 | 0.650 | 0.326 | 0.502 | 0.400 | 0.248 |
| 11 | 0.041 | 0.025 | 0.012 | 0.033 | 0.022 | 0.011 | 0.017 | 0.013 | 0.008 |
| 12 | 0.207 | 0.127 | 0.059 | 0.164 | 0.109 | 0.055 | 0.085 | 0.067 | 0.042 |
| 13 | 0.074 | 0.046 | 0.021 | 0.585 | 0.391 | 0.196 | 1.511 | 1.203 | 0.747 |
| 14 | 0.297 | 0.182 | 0.084 | 2.341 | 1.565 | 0.785 | 6.045 | 4.813 | 2.986 |
| 15 | 6.280 | 7.715 | 8.941 | 4.957 | 6.628 | 8.309 | 2.560 | 4.076 | 6.324 |
| 16 | 5.686 | 6.856 | 7.855 | 5.984 | 6.891 | 7.802 | 6.525 | 6.972 | 7.635 |
| 17 | 0.823 | 1.004 | 1.158 | 0.735 | 0.920 | 1.105 | 0.576 | 0.722 | 0.938 |
| 18 | 0.028 | 0.017 | 0.008 | 0.218 | 0.146 | 0.073 | 0.562 | 0.448 | 0.278 |
| 19 | 0.003 | 0.002 | 0.001 | 0.027 | 0.018 | 0.009 | 0.069 | 0.055 | 0.034 |
| 20 | 0.176 | 0.108 | 0.050 | 1.386 | 0.927 | 0.465 | 3.579 | 2.850 | 1.769 |
| 21 | 5.380 | 6.609 | 7.659 | 4.246 | 5.678 | 7.118 | 2.193 | 3.492 | 5.417 |
| 22 | 0.018 | 0.011 | 0.005 | 0.141 | 0.094 | 0.047 | 0.365 | 0.290 | 0.180 |
| 23 | 0.900 | 1.106 | 1.282 | 0.711 | 0.950 | 1.191 | 0.367 | 0.584 | 0.907 |
| 24 | 0.007 | 0.004 | 0.002 | 0.053 | 0.036 | 0.018 | 0.137 | 0.109 | 0.068 |
| 25 | 0.022 | 0.014 | 0.006 | 0.175 | 0.117 | 0.059 | 0.452 | 0.360 | 0.223 |
| 26a ² | 2.838 | 2.722 | 2.623 | 3.100 | 2.914 | 2.726 | 3.574 | 3.363 | 3.050 |
| 26b ³ | -2.716 | -2.619 | -2.536 | -2.962 | -2.797 | -2.632 | -3.409 | -3.216 | -2.931 |

¹Refer to Table 3.6 for ADT cases

²CFRP service life minus 10%

³CFRP service life plus 10%

CHAPTER SIX: PROBABILISTIC ANALYSIS

In a probabilistic analysis multiple parameters are varied at the same time to account for variability and uncertainty. The Monte Carlo simulation is commonly used to perform the probabilistic analysis. The two main parameters with uncertainties are related to costs and service life (Pittenger et al. 2012). Probability distribution functions and random sampling were used to select a discrete value for inputs that varied. The process was repeated and a range of life-cycle costs was generated for each alternative. A statistical analysis of the results was performed to determine the cumulative probability of the life-cycle costs for each alternative (Reigle and Zaniewski 2002).

Two common probability distributions were used in this study to represent the variability of some input parameters (Walls III and Smith 1998, Pittenger et al. 2012). Agency unit costs represented by a normal distribution with mean and standard deviation values are summarized in Table 6.1. In order to avoid the possibility of low or negative unit costs minimum values were included. Parameters represented by a triangular distribution with minimum, most likely, and maximum values, are summarized in Table 6.2. Minimum traffic volumes were assumed to be 80% of the most likely traffic volume and maximum traffic volumes were 110% of the most likely traffic volume. The Palisades @Risk software (Palisades Corporation) was used within spreadsheets to calculate life-cycle costs using the ranges and distributions of input values.

Each life-cycle cost analysis consisted of 100,000 iterations of the life-cycle cost model. Latin Hypercube sampling was used when generating random number as it has quicker convergence (Walls III and Smith, 1998). Each analysis used the same initial

seed number for each ADT case in order to be able to compare the impact of traffic volume on the results.

The risk profile basic statistics from each probabilistic analysis included the minimum life-cycle cost, maximum life-cycle cost, mean life-cycle cost, median life-cycle cost, standard deviation of the life-cycle costs, and distribution of life-cycle costs by percentile. Cumulative probability curves for each alternative were then developed using the distribution of life-cycle costs. The decision-maker can use this information to select an alternative based on the level of risk that they are most comfortable with and not rely only on mean life-cycle costs (FHWA 2002).

In this study probabilistic analyses were carried out to determine the probability when rehabilitation had the lower life-cycle cost. Analyses were carried out for 1) a bridge over a highway, 2) a bridge over a highway with limited random variables, 3) a bridge over a highway with modified bridge construction time and cost, 4) a bridge over a waterway, and 5) a bridge over a waterway with modified bridge construction time and cost. Each analysis used the agency and user cost parameters shown in Table 3.1, Table 3.2 and Table 3.3. Each analysis used a different initial traffic volume, both on and under the bridge.

Bridge over Highway

Nine probabilistic analyses were carried out. The risk profile statistics from the probabilistic analyses and the cumulative probability curves are contained in Appendix E for each of the nine ADT cases.

The typical results of a simulation, ADT case 1, presented as ascending cumulative probability curves for each alternative are shown in Figure 6.1. Each curve shows the cumulative probability of life-cycle cost, i.e. the probability that the life-cycle cost is less than or equal to any given value. Although the curves for the other ADT cases are similar there are two main differences. The first one is the range of life-cycle costs. The second is the point where the two curves intersect, when they do intersect. This is the point at which the alternative with the lower life-cycle cost changes from replacement to rehabilitation.

The minimum, maximum, and range of life-cycle costs are summarized in Table 6.3. As the traffic volumes increased the minimum life-cycle cost, maximum life-cycle cost, and the range in life-cycle costs all increased. For a fixed traffic volume on the bridge the increases in maximum values was larger than the increases in minimum values. For a fixed traffic volume under the bridge the increases in minimum values was larger than the increases in maximum values. This holds for both the replacement and rehabilitation alternatives.

Changes in traffic volumes for the replacement alternative resulted in different percent changes in the minimum and maximum life-cycle costs. Two analyses were done. In the first one the traffic on the bridge was held constant and traffic under the bridge was increased, Table 6.4. For 100 vpd on the bridge, traffic under the bridge was increased first from 5,000 to 10,000 vpd and then from 10,000 to 25,000 vpd. Increasing traffic under the bridge from 5,000 to 10,000 vpd increased the minimum value 8.74 percent and the maximum value 82.70 percent. Increasing traffic under bridge from 10,000 to 25,000 vpd increased the minimum value 11.73 percent and the maximum value 135.79 percent.

For 1,000 vpd on the bridge, traffic under the bridge was also increased first from 5,000 to 10,000 vpd and then from 10,000 to 25,000 vpd. Increasing traffic under bridge from 5,000 to 10,000 vpd increased the minimum value 6.83 percent and the maximum value 62.39 percent. Increasing traffic under bridge from 10,000 to 25,000 vpd increased the minimum value 4.75 percent and the maximum value 115.26 percent. For 5,000 vpd on the bridge, traffic under the bridge was also increased first from 5,000 to 10,000 vpd and then from 10,000 to 25,000 vpd. Increasing traffic under bridge from 5,000 to 10,000 vpd increased the minimum value 3.07 percent and the maximum value 22.97 percent. Increasing traffic under bridge from 10,000 to 25,000 vpd increased the minimum value 8.92 percent and the maximum value 68.94 percent.

In the second analysis for the replacement alternative the traffic under the bridge was held constant and traffic on the bridge was increased, Table 6.5. For 5,000 vpd under the bridge increasing traffic on bridge from 100 to 1,000 vpd increased the minimum value 72.85 percent and the maximum value 32.54 percent. Increasing traffic on the bridge from 1,000 to 5,000 vpd increased the minimum value 131.73 percent and the maximum value 120.79 percent. For 10,000 vpd under the bridge increasing traffic on the bridge from 100 to 1,000 vpd increased the minimum value 69.81 percent and the maximum value 17.81 percent. Increasing traffic on the bridge from 1,000 to 5,000 vpd increased the minimum value 123.57 percent and the maximum value 67.19 percent. For 25,000 vpd under the bridge, increasing traffic on the bridge from 100 to 1,000 vpd increased the minimum value 59.21 percent and the maximum value 7.55 percent. Increasing traffic on the bridge from 1,000 to 5,000 vpd increased the minimum value 132.47 percent and the maximum value 31.21 percent.

Changes in traffic volumes for the rehabilitation alternative also resulted in different percent changes in the minimum and maximum life-cycle costs. Two same two analyses were done. In the first analysis the traffic on the bridge was held constant and traffic under the bridge was increased, Table 6.4. For 100 vpd on the bridge increasing traffic under the bridge from 5,000 to 10,000 vpd increased the minimum value 24.11 percent and the maximum value 81.43 percent. Increasing traffic under the bridge from 10,000 to 25,000 vpd increased the minimum value 52.35 percent and the maximum value 134.65 percent. For 1,000 vpd on the bridge increasing traffic under the bridge from 5,000 to 10,000 vpd increased the minimum value 22.41 percent and the maximum value 66.70 percent. Increasing traffic under the bridge from 10,000 to 25,000 vpd increased the minimum value 39.36 percent and the maximum value 120.04 percent. For 5,000 vpd on the bridge increasing traffic under the bridge from 5,000 to 10,000 vpd increased the minimum value 9.09 to 23.65 percent. Increasing traffic under the bridge from 10,000 to 25,000 vpd increased the minimum value 23.19 percent and the maximum value 71.80 percent.

In the second analysis for the rehabilitation alternative the traffic under the bridge was held constant and traffic on the bridge was increased, Table 6.5. For low traffic under the bridge increasing traffic on the bridge from 100 to 1,000 vpd increased the minimum value 37.47 percent and the maximum value 22.09 percent. Increasing traffic on the bridge from 1,000 to 5,000 vpd increased the minimum value 100.07 percent and the maximum value 110.51 percent. For 10,000 vpd under the bridge increasing traffic on the bridge from 100 to 1,000 vpd increased the minimum value 35.59 percent and the maximum value 12.17 percent. Increasing traffic on the bridge from 1,000 to 5,000 vpd

increased the minimum value 78.30 percent and the maximum value 56.15 percent. For 25,000 vpd under the bridge increasing traffic on the bridge from 100 to 1,000 vpd increased the minimum value 24.03 percent and the maximum value 5.19 percent. Increasing traffic on the bridge from 1,000 to 5,000 vpd increased the minimum value 57.61 percent and the maximum value 21.92 percent.

The point where the cumulative probability curves intersect indicates the life-cycle cost and probability at which the alternative with the lower life-cycle cost changes from one alternative to the other. At this point the probabilities that either replacement or rehabilitation will have the lower life-cycle cost are the same. For the highway bridge and life-cycle costs less than this value there is a higher probability that replacement will have the lower life-cycle cost. For life-cycle costs greater than this value there is a higher probability that rehabilitation will have the lower life-cycle cost. The life-cycle costs and probabilities where the curves intersect were estimated using the risk profile statistics and straight line interpolation.

The point where the two curves intersect varied depending on the traffic volume. For ADT case 1 (Table 3.6) this point is at 17.02 percent and 2.54 million dollars. For ADT case 2 (Table 3.6) this point is at 17.85 percent and 3.80 million dollars. For ADT case 3 (Table 3.6) this point is at 17.99 percent and 7.52 million dollars. For ADT case 4 (Table 3.6) this point is at 0.23 percent and 2.00 million dollars. For ADT case 5 (Table 3.6) this point is at 2.52 percent and 3.37 million dollars. For ADT case 6 (Table 3.6) this point is at 9.34 percent and 7.07 million dollars. For ADT case 9 (Table 3.6) this point is at 0.30 percent and 5.86 million dollars. For ADT cases 7 and 8 (Table 3.6) the curves

did not intersect. For these ranges of traffic there is a zero percent probability that the replacement life-cycle cost is lower.

The agency, user, and total life-cycle costs from the deterministic analysis and the mean and median values from the probabilistic analyses are compared in Table 6.6. Some values are close to the deterministic values but never equal. This shows that deterministic life-cycle costs are mean values. In some cases the deterministic values are lower and in the others they are higher. The deterministic values tended to be higher with low traffic volumes and lower with increased traffic volume. For the replacement alternative the deterministic values ranged from 7.2 percent lower to 5.3 percent higher than mean values and from 5.2 percent lower to 9.9 percent higher than the median values. For the rehabilitation alternative the deterministic values ranged from 8.8 percent lower to 2.4 percent higher than mean values and from 6.7 percent lower to 5.3 percent higher than the median values.

The results of the probabilistic analysis show some trends with respect to increases in traffic volumes. As the traffic volumes on the bridge increased, with traffic volume under the bridge constant, the probability that replacement has the lower life-cycle cost decreased. As the traffic volume under bridge increased, with traffic volume on the bridge constant, the probability that replacement has the lower life-cycle cost increased. This increase in probability became more significant with increases in traffic volumes on the bridge. These opposing trends can make it difficult to predict the effect of different combinations of traffic volume on and under the bridge.

Bridge over Highway with Limited Random Variables

The probabilistic analyses for the highway bridge used either normal distributions or triangular distributions of more variables than what the sensitivity analysis indicated are necessary. The sensitivity analysis showed that four variables had the most influence on life-cycle costs: bridge replacement duration, traffic under the bridge, VOT cars, and delay time under the bridge during bridge replacement. Therefore, nine probabilistic analyses were carried out using probability distributions for only these four variables. The risk profile statistics and cumulative probability curves for the highway bridge with limited random variables are contained in Appendix E. The estimated probabilities at which replacement has the lower life-cycle cost are compared with the highway bridge analysis that used more random variables in Table 6.7. The associated estimated life-cycle costs are compared in Table 6.8.

The effect of using the limited random variables on probabilities depended on traffic volumes. For the low traffic volumes on the bridge the probabilities that replacement had the lower life-cycle cost all decreased. The decrease was more significant for ADT case 1 (Table 3.6). For the medium traffic volumes the effect was mixed. ADT cases 4 and 5 (Table 3.6) showed a slight increase in probability while ADT case 6 (Table 3.6) showed a slight decrease. For the high traffic volumes the results were also mixed. For ADT cases 7 and 8 (Table 3.6) there was no change. For ADT case 9 (Table 3.6) there was a slight increase. Although the other random variables individually had a small influence on life-cycle costs collectively they had more influence.

The effect of using the limited random variables on the associated life-cycle cost also depended on traffic volumes. For the low traffic volumes on the bridge the life-cycle

costs all decreased. For the medium traffic volumes the effect was mixed. ADT cases 4 and 6 (Table 3.6) showed an increase while ADT case 5 (Table 3.6) showed a decrease. For the high traffic volumes the results were also mixed. For ADT cases 7 and 8 (Table 3.6) there was no change. For ADT case 9 (Table 3.6) there was an increase.

These changes in probabilities and costs mostly likely would not change which alternative is selected. If the decision maker was not going to select the replacement alternative at 17 to 18 percent probability, for low traffic volume on the bridge, they would most likely not select the replacement alternative at lower probability.

Bridge over Highway with Modified Bridge Construction Time and Cost

As done in the deterministic analysis two modifications to the bridge construction time were investigated. In the first modification the initial value of the most likely time to construct the bridge was decreased by 25 percent. In the second modification it was decreased by 50 percent. The maximum times were adjusted by about the same percentages. Since minimum times would most likely not decrease as much as the other two times a nominal decrease of five and ten days was selected. The times used are summarized in Table 6.9.

Three variations of the unit bridge construction cost were used with each modification. For the first time modification the initial mean and minimum values of unit cost to construct the bridge was increased by zero, five, and ten percent. For the second time modification they were increased by zero, ten, and twenty percent. The value of the standard deviation was not changed. The unit costs used are summarized in Table 6.10.

The combinations of modified times and costs are summarized in Table 6.11. Even though no increase in cost is likely to occur it was also included in the probabilistic analyses as a base line or limiting value.

Six additional probabilistic analyses using the modified bridge construction times and costs were done for each of the nine traffic cases. The estimated probabilities at which replacement had the lower life-cycle cost are summarized in Table 6.12. The associated estimated life-cycle costs are summarized in Table 6.13. The risk profile statistics and cumulative probability curves for the highway bridge with modified construction time and costs are contained in Appendix E.

Decreasing the time to construct the new bridge generally increased the probability at which the replacement alternative had the lower life-cycle cost. However, for the higher traffic volumes the decrease in time had no effect, ADT cases 7 and 8 (Table 3.6), or little effect, ADT case 9 (Table 3.6). It also had little effect on ADT case 4 (Table 3.6). Decreasing the construction time without any increase in the unit cost had the most effect. For the low traffic volume on the bridge cases the probability increased to more than 50 percent. Although subsequent increases in unit cost negated most of the increase in probability, the resulting probabilities were still more than those for the corresponding highway bridge. The associated life-cycle costs changed very little.

Bridge over Waterway

Three additional probabilistic analyses using no vehicular traffic under the bridge were carried out. The risk profile statistics and cumulative probability curves for the bridge over waterway are contained in Appendix E. The estimated probabilities at which

replacement has the lower life-cycle cost are compared with the highway bridge in Table 6.14. The associated estimated life-cycle costs are compared in Table 6.15.

Changing the traffic volume under the bridge to zero resulted in two significant changes in probabilities. For medium and high traffic volumes there was now a zero percent probability that the replacement alternative had the lower life-cycle cost. For the low traffic volume case the relative positions of the two cumulative probability curves was reversed, Figure 6.2. Below the intersection point of the curves the rehabilitation alternative now had the lower life-cycle cost instead of the replacement alternative. The intersection point also shifted upwards to about 74 percent, i.e. the probability that the rehabilitation alternative had the lower life-cycle cost was about 74 percent. The associated life-cycle cost was also reduced. The amount it decreased was relatively small for ADT case 1 (Table 3.6) but was more significant for ADT case 3 (Table 3.6). This was due to the removal of more traffic from under the bridge in case 3 (Table 3.6) and the subsequent reduction in user costs.

Bridge over Waterway with Modified Bridge Construction Time and Cost

Six additional probabilistic analyses using no vehicular traffic under the bridge together with the modified bridge construction times and costs were carried out for the same three traffic volume cases used for a bridge over a waterway. The risk profile statistics and cumulative probability curves for the bridge over waterway with modified construction time and cost are contained in Appendix E. The estimated probabilities at which replacement has the lower life-cycle cost are compared with the highway bridge and the waterway bridge in Table 6.16. The associated estimated life-cycle costs are compared in Table 6.17.

Modifying the bridge construction time and cost for a bridge over a waterway only had an impact for the low traffic volume case. As with the bridge over water analysis the relative position of the two cumulative probability curves was reversed. It also raised the point where the two cumulative probability curves intersect. The probability that the rehabilitation alternative had the lower life-cycle cost increased to about 81 percent with modification 1b to as much as 96 percent for modification 2c. There was a corresponding increase in the associated life-cycle cost.

This was not the case for modifications 1a and 2a, Figures 6.3 and 6.4. The two curves were close enough for them to intersect in three places. For modification 1a the curves intersected at 0.82, 6.12, and 59.03 percent. The associated life-cycle costs were 0.97, 1.09, and 1.37 million dollars. For modification 2a the curves intersected at 0.59, 18.18, and 32.59 percent. The associated life-cycle costs were 0.92, 1.15, and 1.23 million dollars. The difference in life-cycle costs were generally less than five percent.

Modifying the bridge construction time and cost for a bridge over a waterway made no difference in which alternative had the lower life-cycle cost for the medium and high traffic volume cases. The rehabilitation alternative continued to have the lower life-cycle cost. It did however increase the difference in life-cycle costs for all probabilities, i.e. increased the distance between the two curves.

Probabilistic Analysis Summary

Probabilistic analyses were carried out for a highway bridge, a highway bridge with limited random variables, a highway bridge with modified bridge construction time and cost, a waterway bridge, and a waterway bridge with modified bridge construction

time and cost. The estimated probabilities at which replacement has the lower life-cycle cost are compared for all the analyses in Table 6.18. The associated estimated life-cycle costs are compared in Table 6.19.

The rehabilitation alternative generally had the higher probability of having the lower life-cycle cost. However there were instances where the difference between the two alternatives had been reduced enough for a decision maker to consider using accelerated bridge construction technologies. This was for a bridge over a waterway with low traffic volumes. If it were possible to obtain a 50 percent decrease in bridge construction time without any increase in bridge construction cost the life-cycle costs are close. However this may not be likely to occur.

The effect of the different bridge options on life-cycle costs and the difference in life-cycle costs between the two alternatives depended on the traffic volumes. They had the most effect on the low traffic volume cases. For the low traffic volume cases modification of bridge construction time and cost had a wide range of effect on probabilities. Some of these probabilities may be high enough for a decision maker to choose replacement instead of rehabilitation. For bridges over a waterway the results favored the rehabilitation alternative. As the traffic volumes increased the probability that the replacement alternative had the lower life-cycle cost decreased and eventually went to zero.

Table 6.1-Probabilistic analysis input-normal distribution

| Parameter | Mean | Std. Dev. | Minimum |
|--|----------------------|-------------------|-------------------|
| Prestressed concrete girder bridge, \$/ft ² (\$/m ²) | 107.52 (1,157.33) | 18.28 (196.76) | 72.00 (775.00) |
| Deck overlay-new bridge, \$/ft ² (\$/m ²) | 16.54 (178.03) | 4.79 (51.56) | 7.00 (75.35) |
| Deck overlay-old bridge, \$/ft ² (\$/m ²) | 16.54 (178.03) | 4.79 (51.56) | 7.00 (75.35) |
| Bridge overlay approach pavement-new bridge, \$/yd ² (\$/m ²) | 40.01 (47.85) | 12.25 (14.65) | 20.00 (23.92) |
| Bridge overlay approach pavement-old bridge, \$/yd ² (\$/m ²) | 54.83 (65.58) | 16.45 (19.67) | 20.00 (23.92) |
| Deck construction, \$/ft ² (\$/m ²) | 38.17 (410.86) | 7.19 (77.39) | 24.00 (258.33) |
| CFRP wrap (one layer), \$/ft ² (\$/m ²) | 54.39 (585.45) | 21.24 (228.62) | 39.00 (419.79) |
| Bridge rail retrofit with thrie beam, \$/ft (\$/m) | \$76.99 (252.59) | 14.52 (47.64) | 65.00 (213.25) |
| Bridge removal, \$/ft ² (\$/m ²) | 14.13 (152.09) | 4.03 (43.38) | 8.00 (86.11) |
| Deck removal, \$/ft ² (\$/m ²) | 4.87 (52.42) | 2.61 (28.09) | 2.00 (21.53) |

Table 6.2-Probabilistic analysis input-triangular distribution

| Parameter | Minimum | Most Likely | Maximum |
|---|---------|-------------|---------|
| Construct new bridge-duration, days | 90 | 240 | 370 |
| Service life new bridge, years | 70 | 75 | 90 |
| Service life bridge deck (time to overlay), years | 15 | 20 | 25 |
| Service life bridge deck overlay, years | 15 | 20 | 25 |
| Service life CFRP strengthening, years | 10 | 20 | 25 |
| Value of time-cars, \$/hour | 13.34 | 16.28 | 19.21 |
| Delay time on bridge-bridge replacement, minutes | 8 | 10 | 20 |
| Delay time under bridge-bridge replacement, minutes | 0 | 5 | 10 |

Table 6.3-Total life-cycle costs for highway bridge

| ADT Case ¹ | Total Life-cycle Costs, millions of Dollars | | | | | |
|-----------------------|---|---------|-------|----------------------------|---------|-------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Minimum | Maximum | Range | Minimum | Maximum | Range |
| 1 | 1.05 | 9.42 | 8.37 | 1.34 | 8.12 | 6.78 |
| 2 | 1.14 | 17.20 | 16.06 | 1.66 | 14.73 | 13.07 |
| 3 | 1.27 | 40.56 | 39.29 | 2.54 | 34.55 | 32.01 |
| 4 | 1.81 | 12.48 | 10.67 | 1.84 | 9.91 | 8.07 |
| 5 | 1.93 | 20.27 | 18.34 | 2.26 | 16.52 | 14.26 |
| 6 | 2.02 | 43.63 | 41.61 | 3.14 | 36.34 | 33.20 |
| 4 | 4.19 | 27.55 | 23.36 | 3.69 | 20.86 | 17.17 |
| 8 | 4.32 | 33.88 | 29.56 | 4.02 | 25.79 | 21.77 |
| 9 | 4.70 | 57.24 | 52.54 | 4.96 | 44.31 | 39.35 |

¹Refer to Table 3.6 for ADT cases
Range = Maximum - Minimum

Table 6.4-Change in minimum and maximum life-cycle cost (LCC) with constant traffic on bridge

| Traffic on, vehicles per day | Change in traffic under, vehicles per day | Replacement | | Rehabilitation | |
|------------------------------|---|-------------|---------|----------------|---------|
| | | Minimum | Maximum | Minimum | Maximum |
| 100 | From 5,000 to 10,000 ¹ | 8.74% | 82.70% | 24.11% | 81.43% |
| | From 10,000 to 25,000 ² | 11.73% | 135.79% | 52.35% | 134.65% |
| 1,000 | From 5,000 to 10,000 ¹ | 6.83% | 62.39% | 22.41% | 66.70% |
| | From 10,000 to 25,000 ² | 4.75% | 115.26% | 39.36% | 120.04% |
| 5,000 | From 5,000 to 10,000 ¹ | 3.07% | 24.45% | 9.09% | 23.70% |
| | From 10,000 to 25,000 ² | 8.92% | 68.94% | 23.19% | 71.80% |

¹Percent change = $(LCC_{10000}-LCC_{5000})/LCC_{5000}$

²Percent change = $(LCC_{25000}-LCC_{10000})/LCC_{10000}$

Table 6.5-Change in minimum and maximum life-cycle cost (LCC) with constant traffic under bridge

| Traffic under, vehicles per day | Changes in traffic on, vehicles per day | Replacement | | Rehabilitation | |
|---------------------------------|---|-------------|---------|----------------|---------|
| | | Minimum | Maximum | Minimum | Maximum |
| 5,000 | From 100 to 1,000 ¹ | 72.85% | 32.54% | 37.47% | 22.09% |
| | From 1,000 to 5,000 ² | 131.73% | 120.79% | 100.07% | 110.51% |
| 10,000 | From 100 to 1,000 ¹ | 69.81% | 17.81% | 35.59% | 12.17% |
| | From 1,000 to 5,000 ² | 123.57% | 67.19% | 78.30% | 56.15% |
| 25,000 | From 100 to 1,000 ¹ | 59.21% | 7.55% | 24.03% | 5.19% |
| | From 1,000 to 5,000 ² | 132.47% | 31.21% | 57.61% | 21.92% |

¹Percent change = $(LCC_{1000}-LCC_{100})/LCC_{100}$

²Percent change = $(LCC_{5000}-LCC_{1000})/LCC_{1000}$

where:

LCC₁₀₀ = life cycle cost when traffic volume is 100 vehicles per day

LCC₁₀₀₀ = life cycle cost when traffic volume is 1,000 vehicles per day

LCC₅₀₀₀ = life cycle cost when traffic volume is 5,000 vehicles per day

LCC₁₀₀₀₀ = life cycle cost when traffic volume is 10,000 vehicles per day

LCC₂₅₀₀₀ = life cycle cost when traffic volume is 25,000 vehicles per day

Table 6.6-Comparison of life-cycle costs for highway bridge, deterministic and probabilistic analysis

| ADT Case ¹ | LCC | Replacement Alternative, Dollars | | | Rehabilitation Alternative, Dollars | | |
|-----------------------|-----|----------------------------------|------------|------------|-------------------------------------|------------|------------|
| | | Agency | User | Total | Agency | User | Total |
| 1 | D | 1,191,515 | 2,618,430 | 3,809,944 | 1,172,788 | 2,252,939 | 3,425,727 |
| | P1 | 1,203,146 | 2,487,246 | 3,690,392 | 1,250,889 | 2,190,694 | 3,441,584 |
| | P2 | 1,201,069 | 2,356,742 | 3,560,778 | 1,235,173 | 2,088,005 | 3,340,833 |
| 2 | D | 1,191,515 | 5,086,170 | 6,277,684 | 1,172,788 | 4,404,281 | 5,577,069 |
| | P1 | 1,203,146 | 4,805,013 | 6,008,159 | 1,250,889 | 4,265,064 | 5,515,954 |
| | P2 | 1,201,069 | 4,548,437 | 5,748,648 | 1,235,173 | 4,062,532 | 5,315,901 |
| 3 | D | 1,191,515 | 12,489,390 | 13,680,904 | 1,172,788 | 10,858,308 | 12,031,096 |
| | P1 | 1,203,146 | 11,758,315 | 12,961,461 | 1,250,889 | 10,488,175 | 11,739,065 |
| | P2 | 1,201,069 | 11,119,865 | 12,320,279 | 1,235,173 | 9,985,899 | 11,237,070 |
| 4 | D | 1,191,515 | 3,974,636 | 5,166,151 | 1,172,788 | 3,167,309 | 4,340,097 |
| | P1 | 1,203,146 | 4,012,556 | 5,215,702 | 1,250,889 | 3,237,609 | 4,488,499 |
| | P2 | 1,201,069 | 3,865,747 | 5,071,344 | 1,235,173 | 3,120,120 | 4,372,410 |
| 5 | D | 1,191,515 | 6,442,376 | 7,633,891 | 1,172,788 | 5,318,651 | 6,491,439 |
| | P1 | 1,203,146 | 6,330,323 | 7,533,469 | 1,250,889 | 5,311,980 | 6,562,869 |
| | P2 | 1,201,069 | 6,043,843 | 7,250,388 | 1,235,173 | 5,085,968 | 6,339,431 |
| 6 | D | 1,191,515 | 13,845,596 | 15,037,111 | 1,172,788 | 11,772,678 | 12,945,466 |
| | P1 | 1,203,146 | 13,283,624 | 14,486,770 | 1,250,889 | 11,535,090 | 12,785,980 |
| | P2 | 1,201,069 | 12,609,807 | 13,817,945 | 1,235,173 | 11,002,411 | 12,255,098 |
| 7 | D | 1,191,515 | 10,002,220 | 11,193,735 | 1,172,788 | 7,231,176 | 8,403,964 |
| | P1 | 1,203,146 | 10,791,710 | 11,994,856 | 1,250,889 | 7,890,566 | 9,141,455 |
| | P2 | 1,201,069 | 10,575,930 | 11,778,008 | 1,235,173 | 7,713,306 | 8,963,475 |
| 8 | D | 1,191,515 | 12,469,960 | 13,661,475 | 1,172,788 | 9,382,519 | 10,555,307 |
| | P1 | 1,203,146 | 13,109,477 | 14,312,623 | 1,250,889 | 9,964,936 | 11,215,825 |
| | P2 | 1,201,069 | 12,798,769 | 14,002,997 | 1,235,173 | 9,697,881 | 10,945,213 |
| 9 | D | 1,191,515 | 19,873,180 | 21,064,695 | 1,172,788 | 15,836,546 | 17,009,334 |
| | P1 | 1,203,146 | 20,062,778 | 21,265,924 | 1,250,889 | 16,188,047 | 17,438,936 |
| | P2 | 1,201,069 | 19,328,734 | 20,532,299 | 1,235,173 | 15,600,600 | 16,847,351 |

¹Refer to Table 3.6 for ADT cases

LCC=life-cycle cost

D=deterministic

P1=probabilistic, mean values

P2=probabilistic, median values

Table 6.7-Estimated probability for highway bridge with limited variables

| Analysis | Estimated Probability, Percent | | | | | | | | |
|----------|--------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| Highway | 17.02 | 17.85 | 17.99 | 0.23 | 2.52 | 9.34 | NA | NA | 0.30 |
| Limited | 10.57 | 13.31 | 14.82 | 0.42 | 2.62 | 8.45 | NA | NA | 0.51 |

¹Refer to Table 3.6 for ADT cases

NA-Rehabilitation life-cycle costs less than replacement life-cycle costs

Table 6.8-Estimated life-cycle costs for highway bridge with limited variables

| Analysis | Life-cycle Costs, Millions of Dollars | | | | | | | | |
|----------|---------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| Highway | 2.54 | 3.80 | 7.52 | 2.00 | 3.37 | 7.07 | NA | NA | 5.86 |
| Limited | 2.25 | 3.42 | 6.89 | 2.18 | 3.24 | 6.61 | NA | NA | 6.44 |

¹Refer to Table 3.6 for ADT cases

NA-Rehabilitation life-cycle costs less than replacement life-cycle costs

Table 6.9-Modified bridge construction times

| | Time, Days | | |
|-------------------|------------|-------------|---------|
| | Minimum | Most Likely | Maximum |
| Initial | 90 | 240 | 370 |
| Initial minus 25% | 85 | 180 | 280 |
| Initial minus 50% | 80 | 120 | 180 |

Table 6.10-Modified bridge construction unit costs

| | Unit Costs, \$/ft ² (\$/m ²) | | |
|------------------|---|----------------|----------------|
| | Mean | Std Deviation | Minimum |
| Initial | 107.52 (1,157.33) | 18.28 (196.76) | 72.00 (775.00) |
| Initial plus 5% | 112.90 (1,215.20) | 18.28 (196.76) | 75.60 (813.75) |
| Initial plus 10% | 118.27 (1,273.04) | 18.28 (196.76) | 79.20 (852.50) |
| Initial plus 20% | 129.02 (1,388.75) | 18.28 (196.76) | 86.40 (930.00) |

Table 6.11-Bridge construction time and cost modifications

| Modification | Decrease in Time | Increase in Costs |
|--------------|------------------|-------------------|
| 1a | 25% | 0% |
| 1b | 25% | 5% |
| 1c | 25% | 10% |
| 2a | 50% | 0% |
| 2b | 50% | 10% |
| 2c | 50% | 20% |

Table 6.12-Estimated probability for highway bridge with modified construction time and cost

| | Estimated Probability, Percent | | | | | | | | |
|---------|--------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| Highway | 17.02 | 17.85 | 17.99 | 0.23 | 2.52 | 9.34 | NA | NA | 0.30 |
| Mod 1a | 28.77 | 28.60 | 28.28 | 0.07 | 5.29 | 16.97 | NA | NA | 0.54 |
| Mod 1b | 24.03 | 26.39 | 27.33 | NA | 4.58 | 16.38 | NA | NA | 0.50 |
| Mod 1c | 19.80 | 24.27 | 26.40 | NA | 4.03 | 15.79 | NA | NA | 0.46 |
| Mod 2a | 59.84 | 56.29 | 54.29 | 2.09 | 19.47 | 39.25 | NA | NA | 2.37 |
| Mod 2b | 44.62 | 49.25 | 51.41 | 0.25 | 14.83 | 36.42 | NA | NA | 1.85 |
| Mod 2c | 28.06 | 42.27 | 48.72 | NA | 10.57 | 33.63 | NA | NA | 1.29 |

¹Refer to Table 3.6 for ADT cases

NA-Rehabilitation life-cycle costs less than replacement life-cycle costs

Table 6.13-Estimated life-cycle costs for highway bridge with modified construction time and cost

| | Life-cycle Costs, Millions of Dollars | | | | | | | | |
|---------|---------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| Highway | 2.54 | 3.80 | 7.52 | 2.00 | 3.37 | 7.07 | NA | NA | 5.86 |
| Mod 1a | 2.58 | 3.83 | 7.55 | 1.82 | 3.43 | 7.20 | NA | NA | 6.09 |
| Mod 1b | 2.51 | 3.77 | 7.48 | NA | 3.38 | 7.17 | NA | NA | 6.03 |
| Mod 1c | 2.44 | 3.71 | 7.42 | NA | 3.33 | 7.12 | NA | NA | 5.96 |
| Mod 2a | 2.68 | 3.93 | 7.72 | 2.23 | 3.63 | 7.49 | NA | NA | 6.70 |
| Mod 2b | 2.53 | 3.81 | 7.59 | 1.84 | 3.52 | 7.36 | NA | NA | 6.61 |
| Mod 2c | 2.36 | 3.69 | 7.48 | NA | 3.40 | 7.24 | NA | NA | 6.52 |

¹Refer to Table 3.6 for ADT cases

NA-Rehabilitation life-cycle costs less than replacement life-cycle costs

Table 6.14-Estimated probability for waterway bridge

| Analysis | Estimated Probability, Percent | | | | | | | | |
|----------|--------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| Highway | 17.02 | 17.85 | 17.99 | 0.23 | 2.52 | 9.34 | NA | NA | 0.30 |
| Waterway | 73.59 ² | 73.59 ² | 73.59 ² | NA | NA | NA | NA | NA | NA |

¹Refer to Table 3.6 for ADT cases

²Probability that rehabilitation life-cycle costs less than replacement life-cycle costs

NA-Rehabilitation life-cycle costs less than replacement life-cycle costs

Table 6.15-Estimated life-cycle costs for waterway bridge

| Analysis | Life-cycle Costs, Millions of Dollars | | | | | | | | |
|----------|---------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| Highway | 2.54 | 3.80 | 7.52 | 2.00 | 3.37 | 7.07 | NA | NA | 5.86 |
| Waterway | 1.48 | 1.48 | 1.48 | NA | NA | NA | NA | NA | NA |

¹Refer to Table 3.6 for ADT cases

NA-Rehabilitation life-cycle costs less than replacement life-cycle costs

Table 6.16-Estimated probability for waterway bridge with modified construction time and cost

| Analysis | Estimated Probability, Percent | | | | | | | | |
|----------------|--------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| Highway | 17.02 | 17.85 | 17.99 | 0.23 | 2.52 | 9.34 | NA | NA | 0.30 |
| Waterway | 73.59 ² | 73.59 ² | 73.59 ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 1a | -- ³ | -- ³ | -- ³ | NA | NA | NA | NA | NA | NA |
| Water + Mod 1b | 80.73 ² | 80.73 ² | 80.73 ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 1c | 90.60 ² | 90.60 ² | 90.60 ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 2a | -- ³ | -- ³ | -- ³ | NA | NA | NA | NA | NA | NA |
| Water + Mod 2b | 85.12 ² | 85.12 ² | 85.12 ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 2c | 95.81 ² | 95.81 ² | 95.81 ² | NA | NA | NA | NA | NA | NA |

¹Refer to Table 3.6 for ADT cases

²Probability that rehabilitation life-cycle costs less than replacement life-cycle costs

³More than one intersection point

NA-Rehabilitation life-cycle costs less than replacement life-cycle costs

Table 6.17-Estimated life-cycle costs for waterway bridge with modified construction time and cost

| Analysis | Life-cycle Costs, Millions of Dollars | | | | | | | | |
|----------------|---------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| Highway | 2.54 | 3.80 | 7.52 | 2.00 | 3.37 | 7.07 | NA | NA | 5.86 |
| Waterway | 1.48 | 1.48 | 1.48 | NA | NA | NA | NA | NA | NA |
| Water + Mod 1a | -- ² | -- ² | -- ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 1b | 1.53 | 1.53 | 1.53 | NA | NA | NA | NA | NA | NA |
| Water + Mod 1c | 1.65 | 1.65 | 1.65 | NA | NA | NA | NA | NA | NA |
| Water + Mod 2a | -- ² | -- ² | -- ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 2b | 1.56 | 1.56 | 1.56 | NA | NA | NA | NA | NA | NA |
| Water + Mod 2c | 1.77 | 1.77 | 1.77 | NA | NA | NA | NA | NA | NA |

¹Refer to Table 3.6 for ADT cases

²More than one intersection point

NA-Rehabilitation life-cycle costs less than replacement life-cycle costs

Table 6.18-Estimated probability for all bridges

| Analysis | Estimated Probability, Percent | | | | | | | | |
|----------------|--------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| Highway | 17.02 | 17.85 | 17.99 | 0.23 | 2.52 | 9.34 | NA | NA | 0.30 |
| Mod 1a | 28.77 | 28.60 | 28.28 | 0.07 | 5.29 | 16.97 | NA | NA | 0.54 |
| Mod 1b | 24.03 | 26.39 | 27.33 | NA | 4.58 | 16.38 | NA | NA | 0.50 |
| Mod 1c | 19.80 | 24.27 | 26.40 | NA | 4.03 | 15.79 | NA | NA | 0.46 |
| Mod 2a | 59.84 | 56.29 | 54.29 | 2.09 | 19.47 | 39.25 | NA | NA | 2.37 |
| Mod 2b | 44.62 | 49.25 | 51.41 | 0.25 | 14.83 | 36.42 | NA | NA | 1.85 |
| Mod 2c | 28.06 | 42.27 | 48.72 | NA | 10.57 | 33.63 | NA | NA | 1.29 |
| Limited | 10.57 | 13.31 | 14.82 | 0.42 | 2.62 | 8.45 | NA | NA | 0.51 |
| Waterway | 73.59 ² | 73.59 ² | 73.59 ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 1a | -- ³ | -- ³ | -- ³ | NA | NA | NA | NA | NA | NA |
| Water + Mod 1b | 80.73 ² | 80.73 ² | 80.73 ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 1c | 90.60 ² | 90.60 ² | 90.60 ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 2a | -- ³ | -- ³ | -- ³ | NA | NA | NA | NA | NA | NA |
| Water + Mod 2b | 85.12 ² | 85.12 ² | 85.12 ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 2c | 95.81 ² | 95.81 ² | 95.81 ² | NA | NA | NA | NA | NA | NA |

¹Refer to Table 3.6 for ADT cases

²Probability that rehabilitation life-cycle costs less than replacement life-cycle costs

³More than one intersection point

NA-Rehabilitation life-cycle costs less than replacement life-cycle costs

Table 6.19-Estimated life-cycle costs for all bridges

| Analysis | Life-cycle Costs, Millions of Dollars | | | | | | | | |
|----------------|---------------------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| | ADT Case 1 ¹ | ADT Case 2 ¹ | ADT Case 3 ¹ | ADT Case 4 ¹ | ADT Case 5 ¹ | ADT Case 6 ¹ | ADT Case 7 ¹ | ADT Case 8 ¹ | ADT Case 9 ¹ |
| Highway | 2.54 | 3.80 | 7.52 | 2.00 | 3.37 | 7.07 | NA | NA | 5.86 |
| Mod 1a | 2.58 | 3.83 | 7.55 | 1.82 | 3.43 | 7.21 | NA | NA | 6.09 |
| Mod 1b | 2.51 | 3.77 | 7.48 | NA | 3.38 | 7.17 | NA | NA | 6.03 |
| Mod 1c | 2.44 | 3.71 | 7.42 | NA | 3.33 | 7.12 | NA | NA | 5.96 |
| Mod 2a | 2.68 | 3.93 | 7.72 | 2.23 | 3.63 | 7.49 | NA | NA | 6.70 |
| Mod 2b | 2.53 | 3.81 | 7.59 | 1.84 | 3.52 | 7.36 | NA | NA | 6.61 |
| Mod 2c | 2.36 | 3.69 | 7.48 | NA | 3.40 | 7.24 | NA | NA | 6.52 |
| Limited | 2.25 | 3.42 | 6.89 | 2.18 | 3.24 | 6.61 | NA | NA | 6.44 |
| Waterway | 1.48 | 1.48 | 1.48 | NA | NA | NA | NA | NA | NA |
| Water + Mod 1a | -- ² | -- ² | -- ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 1b | 1.53 | 1.53 | 1.53 | NA | NA | NA | NA | NA | NA |
| Water + Mod 1c | 1.65 | 1.65 | 1.65 | NA | NA | NA | NA | NA | NA |
| Water + Mod 2a | -- ² | -- ² | -- ² | NA | NA | NA | NA | NA | NA |
| Water + Mod 2b | 1.56 | 1.56 | 1.56 | NA | NA | NA | NA | NA | NA |
| Water + Mod 2c | 1.77 | 1.77 | 1.77 | NA | NA | NA | NA | NA | NA |

¹Refer to Table 3.6 for ADT cases

²More than one intersection point

NA-Rehabilitation life-cycle costs less than replacement life-cycle costs




Figure 6.1-Ascending cumulative probability distributions for highway bridge, ADT case 1 (Table 3.6)




Figure 6.2-Ascending cumulative probability distributions for waterway bridge, ADT case 1, 2, 3 (Table 3.6)




Figure 6.3-Ascending cumulative probability distributions for waterway bridge with modification 1a, ADT case 1 (Table 3.6)




Figure 6.4-Ascending cumulative probability distributions for waterway bridge with modification 2a, ADT case 1 (Table 3.6)

CHAPTER SEVEN: SUMMARY AND CONCLUSIONS

This dissertation presents the results of a study to identify the parameters that had the most influence on life-cycle costs for reinforced concrete bridges rehabilitated with fiber reinforced polymer composites and how those parameters interacted. The use of LCCA was extended to bridge rehabilitation and lower traffic volumes. The study also introduced the use of time declining discount rates for longer analysis periods. The methodology was then used to determine and compare the life-cycle cost of a reinforced concrete tee-beam bridge rehabilitated with CFRP and a bridge replacement. Both a deterministic and probabilistic analysis was used to determine when the life-cycle cost of the replacement alternative is less than the rehabilitation alternative. Nine combinations of traffic volumes on and under the bridge were used to determine the effect of traffic volumes on life-cycle costs.

Sensitivity Analysis

The sensitivity analysis showed which parameters had the most influence on life-cycle costs. Most parameters had a small influence. Four parameters had the most influence: time to construct the new bridge, traffic volume under bridge, value of time for cars, and delay time under bridge during new bridge construction. By using a limited number of variations in these four parameters a “simulated” probabilistic analysis can be done with less effort than that needed to do a probabilistic analysis.

These four parameters individually had different influences on life-cycle costs. For the time to construct the new bridge and the value of time for cars the change in life-

cycle costs increased as traffic volumes on and under the bridge increased. For the other two parameters the change in life-cycle costs decreased as traffic volume on the bridge increased and increased as traffic volume under the bridge increased. Although traffic volume on the bridge did not have as much influence on life-cycle costs it increased life-cycle costs as traffic volumes on the bridge increased and decreased life-cycle costs as traffic volumes under the bridge increased. Taken individually traffic volume under the bridge had a larger influence on life-cycle costs. However, when both are varied at the same time the traffic volume on the bridge had more of an influence. For high traffic volumes on the bridge the change in life-cycle costs did not vary much even though traffic volume under the bridge increased from 5,000 to 25,000 vehicles per day.

Bridge over Highway

For bridges over a highway the deterministic analysis showed that the rehabilitation alternative life-cycle cost is always less than the replacement alternative. This occurred for all traffic combinations. The analysis also showed that increases in traffic volumes, both on and under a bridge, significantly increased life-cycle costs for both alternatives as well as the difference in life-cycle costs.

Although life-cycle costs always increased as traffic volumes increased the percent difference in life-cycle costs between the replacement and rehabilitation alternatives did not. For low traffic volume on the bridge the percent increased slightly as traffic volume under the bridge increased. For medium and high traffic volume on the bridge the percent difference decreased as traffic volume under the bridge increased. For a constant traffic volume under the bridge the percent difference significantly increased

as traffic volume on the bridge increased. This would indicate that traffic volumes on the bridge had more influence on life-cycle costs than traffic volume under the bridge.

The probabilistic analysis for a bridge over a highway showed that there is a small probability that the replacement alternative life-cycle cost is less than the rehabilitation alternative. The probability varied and depended on the traffic volume. The life-cycle costs were primarily driven by the traffic volume on the bridge. For low traffic volume on the bridge, the probability that the replacement life-cycle cost is lower ranged from 17.02 to 17.99 percent. For medium traffic volume on the bridge, the probability that the replacement life-cycle cost is lower ranged from 0.23 to 9.34 percent. For high traffic volume on the bridge, the probability that the replacement life-cycle cost is lower ranged from zero to 0.30 percent.

The probabilistic analysis showed different trends in the influence of traffic volumes than from the deterministic analysis. For low and high traffic volumes on the bridge the probability that replacement had the lower life-cycle costs varied very little, the range was one percent or less. For medium traffic volumes on the bridge the probability that replacement had the lower life-cycle cost increased significantly as traffic under the bridge increased. However, for a constant traffic volume under the bridge the probability that replacement had the lower life-cycle cost decreased significantly as traffic volume on the bridge decreased. This occurred for all levels of traffic.

Bridge over Highway with Limited Random Variables

Using more random variables than the four that had the most influence on life-cycle costs did not have a consistent impact on the results. This only applies to the

probabilistic analysis. In some ADT cases the probabilities increased and in others they decreased. For low traffic volumes on the bridge the probabilities decreased. For medium traffic volumes on the bridge the probabilities increased slightly for ADT cases 4 and 5 (Table 3.6) but decreased for the ADT case 6 (Table 3.6). For high traffic volume on the bridge there was no change in probability for ADT cases 7 and 8 (Table 3.6) and a slightly increased probability for ADT case 9 (Table 3.6). The changes in probability transitioned from a decrease at low traffic volumes to no or slight increases at high traffic volumes.

Bridge over Highway with Modified Bridge Construction Time and Cost

Since user costs are a significant portion of the life-cycle costs and the time to construct the new bridge was one of the four parameters with the most influence on life-cycle costs the use of an accelerated bridge construction technology to reduce the time to construct the bridge may be considered. Any additional costs to construct the bridge (agency costs) would have to be weighed against the time savings and decreases in user costs.

For bridges over a highway with modified bridge construction time and cost the results were similar to those for the bridge over a highway. The only differences were the values of the life-cycle costs and the percent differences between the alternatives. The amount of reduction depended on traffic volume. If the bridge construction time can be reduced by 50 percent the percent difference in life-cycle costs can be significantly reduced. The reduction was largest for low traffic volumes on the bridge. For a constant traffic volume on the bridge the amount of reduction increased as traffic under the bridge

increased. For a constant traffic volume under the bridge the amount of reduction decreased as traffic on the bridge increased.

Bridge over Waterway

For bridges over waterways the deterministic analysis results are both similar to the bridge over a highway and different. Since there is no vehicular traffic under the bridge all life-cycle costs are reduced. Like the bridge over a highway the percent difference in life-cycle costs also increased as traffic on the bridge increased. When compared to the bridge over highway the percent difference in life-cycle costs decreased significantly for the low traffic volume case. However, for the medium and high traffic volume cases the difference increased.

When compared to the bridge over a highway the probability distribution curves reversed position. The probability that rehabilitation, instead of replacement, had the lower life-cycle cost was about 74 percent for the low traffic volume on the bridge cases. For the other traffic cases the curves did not intersect and the rehabilitation alternative had the lower life-cycle cost. This is different than the bridge over highway where the curves did intersect for ADT cases 4, 5, 6, and 9 (Table 3.6) but at a low probability.

Bridge over Waterway with Modified Bridge Construction Time and Cost

For the bridge over a waterway with modifications to the bridge construction time and cost the deterministic analysis results are similar and different than other results. Like the bridge over waterway the percent difference in life-cycle costs increased as the traffic volume on the bridge increased. Like the modified bridge over highway the percent

differences decreased when compared to the waterway bridge. However, unlike the modified bridge over highway the percent difference increased enough with the increased construction cost to be larger than the bridge over waterway. This shows that using accelerated bridge techniques had an adverse effect on life-cycle costs.

For the bridge over a waterway with modifications to the bridge construction time and cost the probability distribution curves also reversed position. The probability that rehabilitation, instead of replacement, had the lower life-cycle cost increased to about 81 to 96 percent for the low traffic volume on the bridge cases. The actual probability depended on the amount the bridge construction time was reduced and the amount the bridge construction cost increased. For the unlikely case where there is no increase in bridge construction cost the curves were close enough to have two or three intersection points and it was not possible to make any definitive conclusions. For the other traffic cases the curves also did not intersect and the rehabilitation alternative had the lower life-cycle cost.

Conclusions and Recommendations

LCCA is another tool that can be used to evaluate alternatives of equal utility to help select the preferred alternative for implementation. The results provide the decision maker with additional economic information to help in selecting the preferred alternative. However there may be other considerations that may cause a decision maker to not select the alternative with the lower life-cycle cost.

The sensitivity analysis showed that it is possible to simulate a probabilistic analysis using the deterministic approach if the right variables are chosen. Using

minimum and maximum values for these variables a range of life-cycle costs can be obtained with a reduced number of iterations of the life-cycle cost model. A methodology to automate this analysis would make this approach viable.

Additional research to make the methodology used in this study more of an assessment tool is recommended. Such an extended methodology would fit in with the ever growing field of sustainability.

APPENDIX A: KYTC PROJECTS

Appendix A contains listings of KYTC projects that were used to determine the construction unit costs for the following:

- Prestressed concrete beam bridge
- Reinforced concrete deck
- Reinforced concrete bridge deck restoration
- Bridge removal
- Bridge deck removal
- Bridge rail retrofit

It also contains listings of KYTC projects that were used to determine the maintenance of traffic costs during the following:

- Bridge construction
- Bridge deck restoration

It also contains listings of KYTC projects that were used to determine the construction time for the following:

- Bridge construction
- Bridge deck restoration

The following items are used in the project listings:

- Date Let: The date the contractor's bids are opened
- Call: Identifies the project during project advertising and bid opening
- Contract ID: Identifies the project during construction for contract administration
- County: Identifies the county where the project is located
- District: Identifies the State highway district where the project is located
- SYP: Identifies the project in the State's six year improvement plan
- Proposal Description: Usually the State or Federal project number

A summary of which projects were used in each analysis is shown in Table A.1.

Date Let: 01-25-13 Call: 103 Contract ID: 13-1003
Bridge with Grade, Drain & Surface Brown Badgett Loop (CR 1092)
County: Hopkins District: 02 SYP: 02-01067.00
Proposal Description: BRZ 0203(305)

Date Let: 01-25-13 Call: 317 Contract ID: 13-2650
Bridge Deck Overlay Butler County (WN 9007)
County: Butler District: 03 SYP:
Proposal Description: FE02 016 9007 B00061N

Date Let: 02-22-13 Call: 100 Contract ID: 13-2903
Bridge Deck Restoration & Waterproofing Interstate 64
County: Jefferson District: 05 SYP: 05-01072.00
Proposal Description: IM 0642 (181)

Date Let: 02-22-13 Call: 104 Contract ID: 13-1009
Bridge with Grade, Drain & Surface KY 1428
County: Floyd District: 12 SYP: 12-01071.00
Proposal Description: BRZ 1203(345)

Date Let: 02-22-13 Call: 311 Contract ID: 13-2652
Bridge Deck Restoration & Waterproofing Campbell County (KY 9)
County: Campbell District: 06 SYP:
Proposal Description: FE02 019 0009 B00033N

Date Let: 03-22-13 Call: 104 Contract ID: 13-1318
Bridge with Grade, Drain & Surface Fulton-Fulgham Road (KY 307)
County: Hickman District: 01 SYP: 01-01018.00
Proposal Description: BRO 5005 (007)

Date Let: 03-22-13 Call: 332 Contract ID: 13-2913
Bridge Deck Restoration & Waterproofing Bridge over North Fork of Triplett Creek
County: Rowan District: 09 SYP:
Proposal Description: FE02 103 0377 B00027N

Date Let: 03-22-13 Call: 434 Contract ID: 13-2653
Bridge Deck Restoration & Waterproofing Wayne & McCreary Cos. Bridge Overlays
and Joint Replacements

County: Various District: 08 SYP:
Proposal Description: 121GR13M073-FE02

Date Let: 04-19-13 Call: 101 Contract ID: 13-1306
Grade, Drain & Surface with Bridge Georgetown Northwest Bypass
County: Scott District: 07 SYP: 07-00102.10
Proposal Description: HPP 0122 (008)

Date Let: 04-19-13 Call: 406 Contract ID: 13-2654
Bridge Deck Overlay Hancock County
County: Hancock District: 02 SYP:
Proposal Description: 046GR13M082-FE02

Date Let: 04-19-13 Call: 425 Contract ID: 13-1020
Asphalt Rehab with Bridge(s) Martha Layne Collins Parkway (BG 9002)
County: Various District: 04 SYP: 04-02046.00
Proposal Description: 121GR13D020-FD04 SPP

Date Let: 04-19-13 Call: 426 Contract ID: 13-2907
Bridge Deck Restoration & Waterproofing New Circle Road Bridges
County: Fayette District: 07 SYP:
Proposal Description: 034GR13M058-FE02

Date Let: 05-24-13 Call: 352 Contract ID: 13-1034
Bridge with Grade, Drain & Surface Low Water Drive (CR 1336)
County: Harlan District: 11 SYP: 11-08510.00
Proposal Description: JL03 048 1336 000-001

Date Let: 05-24-13 Call: 368 Contract ID: 13-2914
Bridge Replacement Bridge over Little Goose Creek (MP 13.476)
County: Clay District: 11 SYP:
Proposal Description: CB01 026 0687 B00041N

Date Let: 05-24-13 Call: 369 Contract ID: 13-2909
Bridge Deck Restoration & Waterproofing Bridge over Levisa Fork of Big Sandy
County: Floyd District: 12 SYP:
Proposal Description: FE02 036 0023 B00038L,R

Date Let: 05-24-13 Call: 406 Contract ID: 13-2656
Bridge Deck Overlay KY 838 Crittenden and Livingston Countys
County: Various District: 01 SYP:
Proposal Description: 121GR13M093-FE01

Date Let: 05-24-13 Call: 420 Contract ID: 13-2904
Bridge Deck Restoration & Waterproofing KY 80 over KY 9006
County: Clay District: 11 SYP:
Proposal Description: 026GR13M092-FE02

Date Let: 06-14-13 Call: 200 Contract ID: 13-1033
Bridge Replacement Old Tunnel Mill Road (KY 458)
County: Washington District: 04 SYP: 04-01079.00
Proposal Description: 121GR13D033-NHPP BRO

Date Let: 06-14-13 Call: 201 Contract ID: 13-2911
Bridge Deck Restoration & Waterproofing Bridges over I-64
County: Bath District: 09 SYP: 09-02030.00
Proposal Description: 121GR13M096 - IM

Date Let: 06-14-13 Call: 202 Contract ID: 13-4106
Guardrail Russell - Greenup (US 23)
County: Greenup District: 09 SYP:
Proposal Description: 121GR13T006

Date Let: 06-14-13 Call: 405 Contract ID: 13-2917
Bridge Deck Restoration & Waterproofing Bridges Over Mountain Parkway
County: Wolfe District: 10 SYP:
Proposal Description: 119GR13M097-FE02

Date Let: 07-12-13 Call: 200 Contract ID: 13-1040
Bridge with Grade, Drain & Surface Ray Road (CR 1060)
County: Daviess District: 02 SYP: 02-01066.00
Proposal Description: 121GR13D040

Date Let: 07-12-13 Call: 366 Contract ID: 13-1041
Grade, Drain & Surface with Bridge Hooker Branch Road (CR 1276)
County: Clay District: 11 SYP: 11-08633.00
Proposal Description: JL04 026 1276 000-001

Date Let: 08-16-13 Call: 103 Contract ID: 13-1309
Bridge with Grade, Drain & Surface Huddy-Mcveigh Road (KY 199)
County: Pike District: 12 SYP: 12-01076.00
Proposal Description: BRO 5365 (012)

Date Let: 08-16-13 Call: 106 Contract ID: 13-1051
Bridge with Grade, Drain & Surface Dahl Road (KY 1677)
County: Pulaski District: 08 SYP: 08-01042.00
Proposal Description: BRZ 0803(173)

Date Let: 08-16-13 Call: 201 Contract ID: 13-2916
Bridge Deck Restoration & Waterproofing I-64 Bridges
County: Franklin District: 05 SYP: 05--02069
Proposal Description: 121GR13M095 - IM

Date Let: 08-16-13 Call: 202 Contract ID: 13-1203
Bridge with Grade, Drain & Surface Woodbine-Barbourville Road (KY 6)
County: Knox District: 11 SYP: 11--1076.00, 11-1075.00
Proposal Description: 061GR13D003-BRZ

Date Let: 08-16-13 Call: 344 Contract ID: 13-1206
Bridge with Grade & Drain Bridge Connector
County: Martin District: 12 SYP:
Proposal Description: FD39 080 NEW ROUTE

Date Let: 08-16-13 Call: 410 Contract ID: 13-2658
Bridge Deck Restoration & Waterproofing Robertson County KY 165 and KY 616
County: Robertson District: 06 SYP:
Proposal Description: 101GR13M123-FE02

Date Let: 08-16-13 Call: 430 Contract ID: 13-2657
Bridge Deck Overlay Boone County KY 8 and KY 536--Gallatin County KY 35
County: Various District: 06 SYP:
Proposal Description: 121GR13M104-FE02

Date Let: 09-27-13 Call: 101 Contract ID: 13-1208
Bridge with Grade, Drain & Surface Wilson Creek Bridge (KY 945)
County: Graves District: 01 SYP: 01--1058.00
Proposal Description: STP BRZ 0103 (324)

Date Let: 09-27-13 Call: 102 Contract ID: 13-1063
Bridge Replacement East Union-Carlisle Road (KY-1285)
County: Nicholas District: 09 SYP: 09-08503.00
Proposal Description: STP BRZ 0903(187)

Date Let: 09-27-13 Call: 105 Contract ID: 13-1053
Bridge with Grade, Drain & Surface KY 476
County: Perry District: 10 SYP: 10-01087.00
Proposal Description: BRO 5375(036)

Date Let: 09-27-13 Call: 111 Contract ID: 13-1061
Bridge Replacement KY-502
County: Hopkins District: 02 SYP: 02-01070.00
Proposal Description: STP BRZ 0203(318)

Date Let: 09-27-13 Call: 200 Contract ID: 13-1211
Asphalt Rehab with Bridge(s) Louisville-Cincinnati Road (1-71)
County: Henry District: 05 SYP: 05-02063.00
Proposal Description: 121GR13D011-NHPP IM

Date Let: 09-27-13 Call: 201 Contract ID: 13-1204
Grade, Drain & Surface with Bridge Richmond-Lancaster Road (KY 52)
County: Various District: 07 SYP: 07-00201.01
Proposal Description: 121GR13D004-FE02 STP

Date Let: 09-27-13 Call: 311 Contract ID: 13-2661
Bridge Deck Overlay Outerloop (KY 1065)
County: Jefferson District: 05 SYP:
Proposal Description: FE02 056 1065 B00290N

Date Let: 09-27-13 Call: 317 Contract ID: 13-1209
Grade, Drain & Surface with Bridge Kuttawa-Princeton Road (US 62)
County: Lyon District: 01 SYP: 01-00307.01
Proposal Description: FD04 SPP 072 0062 009-013

Date Let: 09-27-13 Call: 320 Contract ID: 13-2923
Bridge Deck Restoration & Waterproofing KY 1773 Bridge over Grassy Creek
County: Carter District: 09 SYP:
Proposal Description: FE02 022 1773 B00135N

Date Let: 09-27-13 Call: 322 Contract ID: 13-2924
Bridge Deck Restoration & Waterproofing KY 386 Bridge over McBride Creek
County: Nicholas District: 09 SYP:
Proposal Description: FE02 091 0386 B00033N

Date Let: 09-27-13 Call: 323 Contract ID: 13-2921
Bridge Deck Restoration & Waterproofing KY 699 Bridge over Leatherwood Creek
County: Perry District: 10 SYP:
Proposal Description: FE02 097 0699 B00045N

Date Let: 10-25-13 Call: 109 Contract ID: 13-1066
Bridge Replacement Anthoston-Niagara Road (KY-136)
County: Henderson District: 02 SYP: 02-01069.00
Proposal Description: STP BRZ 0203(319)

Date Let: 10-25-13 Call: 301 Contract ID: 13-2660
Bridge Deck Restoration & Waterproofing Henderson County KY 285
County: Henderson District: 02 SYP:
Proposal Description: CB06 051 0285 B00029N

Date Let: 10-25-13 Call: 304 Contract ID: 13-2659
Bridge Deck Restoration & Waterproofing Ohio County KY 1245
County: Ohio District: 02 SYP:
Proposal Description: CB06 092 1245 B00112N

Date Let: 10-25-13 Call: 321 Contract ID: 13-2663
Bridge Deck Restoration & Waterproofing Union County KY 359
County: Union District: 02 SYP:
Proposal Description: FE02 113 0359 B00009N

Date Let: 10-25-13 Call: 400 Contract ID: 13-2664
Bridge Deck Restoration & Waterproofing Davies County KY 3143, KY 554 and US 431
County: Daviess District: 02 SYP:
Proposal Description: 030GR13M136 - FE02

Date Let: 10-25-13 Call: 404 Contract ID: 13-2918
Bridge Deck Restoration & Waterproofing Bridge Overlays in Powell County
County: Powell District: 10 SYP:
Proposal Description: 099GR13M121 - FE02

Date Let: 10-25-13 Call: 406 Contract ID: 13-2920
Bridge Deck Restoration & Waterproofing District 9 Bridge Overlays
County: Various District: 09 SYP:
Proposal Description: 121GR13M132 - FE02

Date Let: 11-22-13 Call: 104 Contract ID: 13-1076
Bridge Replacement Stanton-Slade Road (KY 11)
County: Powell District: 10 SYP: 10-01085.00
Proposal Description: STP BRO 5260(035)

Date Let: 11-22-13 Call: 105 Contract ID: 13-1214
Bridge with Grade, Drain & Surface Gray-Indian Creek Road (KY 3437)
County: Knox District: 11 SYP: 11-01082.00
Proposal Description: STP BRZ 1103 (273)

Date Let: 11-22-13 Call: 106 Contract ID: 13-1219
Bridge with Grade, Drain & Surface Beaver Dam - Leitchfield Road (US 62)
County: Ohio District: 02 SYP: 02-01071.00
Proposal Description: STP BRO 5038 (101)

Date Let: 11-22-13 Call: 107 Contract ID: 13-1220
Bridge with Grade, Drain & Surface Sedalia to Mayfield Road (KY 79)
County: Graves District: 01 SYP: 01-01060.00
Proposal Description: STP BRZ 0103 (325)

Date Let: 11-22-13 Call: 108 Contract ID: 13-1221
Bridge with Grade, Drain & Surface Glomawr to Hazard Road (KY 451)
County: Perry District: 10 SYP: 10-1088.00
Proposal Description: STP BRZ 1003 (229)

Date Let: 11-22-13 Call: 109 Contract ID: 13-1218
Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)
County: Hart District: 04 SYP: 04-00013.00
Proposal Description: NHPP IM 0652 (089)

Date Let: 11-22-13 Call: 111 Contract ID: 13-1073
Bridge with Grade, Drain & Surface Buffalo Branch Road (CR-1327)
County: Bell District: 11 SYP: 11-01083.00
Proposal Description: STP BRZ 1103(274)

Date Let: 11-22-13 Call: 304 Contract ID: 13-2925
Bridge Deck Restoration & Waterproofing Bluegrass Parkway
County: Nelson District: 04 SYP:
Proposal Description: FE02 090 9002 B00017L,R

Date Let: 11-22-13 Call: 406 Contract ID: 13-2919
Bridge Deck Restoration & Waterproofing District 10 Bridge Overlays
County: Various District: 10 SYP:
Proposal Description: 121GR13M122 - FE02

Date Let: 12-13-13 Call: 105 Contract ID: 13-1015
Bridge with Grade, Drain & Surface Patty Loveless Drive (KY 80)
County: Pike District: 12 SYP: 12-01070.00
Proposal Description: STP BRO 0806(042)

Date Let: 12-13-13 Call: 106 Contract ID: 13-1080
Grade, Drain & Surface with Bridge Gratz-Moxley Road (KY-355)
County: Owen District: 06 SYP: 06-01066.00
Proposal Description: STP BRZ 0603(237)

Date Let: 12-13-13 Call: 113 Contract ID: 13-1235
Grade & Drain with Bridge Partridge to Oven Fork Road (US 119, Section 3B)
County: Letcher District: 12 SYP: 12-00311.37
Proposal Description: APD 1191 (040)

Date Let: 12-13-13 Call: 300 Contract ID: 13-1213
Grade, Drain & Surface with Bridge Morgantown Road (KY 79)
County: Logan District: 03 SYP: 03-01068.00
Proposal Description: FD04 SPP 071 0079 006-007

Date Let: 12-13-13 Call: 303 Contract ID: 13-2666
Bridge Deck Restoration & Waterproofing Warren County KY 185
County: Warren District: 03 SYP:
Proposal Description: FE02 114 0185 B00003N

Date Let: 12-13-13 Call: 306 Contract ID: 13-1056
Grade, Drain & Surface with Bridge US-68 and Louie B. Nunn Parkway
County: Metcalfe District: 03 SYP: 03-08505.00
Proposal Description: JL03 085 0068 009-011

Date Let: 12-13-13 Call: 307 Contract ID: 13-1081
Grade, Drain & Surface with Bridge New Moody Lane-Commerce Parkway (New Route)
County: Oldham District: 05 SYP: 05-08201.01
Proposal Description: FD04 SPP 093 new route

Date Let: 12-13-13 Call: 401 Contract ID: 13-2926
Bridge Deck Restoration & Waterproofing District 4 Bridge Overlays
County: Various District: 04 SYP:
Proposal Description: 121GR13M135-FE02

Date Let: 12-13-13 Call: 402 Contract ID: 13-1227
Bridge with Grade, Drain & Surface Baizetown-Windy Hill Road (KY 505 over Western
KY Parkway)
County: Ohio District: 02 SYP: 02-04015.00
Proposal Description: 121GR13D027 - CB01 & FE02

Date Let: 01-24-14 Call: 101 Contract ID: 14-1006
Bridge with Grade, Drain & Surface KY 1505
County: Rockcastle District: 08 SYP: 08-01052.00
Proposal Description: STP BRZ 0803(181)

Date Let: 01-24-14 Call: 301 Contract ID: 14-1004
Bridge Replacement Daniel Boone Drive (KY-11)
County: Knox District: 11 SYP: 11-00150.00
Proposal Description: FD04 SPP 061 0011 009-011

Date Let: 01-24-14 Call: 313 Contract ID: 14-1208
Grade, Drain & Surface with Bridge Morgantown Road (KY 79)
County: Logan District: 03 SYP: 03-01068.00
Proposal Description: FD04 SPP 071 0079 006-007

Date Let: 03-28-14 Call: 112 Contract ID: 14-1013
Bridge Replacement Pacies Branch Road (CR 1245)
County: Letcher District: 12 SYP: 12-01091.00
Proposal Description: STP BRZ 1203 (370)

Date Let: 03-28-14 Call: 300 Contract ID: 14-2904
Bridge Deck Restoration & Waterproofing Bridge over Harrods Creek
County: Oldham District: 05 SYP:
Proposal Description: CB06 093 1694 B00025N

Date Let: 04-25-14 Call: 104 Contract ID: 14-1214
Bridge Replacement US 42 (East Main Street) over Beargrass Creek
County: Jefferson District: 05 SYP: 05-01052.00
Proposal Description: NHPP BRO 8703 (003)

Date Let: 04-25-14 Call: 105 Contract ID: 14-1017
Bridge Replacement Bloomfield Road (US 62)
County: Nelson District: 04 SYP: 04-01075.00
Proposal Description: STP BRO 5038 (102)

Date Let: 04-25-14 Call: 302 Contract ID: 14-1218
Grade, Drain & Surface with Bridge Cumberland Parkway (9008) and US 127
Interchange
County: Russell District: 08 SYP: 08-08504.00
Proposal Description: FD04 SPP 104 0127 017-018

Date Let: 04-25-14 Call: 328 Contract ID: 14-2908
Bridge Deck Restoration & Waterproofing Bridge over Culp Creek Rd
County: Greenup District: 09 SYP:
Proposal Description: FE02 045 0067 B00077N

Date Let: 04-25-14 Call: 329 Contract ID: 14-2901
Bridge Deck Restoration & Waterproofing US 31E
County: Nelson District: 04 SYP:
Proposal Description: FE02 090 0031 B00044N

Date Let: 04-25-14 Call: 403 Contract ID: 14-2907
Bridge Deck Restoration & Waterproofing Fleming County Bridge Overlays
County: Fleming District: 09 SYP:
Proposal Description: 035GR14M058-FE02

Date Let: 05-30-14 Call: 100 Contract ID: 14-1226
Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
County: Warren District: 03 SYP: 03-0016.03
Proposal Description: HPP STP 0150 (012)

Date Let: 05-30-14 Call: 103 Contract ID: 14-1027
Bridge with Grade, Drain & Surface Outland School Road (KY-1536)
County: Calloway District: 01 SYP: 01-01061.00
Proposal Description: BRZ 0103 (331)

Date Let: 05-30-14 Call: 108 Contract ID: 14-1225
Bridge Replacement Tousey Road (CR 1872) Over Spring Fork
County: Grayson District: 04 SYP: 04-01071.00
Proposal Description: STP BRZ 0403 (190)

Date Let: 05-30-14 Call: 109 Contract ID: 14-1021
Bridge with Grade & Drain Stinson Road (CR-1700)
County: Wayne District: 08 SYP: 08-01051.00
Proposal Description: STP BRZ 0803 (182)

Date Let: 05-30-14 Call: 110 Contract ID: 14-1224
Bridge Replacement Elk Lick Creek Road (CR 1224)
County: Lee District: 10 SYP: 10-01091.00
Proposal Description: STP BRZ 1003 (221)

Date Let: 05-30-14 Call: 200 Contract ID: 14-1028
Asphalt Rehab Interstate/Parkway Edward T. Breathitt Parkway (PW 9004)
County: Hopkins District: 02 SYP: 02-00232.00, 02-00232.10
Proposal Description: 121GR14D019-NHPP

Date Let: 05-30-14 Call: 352 Contract ID: 14-2657
Bridge Deck Restoration & Waterproofing Davies County
County: Daviess District: 02 SYP:
Proposal Description: FE02 030 0060 00069R

Date Let: 05-30-14 Call: 353 Contract ID: 14-2658
Bridge Deck Restoration & Waterproofing Hopkins
County: Hopkins District: 02 SYP:
Proposal Description: FE02 054 9004 00014

Date Let: 05-30-14 Call: 354 Contract ID: 14-2912
Bridge Deck Restoration & Waterproofing Bridge over Licking River
County: Morgan District: 10 SYP:
Proposal Description: FE02 088 0772 B00070N

Date Let: 05-30-14 Call: 355 Contract ID: 14-2913
Bridge Deck Restoration & Waterproofing Bridge over Middle Fork of Red River
County: Powell District: 10 SYP:
Proposal Description: FE02 099 9000 B00011L

Date Let: 05-30-14 Call: 440 Contract ID: 14-2909
Bridge Deck Restoration & Waterproofing KY 114 Overlays
County: Floyd District: 12 SYP:
Proposal Description: 036GR14M064-FE02

Date Let: 05-30-14 Call: 444 Contract ID: 14-2655
Bridge Deck Restoration & Waterproofing Davies County US 231
County: Daviess District: 02 SYP:
Proposal Description: 030GR14M072-FE02

Date Let: 05-30-14 Call: 445 Contract ID: 14-2656
Bridge Deck Restoration & Waterproofing Ballard County
County: Ballard District: 01 SYP:
Proposal Description: 004GR14M071-FE02

Date Let: 05-30-14 Call: 446 Contract ID: 14-2914
Bridge Deck Restoration & Waterproofing Bridges over Mountain Parkway
County: Powell District: 10 SYP:
Proposal Description: 121GR14M068-FE02

Date Let: 06-27-14 Call: 101 Contract ID: 14-1232
Bridge with Grade, Drain & Surface Bent Branch Road (KY-1426)
County: Pike District: 12 SYP: 12-01102.00
Proposal Description: STP BRZ 1203 (374)

Date Let: 06-27-14 Call: 109 Contract ID: 14-1222
Bridge with Grade, Drain & Surface Frenchburg to Owingsville Road (KY 36)
County: Menifee District: 10 SYP: 10-01090.00
Proposal Description: STP BRO 1003 (238)

Date Let: 06-27-14 Call: 110 Contract ID: 14-1031
Bridge with Grade, Drain & Surface KY 32 over Seas Branch
County: Rowan District: 09 SYP: 09-01076.00
Proposal Description: STP BRO 5253(023)

Date Let: 06-27-14 Call: 207 Contract ID: 14-1033
Bridge with Grade, Drain & Surface Lower Johns Creek Road (KY-194)
County: Floyd District: 12 SYP: 12-01075.00
Proposal Description: 121GR14D033-STP

Date Let: 06-27-14 Call: 316 Contract ID: 14-2917
Bridge Deck Restoration & Waterproofing Bridge over Wilson Creek
County: Nelson District: 04 SYP:
Proposal Description: FE02 090 0061 B00062N

Date Let: 07-11-14 Call: 100 Contract ID: 14-2915
Bridge Deck Restoration & Waterproofing Interstate 64
County: Franklin District: 05 SYP: 05-00520.00
Proposal Description: IM 0643 (052)

Date Let: 07-11-14 Call: 107 Contract ID: 14-1026
Bridge Replacement Hacker Branch Road (CR-1136)
County: Owsley District: 10 SYP: 10-01093.00
Proposal Description: STP BRZ 1003 (227)

Date Let: 07-11-14 Call: 108 Contract ID: 14-1223
Bridge Replacement Rye Branch Road (CR 1756)
County: Magoffin District: 10 SYP: 10-01092.00
Proposal Description: STP BRZ 1003 (239)

Date Let: 07-11-14 Call: 109 Contract ID: 14-1237
Bridge with Grade, Drain & Surface KG Estates Road (CR 1162)
County: Lawrence District: 12 SYP: 12-01106.00
Proposal Description: STP BRZ 1203 (373)

Date Let: 07-11-14 Call: 113 Contract ID: 14-1024
Bridge with Grade, Drain & Surface Hazard-Hyden Road (KY-80)
County: Perry District: 10 SYP: 10-01082.00
Proposal Description: STP BRO 5271 (039)

Date Let: 07-11-14 Call: 115 Contract ID: 14-1037
Bridge with Grade & Drain Stinson Road (CR-1700)
County: Wayne District: 08 SYP: 08-01051.00
Proposal Description: STP BRZ 0803 (182)

Date Let: 08-22-14 Call: 106 Contract ID: 14-1045
Bridge with Grade, Drain & Surface Morehead-Grayson Road (US-60)
County: Rowan District: 09 SYP: 09-01061.00
Proposal Description: STP BRO 5211(106)

Date Let: 08-22-14 Call: 107 Contract ID: 14-1253
Bridge Replacement Glasgow Street (CS 1053)
County: Metcalfe District: 03 SYP: 03-01075.00
Proposal Description: STP BRZ 0303 (256)

Date Let: 08-22-14 Call: 108 Contract ID: 14-1252
Bridge Replacement Mobley Mill Road (CR 1327)
County: Nelson District: 04 SYP: 04-01083.00
Proposal Description: STP BRZ 0403 (194)

Date Let: 08-22-14 Call: 109 Contract ID: 14-1228
Bridge with Grade, Drain & Surface Upper Wolf Creek Road (CR 1134)
County: Owsley District: 10 SYP: 10-01108.00
Proposal Description: STP BRZ 1003 (240)

Date Let: 08-22-14 Call: 111 Contract ID: 14-1255
Bridge with Grade & Drain Curtis Road (CR 1226)
County: Boyle District: 07 SYP: 07-01133.00
Proposal Description: STP BRZ 0703 (322)

Date Let: 08-22-14 Call: 200 Contract ID: 14-1029
Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
County: Hart District: 04 SYP: 04-00015.00, 04-00016.00, 04-00017.00
Proposal Description: 121GR14D029-NHPP

Date Let: 08-22-14 Call: 203 Contract ID: 14-1241
Asphalt Pavement & Roadway Rehab Julian M. Carroll Parkway (9003)
County: Graves District: 01 SYP: 01-00234.00
Proposal Description: 121GR14D041-NHPP

Date Let: 08-22-14 Call: 313 Contract ID: 14-1043
Bridge with Grade, Drain & Surface KY-49
County: Marion District: 04 SYP: 04-08304.00
Proposal Description: FD04 SPP 078 0049 013-016

Date Let: 08-22-14 Call: 319 Contract ID: 14-2660
Bridge Deck Restoration & Waterproofing Anderson County US 62 Tyron Bridge
County: Anderson District: 07 SYP:
Proposal Description: FE02 003 0062 B00003N

Date Let: 08-22-14 Call: 435 Contract ID: 14-2923
Bridge Deck Restoration & Waterproofing Bridge Overlays in Harlan County
County: Harlan District: 11 SYP:
Proposal Description: 048GR14M083 - FE02

Date Let: 08-22-14 Call: 445 Contract ID: 14-2922
Bridge Deck Restoration & Waterproofing Bridge Overlays in Perry County
County: Perry District: 10 SYP:
Proposal Description: 097GR14M081 - FE02

Date Let: 09-26-14 Call: 100 Contract ID: 14-2980
Bridge Deck Restoration & Waterproofing Bridge over Ohio River
County: Boone District: 06 SYP: 06-02039.00
Proposal Description: IM 2759 (130)

Date Let: 09-26-14 Call: 103 Contract ID: 14-1048
Bridge Replacement Tebb's Bend (CR-1236)
County: Taylor District: 04 SYP: 04-01058.00
Proposal Description: STP BRZ 0403 (195)

Date Let: 09-26-14 Call: 104 Contract ID: 14-1018
Bridge with Grade, Drain & Surface Oscar Bowling Road (CR 1113A)
County: Clay District: 11 SYP: 11-01069
Proposal Description: STP BRZ 1103 (280)

Date Let: 09-26-14 Call: 112 Contract ID: 14-1209
Grade, Drain & Surface with Bridge Kenneth Barrett Road (KY 30)
County: Owsley District: 10 SYP: 10-01084.00
Proposal Description: STP BRO 0302 (018)

Date Let: 09-26-14 Call: 113 Contract ID: 14-1262
Bridge with Grade, Drain & Surface Booneville-Jackson Road (KY 30)
County: Breathitt District: 10 SYP: 10-01096.00
Proposal Description: STP BRO 5263 (020)

Date Let: 09-26-14 Call: 116 Contract ID: 14-1261
Bridge Replacement Hade Bell Road (CR 1167)
County: Allen District: 03 SYP: 03-01081.00
Proposal Description: STP BRZ 0303 (263)

Date Let: 09-26-14 Call: 117 Contract ID: 14-1049
Bridge with Grade, Drain & Surface Wildie Road (CR-1071)
County: Rockcastle District: 08 SYP: 08-01058.00
Proposal Description: STP BRZ 0803 (186)

Date Let: 09-26-14 Call: 118 Contract ID: 14-1256
Bridge with Grade, Drain & Surface KG Estates Road (CR 1162)
County: Lawrence District: 12 SYP: 12-01106.00
Proposal Description: STP BRZ 1203 (373)

Date Let: 09-26-14 Call: 119 Contract ID: 14-1047
Grade & Drain with Bridge KY 343
County: Letcher District: 12 SYP: 12-01097.00
Proposal Description: STP BRZ 1203 (376)

Date Let: 09-26-14 Call: 306 Contract ID: 14-1053
Bridge with Grade, Drain & Surface 10th Street (KY-2386)
County: Whitley District: 11 SYP: 11-08306.00
Proposal Description: FD04 SPP 118 2386 000-001

Date Let: 09-26-14 Call: 404 Contract ID: 14-2926
Bridge Deck Restoration & Waterproofing Western Kentucky Parkway Bridge Overlays
County: Hardin District: 04 SYP:
Proposal Description: 047GR14M085 - FE02

Bridge Replacement Pryorsburg to Dublin Road (KY 1748)

Date Let: 10-24-14 Call: 108 Contract ID: 14-1271

County: Graves District: 01 SYP: 01-01134.00

Proposal Description: STP BRZ 0103 (335)

Date Let: 10-24-14 Call: 110 Contract ID: 14-1274

Bridge with Grade, Drain & Surface Upper Wolf Creek Road (CR 1134)

County: Owsley District: 10 SYP: 10-01108.00

Proposal Description: STP BRZ 1003 (240)

Date Let: 10-24-14 Call: 111 Contract ID: 14-1278

Bridge Replacement Wildie Road (CR 1071)

County: Rockcastle District: 08 SYP: 08-01057.00

Proposal Description: STP BRZ 0803 (191)

Date Let: 10-24-14 Call: 118 Contract ID: 14-1280

Grade & Drain with Bridge Simpsonville - Buck Creek Road (KY 1848)

County: Shelby District: 05 SYP: 05-00348.01

Proposal Description: STP 5389 (003)

Date Let: 10-24-14 Call: 302 Contract ID: 14-1061

Bridge Replacement Hemp Patch Branch Road (CR-1002)

County: Knott District: 12 SYP: 12-04092.00

Proposal Description: FD04 SPP 060 1002 000-001

Date Let: 10-24-14 Call: 304 Contract ID: 14-1276

Grade & Drain with Asphalt Surface Chalybeate School Road (KY 743)

County: Edmonson District: 03 SYP: 03-08602.00

Proposal Description: FD04 SPP 031 0743 003-006

Date Let: 10-24-14 Call: 306 Contract ID: 14-1282

Asphalt Rehab with Bridge(s) Louie B. Nunn Cumberland Parkway (9008)

County: Barren District: 03 SYP: 03-02037.00

Proposal Description: FD04 SPP 005 9008 000-009

Date Let: 10-24-14 Call: 319 Contract ID: 14-2903

Bridge Deck Restoration & Waterproofing Bridge over Tygarts Creek

County: Carter District: 09 SYP:

Proposal Description: FE02 022 6062 B00035N

Date Let: 10-24-14 Call: 403 Contract ID: 14-2927

Bridge Deck Restoration & Waterproofing Bridge Overlays in Wayne County

County: Wayne District: 08 SYP:

Proposal Description: 116GR14M087 - FE02

Table A.1-Summary of KYTC projects

| Date Let | Call | Bridge Construction | Deck Construction | Deck Restoration | Bridge Removal | Deck Removal | Bridge Rail Retrofit | MOT Bridge Construction | MOT Deck Restoration | Bridge Construction Time | Bridge Restoration Time |
|----------|------|---------------------|-------------------|------------------|----------------|--------------|----------------------|-------------------------|----------------------|--------------------------|-------------------------|
| 01-25-13 | 103 | X | X | | X | | | X | | X | |
| 01-25-13 | 317 | | | X | | | | | X | | X |
| 02-22-13 | 100 | | | X | | | | | X | | X |
| 02-22-13 | 104 | X | X | | X | | | | | X | |
| 02-22-13 | 311 | | | X | | | | | X | | X |
| 03-22-13 | 104 | | | | X | | | X | | | |
| 03-22-13 | 332 | | | X | | | | | X | | X |
| 03-22-13 | 434 | | | X | | | | | X | | X |
| 04-19-13 | 101 | X | X | | | | | X | | | |
| 04-19-13 | 406 | | | X | | | | | X | | X |
| 04-19-13 | 425 | | | | | X | | X | | | |
| 04-19-13 | 426 | | | X | | | | | X | | X |
| 05-24-13 | 352 | | | | X | | | X | | | |
| 05-24-13 | 368 | | | | X | | | | | | |
| 05-24-13 | 369 | | | X | | | | | X | | X |
| 05-24-13 | 406 | | | X | | | | | X | | X |
| 05-24-13 | 420 | | | X | | | | | X | | X |
| 06-14-13 | 200 | | | | | | | | | X | |
| 06-14-13 | 201 | | | X | | | | | X | | X |
| 06-14-13 | 202 | | | | | | X | | | | |
| 06-14-13 | 405 | | | | | | | | X | | |
| 07-12-13 | 200 | | | | X | | | X | | | |
| 07-12-13 | 366 | X | X | | | | | X | | X | |
| 08-16-13 | 103 | | | | X | | | X | | | |
| 08-16-13 | 106 | X | X | | X | | | X | | X | |
| 08-16-13 | 201 | | | X | | | | | X | | X |
| 08-16-13 | 202 | | | | X | | | | | | |
| 08-16-13 | 344 | | | | | | | X | | | |
| 08-16-13 | 410 | | | X | | | | | X | | X |
| 08-16-13 | 430 | | | X | | | | | X | | X |
| 09-27-13 | 101 | | | | X | | | X | | | |
| 09-27-13 | 102 | | | | X | | | X | | | |
| 09-27-13 | 105 | X | X | | X | | | X | | X | |
| 09-27-13 | 111 | | | | X | | | X | | | |
| 09-27-13 | 200 | | | X | | | X | | | | X |
| 09-27-13 | 201 | | | X | | | | | | | X |
| 09-27-13 | 311 | | | X | | | | | X | | X |
| 09-27-13 | 317 | X | X | | | | | X | | X | |
| 09-27-13 | 320 | | | X | | | | | X | | X |
| 09-27-13 | 322 | | | X | | | | | X | | X |
| 09-27-13 | 323 | | | X | | | | | X | | X |

Table A.1-Summary of KYTC projects (continued)

| Date Let | Call | Bridge Construction | Deck Construction | Deck Restoration | Bridge Removal | Deck Removal | Bridge Rail Retrofit | MOT Bridge Construction | MOT Deck Restoration | Bridge Construction Time | Bridge Restoration Time |
|----------|------|---------------------|-------------------|------------------|----------------|--------------|----------------------|-------------------------|----------------------|--------------------------|-------------------------|
| 10-25-13 | 109 | | | | X | | | X | | | |
| 10-25-13 | 301 | | | X | | | | | X | | X |
| 10-25-13 | 304 | | | X | | | | | X | | X |
| 10-25-13 | 321 | | | X | | | | | X | | X |
| 10-25-13 | 400 | | | X | | | | | X | | X |
| 10-25-13 | 404 | | | X | | | | | X | | X |
| 10-25-13 | 406 | | | X | | | | | X | | X |
| 11-22-13 | 104 | X | X | | X | | | X | | X | |
| 11-22-13 | 105 | | | | X | | | X | | | |
| 11-22-13 | 106 | X | X | | X | | | X | | X | |
| 11-22-13 | 107 | | | | X | | | X | | | |
| 11-22-13 | 108 | X | X | | X | | | X | | X | |
| 11-22-13 | 109 | X | X | | X | | | | | | |
| 11-22-13 | 111 | X | X | | X | | | X | | X | |
| 11-22-13 | 304 | | | X | | | | | X | | X |
| 11-22-13 | 406 | | | X | | | | | X | | X |
| 12-13-13 | 105 | | | | X | | | | | | |
| 12-13-13 | 106 | X | X | | X | | | X | | X | |
| 12-13-13 | 113 | X | X | | | | | X | | | |
| 12-13-13 | 300 | | | | | | | X | | X | |
| 12-13-13 | 303 | | | X | | | | | X | | X |
| 12-13-13 | 306 | X | X | | | | | X | | X | |
| 12-13-13 | 307 | X | X | | | | | X | | | |
| 12-13-13 | 401 | | | X | | | | | X | | X |
| 12-13-13 | 402 | | | | | | | X | | | |
| 01-24-14 | 101 | | | | | | | X | | | |
| 01-24-14 | 301 | | | | | | | X | | | |
| 01-24-14 | 313 | X | X | | X | | | X | | X | |
| 03-28-14 | 112 | | | | X | | | X | | | |
| 03-28-14 | 300 | | | | | | | | X | | |
| 04-25-14 | 104 | | | | | | | | | X | |
| 04-25-14 | 105 | | | | X | | | X | | | |
| 04-25-14 | 302 | | | X | | | | | | | X |
| 04-25-14 | 328 | | | X | | | | | X | | X |
| 04-25-14 | 329 | | | X | | | | | X | | X |
| 04-25-14 | 403 | | | X | | | | | X | | X |
| 05-30-14 | 100 | X | X | | | | | | | | |
| 05-30-14 | 103 | | | | X | | | X | | | |
| 05-30-14 | 108 | | | | | | | X | | | |
| 05-30-14 | 109 | | | | | | | X | | | |
| 05-30-14 | 110 | | | | X | | | X | | | |

Table A.1-Summary of KYTC projects (continued)

| Date Let | Call | Bridge Construction | Deck Construction | Deck Restoration | Bridge Removal | Deck Removal | Bridge Rail Retrofit | MOT Bridge Construction | MOT Deck Restoration | Bridge Construction Time | Bridge Restoration Time |
|----------|------|---------------------|-------------------|------------------|----------------|--------------|----------------------|-------------------------|----------------------|--------------------------|-------------------------|
| 05-30-14 | 200 | | | X | | | | | | | X |
| 05-30-14 | 352 | | | X | | | | | X | | X |
| 05-30-14 | 353 | | | X | | | | | X | | X |
| 05-30-14 | 354 | | | X | | | | | X | | X |
| 05-30-14 | 355 | | | X | | | | | X | | X |
| 05-30-14 | 440 | | | X | | | | | X | | X |
| 05-30-14 | 444 | | | X | | | | | X | | X |
| 05-30-14 | 445 | | | X | | | | | X | | X |
| 05-30-14 | 446 | | | X | | | | | X | | X |
| 06-27-14 | 101 | | | | X | | | | | | |
| 06-27-14 | 109 | X | X | | X | | | X | | X | |
| 06-27-14 | 110 | | | | X | | | X | | | |
| 06-27-14 | 207 | | | | X | | | X | | | |
| 06-27-14 | 316 | | | X | | | | | X | | X |
| 07-11-14 | 100 | | | X | | | | | X | | X |
| 07-11-14 | 107 | | | | X | | | X | | | |
| 07-11-14 | 108 | X | X | | X | | | X | | X | |
| 07-11-14 | 109 | | | | | | | X | | | |
| 07-11-14 | 113 | X | X | | X | | | X | | X | |
| 07-11-14 | 115 | | | | X | | | X | | | |
| 08-22-14 | 106 | | | | X | | | X | | | |
| 08-22-14 | 107 | | | | X | | | X | | | |
| 08-22-14 | 108 | | | | X | | | X | | | |
| 08-22-14 | 109 | | | | | | | X | | | |
| 08-22-14 | 111 | | | | X | | | X | | | |
| 08-22-14 | 200 | X | X | | X | | | X | | | |
| 08-22-14 | 203 | | | X | | | | | | | X |
| 08-22-14 | 313 | X | X | | X | | | X | | X | |
| 08-22-14 | 319 | | | | | | | | X | | |
| 08-22-14 | 435 | | | X | | | | | X | | X |
| 08-22-14 | 445 | | | X | | | | | X | | X |
| 09-26-14 | 100 | | | X | | | | | X | | X |
| 09-26-14 | 103 | | | | X | | | | | | |
| 09-26-14 | 104 | | | | X | | | X | | X | |
| 09-26-14 | 112 | | | | X | | | X | | X | |
| 09-26-14 | 113 | | | | X | | | X | | X | |
| 09-26-14 | 116 | | | | X | | | X | | | |
| 09-26-14 | 117 | | | | X | | | X | | | |
| 09-26-14 | 118 | | | | X | | | X | | | |
| 09-26-14 | 119 | | | | X | | | X | | | |
| 09-26-14 | 306 | | | | | | | X | | | |
| 09-26-14 | 404 | | | X | | | | | X | | X |

Table A.1-Summary of KYTC projects (continued)

| Date Let | Call | Bridge Construction | Deck Construction | Deck Restoration | Bridge Removal | Deck Removal | Bridge Rail Retrofit | MOT Bridge Construction | MOT Deck Restoration | Bridge Construction Time | Bridge Restoration Time |
|----------|------|---------------------|-------------------|------------------|----------------|--------------|----------------------|-------------------------|----------------------|--------------------------|-------------------------|
| 10-24-14 | 108 | | | | X | | | X | | | |
| 10-24-14 | 110 | | | | X | | | X | | | |
| 10-24-14 | 111 | | | | X | | | X | | | |
| 10-24-14 | 118 | | | | | | | X | | | |
| 10-24-14 | 302 | | | | X | | | X | | X | |
| 10-24-14 | 304 | | | | | | | X | | | |
| 10-24-14 | 306 | | | X | | | | | | | X |
| 10-24-14 | 319 | | | X | | | | | X | | X |
| 10-24-14 | 403 | | | X | | | | | X | | X |

APPENDIX B: CONSTRUCTION TIME

Appendix E contains summaries of construction times for the following:

- Prestressed concrete beam bridge
- Reinforced concrete bridge deck restoration

Bridge Construction Time

An analysis of the contract time for completion of prestressed concrete beam bridge projects was done for projects with a calendar completion date, Table B.1, and one for projects with a specified number of working days for completion, Table B.2.

Table B.1-Projects with calendar date completion

| Date Let | Call | County | District | Date Let | Completion Date | Time (days) |
|----------|------|------------|----------|------------|-----------------|-------------|
| Jan 2013 | 103 | Hopkins | 2 | 1/25/2013 | 10/30/2013 | 278 |
| Feb 2013 | 104 | Floyd | 12 | 2/22/2013 | 10/31/2013 | 251 |
| Jun 2013 | 200 | Washington | 4 | 6/14/2013 | 10/31/2013 | 139 |
| Jul 2013 | 366 | Clay | 11 | 7/12/2013 | 7/30/2014 | 383 |
| Aug 2013 | 106 | Pulaski | 8 | 8/16/2013 | 11/30/2013 | 106 |
| Nov 2013 | 106 | Ohio | 2 | 11/22/2013 | 9/1/2014 | 283 |
| Nov 2013 | 111 | Bell | 11 | 11/22/2013 | 7/1/2014 | 221 |
| Dec 2013 | 106 | Owen | 6 | 12/13/2013 | 8/30/2014 | 260 |
| Dec 2013 | 300 | Logan | 3 | 12/13/2013 | 11/1/2014 | 323 |
| Jan 2014 | 313 | Logan | 3 | 1/24/2014 | 11/1/2014 | 281 |
| Apr 2014 | 104 | Jefferson | 5 | 4/25/2014 | 10/1/2014 | 159 |
| Sep 2014 | 104 | Clay | 11 | 9/26/2014 | 7/30/2015 | 307 |
| Oct 2014 | 302 | Knott | 12 | 10/24/2014 | 8/31/2015 | 311 |

The average time from bid opening to completion date is 254 days. Assuming two weeks used to award contract and issue a notice to proceed, the average completion time is 240 calendar days. The time from bid opening to completion date ranges from 106 to 383 days or from 92 to 369 days adjusted.

Table B.2-Projects with working days completion

| Date Let | Call | County | District | Date Let | Time (days) |
|----------|------|-----------|----------|------------|-------------|
| Sep 2013 | 105 | Perry | 10 | 9/27/2013 | 135 |
| Sep 2013 | 317 | Lyon | 1 | 9/27/2013 | 150 |
| Nov 2013 | 104 | Powell | 10 | 11/22/2013 | 85 |
| Nov 2013 | 108 | Perry | 10 | 11/22/2013 | 220 |
| Dec 2013 | 306 | Metcalfe | 3 | 12/13/2013 | 270 |
| Jun 2014 | 109 | Menifee | 10 | 6/27/2014 | 150 |
| Jul 2014 | 108 | Magoffin | 10 | 7/11/2014 | 50 |
| Jul 2014 | 113 | Perry | 10 | 7/11/2014 | 240 |
| Aug 2014 | 313 | Marion | 4 | 8/22/2014 | 170 |
| Sep 2014 | 112 | Owsley | 10 | 9/26/2014 | 165 |
| Sep 2014 | 113 | Breathitt | 10 | 9/26/2014 | 220 |

The average completion time is 168.6 working days. Assuming five working days per week, the average completion time is 236.1 calendar days. The completion time ranges from 50 to 270 working days or from 70 to 378 working days adjusted.

Bridge Deck Overlay Construction Time

An analysis of the contract time for completion of concrete deck restoration projects was done. The completion dates were working days, calendar days, weekends, or not specified. Bridges without a specified completion date were usually part of a larger project where the overall completion date controlled. The completion dates are summarized in Table B.3. The completion dates specified in the project proposals are summarized in Tables B.4, B.5, and B.6. The most common completion date was 30 calendar days, for 65 percent of the bridges where a date was specified and 77 percent of the bridges where calendar days were specified. The average calendar day completion date was 30.8 days. The study used 30 calendar days.

Table B.3-Bridge deck restoration completion date summary

| Completion Date | Number Times Used |
|------------------|-------------------|
| 20 working days | 2 |
| 30 working days | 2 |
| 40 working days | 1 |
| 2 weekends | 9 |
| 14 calendar days | 1 |
| 20 calendar days | 8 |
| 25 calendar days | 1 |
| 30 calendar days | 60 |
| 40 calendar days | 1 |
| 45 calendar days | 4 |
| 60 calendar days | 3 |
| Sub total | 92 |
| None specified | 16 |
| Total | 108 |

Table B.4-Specified completion dates, working days

| Letting | Call | Bridge Number | Completion Date |
|----------|------|---------------|-----------------|
| Jan 2013 | 317 | 016B00061N | 40 working days |
| Mar 2013 | 434 | 074B00011N | 30 working days |
| Mar 2013 | 434 | 116B00001N | 20 working days |
| Apr 2013 | 406 | 046B00030N | 20 working days |
| Apr 2013 | 406 | 046B00013N | 30 working days |

Table B.5-Specified completion dates, calendar days

| Letting | Call | Bridge Number | Completion Date |
|----------|------|---------------|------------------|
| Feb 2013 | 100 | 056B00040R | 2 weekends |
| Feb 2013 | 311 | 019B00033N | 60 calendar days |
| Mar 2013 | 332 | 103B00027N | 45 calendar days |
| Apr 2013 | 426 | 034B00027L | 2 weekends |
| Apr 2013 | 426 | 034B00027R | 2 weekends |
| Apr 2013 | 426 | 034B00028L | 2 weekends |
| Apr 2013 | 426 | 034B00028R | 2 weekends |
| Apr 2013 | 426 | 034B00029L | 2 weekends |
| Apr 2013 | 426 | 034B00029R | 2 weekends |
| Apr 2013 | 426 | 034B00031L | 2 weekends |
| Apr 2013 | 426 | 034B00031R | 2 weekends |
| May 2013 | 369 | 036B00038L | 30 calendar days |
| May 2013 | 369 | 036B00038R | 30 calendar days |
| May 2013 | 406 | 028B00047N | 20 calendar days |
| May 2013 | 406 | 028B00048N | 20 calendar days |
| May 2013 | 406 | 070B00058N | 20 calendar days |
| May 2013 | 420 | 026B00061N | 30 calendar days |
| May 2013 | 420 | 026B00067N | 30 calendar days |
| Jun 2013 | 201 | 006B00017N | 30 calendar days |
| Jun 2013 | 201 | 006B00042N | 30 calendar days |
| Jun 2013 | 201 | 103B00029N | 30 calendar days |
| Aug 2013 | 410 | 101B00009N | 30 calendar days |
| Aug 2013 | 430 | 008B00036N | 30 calendar days |
| Aug 2013 | 430 | 039B00010N | 30 calendar days |
| Aug 2013 | 430 | 008B00021N | 25 calendar days |
| Sep 2013 | 311 | 056B00290N | 60 calendar days |
| Oct 2013 | 301 | 051B00029N | 30 calendar days |
| Oct 2013 | 304 | 092B00112N | 30 calendar days |
| Oct 2013 | 321 | 092B00112N | 40 calendar days |
| Oct 2013 | 400 | 030B00115N | 30 calendar days |
| Oct 2013 | 400 | 030B00084N | 20 calendar days |
| Oct 2013 | 400 | 030B00048N | 14 calendar days |
| Oct 2013 | 404 | 099B00009R | 30 calendar days |
| Oct 2013 | 404 | 099B00017N | 30 calendar days |
| Oct 2013 | 404 | 099B00042N | 30 calendar days |
| Oct 2013 | 406 | 022B00106N | 30 calendar days |
| Oct 2013 | 406 | 068B00030N | 30 calendar days |
| Oct 2013 | 406 | 068B00031N | 30 calendar days |
| Oct 2013 | 406 | 091B00035N | 30 calendar days |
| Nov 2013 | 304 | 090B00017L | 30 calendar days |
| Nov 2013 | 304 | 090B00017R | 30 calendar days |
| Nov 2013 | 406 | 013B00026N | 30 calendar days |
| Nov 2013 | 406 | 077B00026N | 30 calendar days |
| Nov 2013 | 406 | 088B00042N | 30 calendar days |
| Nov 2013 | 406 | 097B00036N | 30 calendar days |
| Dec 2013 | 303 | 114B00003N | 60 calendar days |
| Dec 2013 | 401 | 078B00038N | 30 calendar days |
| Dec 2013 | 401 | 109B00004N | 30 calendar days |
| Dec 2013 | 401 | 109B00025N | 30 calendar days |

Table B.5-Specified completion dates, calendar days (continued)

| Letting | Call | Bridge Number | Completion Date |
|----------|------|---------------|------------------|
| Apr 2014 | 328 | 045B00077N | 30 calendar days |
| Apr 2014 | 329 | 090B00044N | 30 calendar days |
| Apr 2014 | 403 | 035B00022N | 30 calendar days |
| Apr 2014 | 403 | 035B00025N | 30 calendar days |
| May 2014 | 352 | 030B00069R | 30 calendar days |
| May 2014 | 353 | 054B00014L | 30 calendar days |
| May 2014 | 353 | 054B00014R | 30 calendar days |
| May 2014 | 354 | 088B00070N | 30 calendar days |
| May 2014 | 355 | 099B00011L | 30 calendar days |
| May 2014 | 440 | 036B00021N | 30 calendar days |
| May 2014 | 440 | 036B00022N | 30 calendar days |
| May 2014 | 444 | 030B00034N | 30 calendar days |
| May 2014 | 444 | 030B00033N | 30 calendar days |
| May 2014 | 444 | 030B00032N | 30 calendar days |
| May 2014 | 445 | 004B00032N | 30 calendar days |
| May 2014 | 445 | 004B00051N | 30 calendar days |
| May 2014 | 445 | 004B00050N | 30 calendar days |
| May 2014 | 446 | 099B00033N | 30 calendar days |
| May 2014 | 446 | 119B00019N | 30 calendar days |
| Jul 2014 | 100 | 037B00057L | 30 calendar days |
| Jul 2014 | 100 | 037B00057R | 30 calendar days |
| Aug 2014 | 435 | 048B00065N | 45 calendar days |
| Aug 2014 | 435 | 048B00147N | 45 calendar days |
| Aug 2014 | 435 | 048B00129N | 30 calendar days |
| Aug 2014 | 445 | 097B00042N | 30 calendar days |
| Aug 2014 | 445 | 097B00089N | 45 calendar days |
| Sep 2014 | 404 | 047B00092L | 30 calendar days |
| Sep 2014 | 404 | 047B00092R | 30 calendar days |
| Sep 2014 | 404 | 047B00093L | 30 calendar days |
| Sep 2014 | 404 | 047B00093R | 30 calendar days |
| Oct 2014 | 319 | 022B00035N | 30 calendar days |
| Oct 2014 | 403 | 116B00009N | 30 calendar days |
| Oct 2014 | 403 | 116B00010N | 30 calendar days |
| Oct 2014 | 403 | 116B00020N | 30 calendar days |
| May 2014 | 200 | 051B00062L | 20 calendar days |
| May 2014 | 200 | 051B00062R | 20 calendar days |
| May 2014 | 200 | 117B00071L | 20 calendar days |
| May 2014 | 200 | 117B00071R | 20 calendar days |

Table B.6-Specified completion dates, not specified

| Letting | Call | Bridge Number | Completion Date |
|----------|------|---------------|-----------------|
| Aug 2013 | 201 | 037B00055L | None specified |
| Aug 2013 | 201 | 037B00055R | None specified |
| Aug 2013 | 201 | 037B00056L | None specified |
| Aug 2013 | 201 | 106B00059L | None specified |
| Sep 2013 | 320 | 022B00135N | None specified |
| Sep 2013 | 322 | 091B00033N | None specified |
| Sep 2013 | 323 | 097B00045N | None specified |
| Jun 2014 | 316 | 090B00062N | None specified |
| Sep 2014 | 100 | 008B00052N | None specified |
| Sep 2013 | 200 | 052B00001N | None specified |
| Sep 2013 | 200 | 052B00038N | None specified |
| Sep 2013 | 200 | 052B00051L | None specified |
| Sep 2013 | 201 | 040B00004N | None specified |
| Apr 2014 | 302 | 104B00022N | None specified |
| Aug 2014 | 203 | 079B00075L | None specified |
| Oct 2014 | 306 | 005B00068R | None specified |

APPENDIX C: CONSTRUCTION UNIT COSTS

Appendix C contains summaries of bid items and construction unit costs for the following:

- Prestressed concrete beam bridge
- Reinforced concrete deck
- Reinforced concrete bridge deck restoration
- Bridge removal
- Bridge deck removal
- Bridge rail retrofit

Precast Prestressed Concrete I-Beam Bridges

The cost analysis for the construction of precast prestressed concrete I-beam bridges included the following bid items:

- Approach Slab
- Armored Edge for Concrete
- Bridge Chain Link Fence-4 ft
- Bridge Chain Link Fence-6 ft
- Bridge Chain Link Fence-8 ft
- Bridge Chain Link Fence-9 ft
- Concrete-Class A
- Concrete-Class AA
- Crushed Aggregate Slope Protection
- Cyclopean Stone Rip Rap
- Deck Drain
- Drilled Shaft-Common 54 in
- Drilled Shaft-Rock 48 in
- Expansion Dam-4 in Neoprene
- Fabric-Geotextile Type IV
- Guardrail-Steel W Beam-S Face Br
- High Strength Geotextile Fabric
- Masonry Coating
- Mechanical Reinforcement Coupler #5
- Mechanical Reinforcement Coupler #7
- Mechanical Reinforcement Coupler #8
- Mechanical Reinforcement Coupler #9
- Mechanical Reinforcement Coupler #10
- Mechanical Reinforcement Coupler #11
- Mechanical Reinforcement Coupler-#5 Epoxy Coated
- Mechanical Reinforcement Coupler-#6 Epoxy Coated
- Mechanical Reinforcement Coupler-#8 Epoxy Coated
- Pile Points-12 in
- Pile Points-14 in
- Piles-Steel HP12X53
- Piles-Steel HP14X73
- Piles-Steel HP14X89
- Precast PC I-Beam Type 3
- Precast PC I-Beam Type 4
- Precast PC I-Beam Type 5
- Precast PC I-Beam Type 6
- Precast PC I-Beam Type 7
- Precast PC I-Beam Type 8
- Precast PC I-Beam Type 9
- Precast PC I-Beam Type HN 42-49
- Precast PC I-Beam Type HN 54-49

- Precast PC I-Beam Type HN 60-49
- Precast PC I-Beam Type NH 66-61 Hybrid
- Precast PC I-Beam Type HN 72-49
- Pre-drilling For Piles
- Protective Fence
- Rail System Type III
- Reinforced Concrete Slope Wall-6 in
- Steel Reinforcement
- Steel Reinforcement-Epoxy Coated
- Structural Steel
- Structure Excavation-Common
- Structure Excavation-Solid Rock
- Structure Excavation-Unclassified
- Structure Granular Backfill
- Test Piles

All the items were not used with every bridge. The results of the analysis are summarized in Table C.1.

Table C.1-Bridge construction unit costs analysis summary

| Cost Analysis Case | n | Unit Cost, \$/ft ² (\$/m ²) | |
|---|-----|--|--------------------|
| | | Mean | Standard Deviation |
| Excluding costs greater than \$160.00/ft ² (\$1,722.22/m ²) | 116 | 107.52 (1,157.33) | 18.28 (196.76) |
| Excluding costs greater than \$200.00/ft ² (\$2,152.77/m ²) | 129 | 115.00 (1,237.84) | 28.55 (307.31) |
| Excluding costs greater than \$300.00/ft ² (\$3,229.16/m ²) | 139 | 122.20 (1,315.34) | 38.00 (409.03) |
| All costs included | 140 | 123.61 (1,330.52) | 41.35 (445.09) |

The following are summaries of unit costs for each project used in the analysis.

Bridge with Grade, Drain & Surface Brown Badgett Loop (CR 1092)

Date Let: 01-25-13 Call: 103 County: Hopkins District: 02
 Precast PC I Beam Type: HN42-49 Bridge Area: 7,754 ft² (720.4 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 983,665.96 | 126.86 (1,365.50) |
| Bidder 2 | 981,309.92 | 126.56 (1,362.28) |
| Bidder 3 | 977,545.41 | 126.07 (1,357.00) |
| Bidder 4 | 1,017,754.23 | 131.26 (1,412.87) |
| Bidder 5 | 1,221,990.50 | 157.59 (1,696.28) |
| Bidder 6 | 1,545,127.00 | 199.27 (2,144.92) |

Bridge with Grade, Drain & Surface KY 1428

Date Let: 02-22-13 Call: 104 County: Floyd District: 12
 Precast PC I Beam Type: HN 54 49 Bridge Area: 4,247 ft² (394.6 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 540,809.24 | 127.34 (1,370.67) |
| Bidder 2 | 660,500.16 | 155.52 (1,674.00) |

Grade, Drain & Surface with Bridge Georgetown Northwest Bypass

Date Let: 04-19-13 Call: 101 County: Scott District: 07
 Precast PC I Beam Type: 7 Bridge Area: 23,005 ft² (2,137.2 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 2,593,598.05 | 112.74 (1,213.52) |
| Bidder 2 | 2,363,143.85 | 102.72 (1,105.66) |
| Bidder 3 | 2,566,733.50 | 111.57 (1,200.92) |
| Bidder 4 | 2,363,143.85 | 102.72 (1,105.66) |
| Bidder 5 | 2,666,685.96 | 115.92 (1,247.75) |
| Bidder 6 | 2,531,536.50 | 110.04 (1,184.46) |

Grade, Drain & Surface with Bridge Hooker Branch Road (CR 1276)

Date Let: 07-12-13 Call: 366 County: Clay District: 11
 Precast PC I Beam Type: HN60-49 Bridge Area: 4,394 ft² (408.2 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 409,850.90 | 93.28 (1,004.05) |
| Bidder 2 | 468,446.40 | 106.61 (1,147.54) |
| Bidder 3 | 528,910.00 | 120.37 (1,295.65) |
| Bidder 4 | 468,446.40 | 106.61 (1,147.54) |
| Bidder 5 | 610,850.80 | 139.02 (1,496.39) |

Bridge with Grade, Drain & Surface Dahl Road (KY 1677)

Date Let: 08-16-13 Call: 106 County: Pulaski District: 08
 Precast PC I Beam Type: 4 Bridge Area: 3,033 ft² (281.8 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 388,415.12 | 128.06 (1,378.42) |
| Bidder 2 | 378,227.30 | 124.70 (1,342.25) |
| Bidder 3 | 377,942.10 | 124.61 (1,341.29) |
| Bidder 4 | 467,270.30 | 154.06 (1,658.28) |
| Bidder 5 | 461,502.81 | 152.16 (1,637.83) |

Bridge with Grade, Drain & Surface KY 476

Date Let: 09-27-13 Call: 105 County: Perry District: 10
 Precast PC I Beam Type: HN42-49 Bridge Area: 9,131 ft² (848.3 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 953,767.85 | 104.45 (1,124.29) |
| Bidder 2 | 1,073,528.50 | 117.57 (1,265.51) |
| Bidder 3 | 1,207,156.65 | 132.20 (1,422.98) |
| Bidder 4 | 1,228,610.40 | 134.55 (1,448.28) |
| Bidder 5 | 1,197,482.40 | 131.14 (1,411.57) |

Grade, Drain & Surface with Bridge Kuttawa-Princeton Road (US 62)

Date Let: 09-27-13 Call: 317 County: Lyon District: 01
 Precast PC I Beam Type: HN42-49 Bridge Area: 21,250 ft² (1,974.2 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 2,656,685.48 | 125.02 (1,345.70) |
| Bidder 2 | 3,136,758.70 | 147.61 (1,588.85) |

Bridge Replacement Stanton-Slade Road (KY 11)

Date Let: 11-22-13 Call: 104 County: Powell District: 10
 Precast PC I Beam Type: HN42-49 Bridge Area: 3,094 ft² (287.4 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 314,411.95 | 101.62 (1,093.82) |
| Bidder 2 | 350,178.40 | 113.18 (1,218.25) |
| Bidder 3 | 346,511.15 | 111.99 (1,205.45) |
| Bidder 4 | 425,193.50 | 137.43 (1,479.28) |

Bridge with Grade, Drain & Surface Beaver Dam - Leitchfield Road (US 62)

Date Let: 11-22-13 Call: 106 County: Ohio District: 02
 Precast PC I Beam Type: HN 54 49 Bridge Area: 5,891 ft² (547.3 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 592,289.20 | 100.54 (1,082.20) |
| Bidder 2 | 677,616.50 | 115.03 (1,238.17) |
| Bidder 3 | 681,994.58 | 115.77 (1,246.13) |
| Bidder 4 | 740,171.61 | 125.64 (1,352.37) |
| Bidder 5 | 733,344.00 | 124.49 (1,339.99) |

Bridge with Grade, Drain & Surface Glomawr to Hazard Road (KY 451)

Date Let: 11-22-13 Call: 108 County: Perry District: 10
 Precast PC I Beam Type: 8 Bridge Area: 14,457 ft² (1,343.1 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 1,408,871.81 | 97.45 (1,048.94) |
| Bidder 2 | 1,556,763.50 | 107.68 (1,159.05) |
| Bidder 3 | 1,688,817.80 | 116.82 (1,257.44) |
| Bidder 4 | 1,730,651.40 | 119.71 (1,288.54) |

Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)

Date Let: 11-22-13 Call: 109 County: Hart District: 04
 I 65 over CSX
 Precast PC I Beam Type: HN60-49 Bridge Area: 17,868 ft² (1,660.0 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 1,662,428.24 | 93.04 (1,001.47) |
| Bidder 2 | 1,918,818.37 | 107.39 (1,155.93) |
| Bidder 3 | 1,785,208.22 | 99.91 (1,075.42) |

Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)
 Date Let: 11-22-13 Call: 109 County: Hart District: 04
 KY 88 over I 65
 Precast PC I Beam Type: HN60-49 Bridge Area: 12,450 ft² (1,156.6 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 1,057,793.56 | 84.96 (914.50) |
| Bidder 2 | 1,229,649.65 | 98.77 (1,063.15) |
| Bidder 3 | 1,070,577.12 | 85.99 (925.59) |

Bridge with Grade, Drain & Surface Buffalo Branch Road (CR-1327)
 Date Let: 11-22-13 Call: 111 County: Bell District: 11
 Precast PC I Beam Type: 3 Bridge Area: 1,560 ft² (144.9 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 281,673.40 | 180.56 (1,943.52) |
| Bidder 2 | 318,622.80 | 204.25 (2,198.52) |
| Bidder 3 | 353,081.80 | 226.33 (2,436.19) |
| Bidder 4 | 381,694.47 | 244.68 (2,633.70) |

Grade, Drain & Surface with Bridge Gratz-Moxley Road (KY-355)
 Date Let: 12-13-13 Call: 106 County: Owen District: 06
 Precast PC I Beam Type: 3 Bridge Area: 5,946 ft² (552.4 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 992,004.30 | 166.84 (1,795.84) |
| Bidder 2 | 1,068,053.04 | 179.63 (1,933.51) |
| Bidder 3 | 1,123,253.00 | 188.91 (2,033.40) |
| Bidder 4 | 1,027,904.07 | 172.87 (1,860.75) |
| Bidder 5 | 1,073,563.91 | 180.55 (1,943.42) |
| Bidder 6 | 1,193,574.50 | 200.74 (2,160.74) |
| Bidder 7 | 1,082,909.97 | 182.12 (1,960.32) |
| Bidder 8 | 1,059,069.04 | 178.11 (1,917.15) |
| Bidder 9 | 1,227,857.03 | 206.50 (2,222.74) |

Grade & Drain with Bridge Partridge to Oven Fork Road (US 119, Section 3B)
 Date Let: 12-13-13 Call: 113 County: Letcher District: 12
 Precast PC I Beam Type: 5 Bridge Area: 19,487 ft² (1,810.4 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 1,793,854.84 | 92.05 (990.81) |
| Bidder 2 | 1,722,941.60 | 88.41 (951.63) |
| Bidder 3 | 1,725,437.71 | 88.54 (953.03) |
| Bidder 4 | 1,736,084.00 | 89.09 (958.95) |

Grade, Drain & Surface with Bridge US-68 and Louie B. Nunn Parkway
 Date Let: 12-13-13 Call: 306 County: Metcalfe District: 03
 Precast PC I Beam Type: NH 66 61-hybrid Bridge Area: 10,833 ft² (1,006.4 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 1,109,589.75 | 102.43 (1,102.54) |
| Bidder 2 | 1,207,097.72 | 111.43 (1,199.42) |
| Bidder 3 | 1,192,771.23 | 110.11 (1,185.21) |

Grade, Drain & Surface with Bridge New Moody Lane-Commerce Parkway (New Route)
 Date Let: 12-13-13 Call: 307 County: Oldham District: 05
 Precast PC I Beam Type: 9 Bridge Area: 70,013 ft² (6,504.4 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 5,027,348.20 | 71.81 (772.95) |
| Bidder 2 | 5,023,597.00 | 71.75 (772.31) |
| Bidder 3 | 4,931,802.20 | 70.44 (758.21) |
| Bidder 4 | 5,726,496.80 | 81.79 (880.38) |
| Bidder 5 | 5,319,013.65 | 75.97 (817.73) |
| Bidder 6 | 4,911,871.39 | 70.16 (755.19) |
| Bidder 7 | 5,900,494.25 | 84.28 (907.18) |
| Bidder 8 | 6,201,200.45 | 88.57 (953.36) |

Grade, Drain & Surface with Bridge Morgantown Road (KY 79)
 Date Let: 01-24-14 Call: 313 County: Logan District: 03
 Precast PC I Beam Type: 4 Bridge Area: 10,101 ft² (938.4 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 1,068,699.60 | 105.80 (1,138.82) |
| Bidder 2 | 1,157,056.51 | 114.55 (1,233.00) |
| Bidder 3 | 1,070,175.60 | 105.95 (1,140.43) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren District: 03
 US 31W Connector over Commonwealth
 Precast PC I Beam Type: HN 7249 Bridge Area: 6,956 ft² (646.2 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 601,307.18 | 86.44 (930.43) |
| Bidder 2 | 631,882.20 | 90.84 (977.79) |
| Bidder 3 | 430,103.74 | 61.83 (665.53) |
| Bidder 4 | 750,060.00 | 107.83 (1,160.67) |
| Bidder 5 | 631,765.00 | 90.82 (977.57) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren District: 03
 US 31W Connector over US 68 / KY80 / RR
 Precast PC I Beam Type: 3 and 5 Bridge Area: 21,549 ft² (2,002.0 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 1,940,838.98 | 90.07 (969.50) |
| Bidder 2 | 1,883,527.05 | 87.41 (940.87) |
| Bidder 3 | 2,014,000.83 | 93.46 (1,005.99) |
| Bidder 4 | 2,243,972.40 | 104.13 (1,120.84) |
| Bidder 5 | 2,192,051.65 | 101.72 (1,094.90) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren District: 03
 US 31W Connector over I-65
 Precast PC I Beam Type: 4 Bridge Area: 30,634 ft² (2,846.0 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 2,974,736.68 | 97.11 (1,045.28) |
| Bidder 2 | 3,006,586.90 | 98.15 (1,056.47) |
| Bidder 3 | 3,526,927.89 | 115.13 (1,239.24) |
| Bidder 4 | 3,350,120.80 | 109.36 (1,177.14) |
| Bidder 5 | 3,110,601.58 | 101.54 (1,092.96) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren District: 03
 Kelly Road over US 31W Connector
 Precast PC I Beam Type: 4 Bridge Area: 8,375 ft² (778.1 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 867,698.02 | 103.61 (1,115.24) |
| Bidder 2 | 885,617.00 | 105.75 (1,138.28) |
| Bidder 3 | 810,713.61 | 96.80 (1,041.94) |
| Bidder 4 | 1,003,107.85 | 119.77 (1,289.19) |
| Bidder 5 | 954,296.82 | 113.95 (1,226.54) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren District: 03
 US 31W Connector over CSX Railroad
 Precast PC I Beam Type: 6 Bridge Area: 23,789 ft² (2,210.1 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 2,436,053.06 | 102.40 (1,102.22) |
| Bidder 2 | 2,444,569.55 | 102.76 (1,106.10) |
| Bidder 3 | 2,716,159.60 | 114.18 (1,229.02) |
| Bidder 4 | 2,849,711.05 | 119.79 (1,289.40) |
| Bidder 5 | 2,474,524.83 | 104.02 (1,119.66) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren District: 03
 US 31W Connector over CSX Railroad
 Precast PC I Beam Type: 6 Bridge Area: 19,983 ft² (1,856.5 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 2,157,217.14 | 107.95 (1,161.96) |
| Bidder 2 | 2,125,711.10 | 106.38 (1,145.06) |
| Bidder 3 | 2,594,414.26 | 129.83 (1,397.47) |
| Bidder 4 | 2,464,408.75 | 123.33 (1,327.51) |
| Bidder 5 | 2,180,766.94 | 109.13 (1,174.66) |

Bridge with Grade, Drain & Surface Frenchburg to Owingsville Road (KY 36)
 Date Let: 06-27-14 Call: 109 County: Menifee District: 10
 Precast PC I Beam Type: 4 Bridge Area: 3,266 ft² (303.4 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 632,362.40 | 193.62 (2,084.10) |
| Bidder 2 | 664,557.10 | 203.48 (2,190.23) |
| Bidder 3 | 704,802.05 | 215.80 (2,322.84) |
| Bidder 4 | 696,419.65 | 213.23 (2,295.18) |
| Bidder 5 | 755,729.70 | 231.39 (2,490.65) |
| Bidder 6 | 669,235.62 | 204.91 (2,205.62) |
| Bidder 7 | 1,041,093.57 | 318.77 (3,431.20) |

Bridge Replacement Rye Branch Road (CR 1756)
 Date Let: 07-11-14 Call: 108 County: Magoffin District: 10
 Precast PC I Beam Type: 3 Bridge Area: 1,225 ft² (113.8 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 196,067.76 | 160.06 (1,722.86) |
| Bidder 2 | 229,058.00 | 186.99 (2,012.74) |
| Bidder 3 | 237,249.50 | 193.67 (2,084.64) |

Bridge with Grade, Drain & Surface Hazard-Hyden Road (KY-80)
 Date Let: 07-11-14 Call: 113 County: Perry District: 10
 Precast PC I Beam Type: HN 54 49 Bridge Area: 19,127 ft² (1,777.0 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 2,101,305.10 | 109.86 (1,182.52) |
| Bidder 2 | 2,075,194.30 | 108.50 (1,167.88) |
| Bidder 3 | 2,222,734.40 | 116.21 (1,250.87) |
| Bidder 4 | 2,174,378.91 | 113.68 (1,223.64) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 US 31W Over I-65

Precast PC I Beam Type: HN 54 49 Bridge Area: 18,511 ft² (1,719.7 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 2,140,669.33 | 115.64 (1,244.73) |
| Bidder 2 | 2,150,760.60 | 116.19 (1,250.65) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 BRIDGE-25019

Precast PC I Beam Type: HN42-49 Bridge Area: 28,193 ft² (2,619.2 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 2,480,276.07 | 87.97 (946.90) |
| Bidder 2 | 2,346,756.95 | 83.24 (895.98) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 Old Sonora Bridge over I-65

Precast PC I Beam Type: HN42-49 Bridge Area: 9,415 ft² (874.6 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 930,306.37 | 98.81 (1,063.58) |
| Bidder 2 | 966,810.45 | 102.69 (1,105.34) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 KY-84 over I-65

Precast PC I Beam Type: HN42-49 Bridge Area: 21,172 ft² (1,967.0 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 1,975,288.03 | 93.30 (1,004.27) |
| Bidder 2 | 2,004,266.30 | 94.67 (1,019.02) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 BRIDGE-25021

Precast PC I Beam Type: 3 Bridge Area: 12,079 ft² (1,122.2 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 1,331,592.97 | 110.24 (1,186.61) |
| Bidder 2 | 1,219,610.70 | 100.97 (1,086.83) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 BRIDGE-25020

Precast PC I Beam Type: 4 Bridge Area: 13,135 ft² (1,220.3 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 1,174,748.09 | 89.44 (962.72) |
| Bidder 2 | 1,126,785.90 | 85.78 (923.32) |

Bridge with Grade, Drain & Surface KY-49

Date Let: 08-22-14 Call: 313 County: Marion District: 04

Precast PC I Beam Type: HN60-49 Bridge Area: 4,518 ft² (419.7 m²)

| | Total Bridge Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|------------------------|--|
| Bidder 1 | 489,029.27 | 108.24 (1,165.08) |
| Bidder 2 | 466,779.00 | 103.32 (1,112.12) |
| Bidder 3 | 489,029.27 | 108.24 (1,165.08) |

Reinforced Concrete Decks

The cost analysis for the construction of a cast in place reinforced concrete bridge deck used the bid data for the precast prestressed concrete I-beam bridges but included only the following bid items:

- Armored Edge for Concrete
- Concrete-Class AA
- Guardrail-Steel W Beam-S Face Br
- Masonry Coating
- Mechanical Reinforcement Coupler-#5 Epoxy Coated
- Mechanical Reinforcement Coupler-#6 Epoxy Coated
- Mechanical Reinforcement Coupler-#8 Epoxy Coated
- Rail System Type III
- Steel Reinforcement-Epoxy Coated
- Structural Steel

These are the items used to construct a reinforced concrete bridge deck and rails. All the items were not used with every bridge. The results of the analysis are summarized in Table C.2.

Table C.2-Bridge deck construction unit costs analysis summary

| Cost Analysis Case | n | Unit Cost, \$/ft ² (\$/m ²) | |
|--|-----|--|--------------------|
| | | Mean | Standard Deviation |
| Excluding costs greater than \$60.00/ft ² (\$645.8/m ²) | 117 | 38.17 (410.86) | 7.19 (77.39) |
| Excluding costs greater than \$70.00/ft ² (\$753.47/m ²) | 133 | 41.46 (446.27) | 11.25 (121.09) |
| Excluding costs greater than \$90.00/ft ² (\$968.75/m ²) | 139 | 43.16 (464.57) | 13.65 (146.93) |
| All costs included | 140 | 43.55 (468.77) | 14.35 (154.46) |

The following are summaries of unit costs for each project used in the analysis.

Bridge with Grade, Drain & Surface Brown Badgett Loop (CR 1092)
 Date Let: 01-25-13 Call: 103 County: Hopkins
 Bridge Area: 7,754 ft² (720.4 m²)

District: 02

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 374,562.74 | 48.31 (520.00) |
| Bidder 2 | 320,991.08 | 41.40 (445.62) |
| Bidder 3 | 322,714.70 | 41.62 (447.99) |
| Bidder 4 | 328,259.30 | 42.33 (455.63) |
| Bidder 5 | 385,821.70 | 49.76 (535.61) |
| Bidder 6 | 502,134.00 | 64.76 (697.07) |

Bridge with Grade, Drain & Surface KY 1428
 Date Let: 02-22-13 Call: 104 County: Floyd
 Bridge Area: 4,247 ft² (394.6 m²)

District: 12

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 188,594.24 | 44.41 (478.02) |
| Bidder 2 | 193,942.16 | 45.67 (491.59) |

Grade, Drain & Surface with Bridge Georgetown Northwest Bypass
 Date Let: 04-19-13 Call: 101 County: Scott
 Bridge Area: 23,005 ft² (2,137.2 m²)

District: 07

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 789,544.06 | 34.32 (369.42) |
| Bidder 2 | 696,445.40 | 30.27 (325.82) |
| Bidder 3 | 848,473.40 | 36.88 (396.97) |
| Bidder 4 | 696,445.40 | 30.27 (325.82) |
| Bidder 5 | 823,942.16 | 35.82 (385.56) |
| Bidder 6 | 774,779.00 | 33.68 (362.53) |

Grade, Drain & Surface with Bridge Hooker Branch Road (CR 1276)
 Date Let: 07-12-13 Call: 366 County: Clay
 Bridge Area: 4,394 ft² (408.2 m²)

District: 11

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 160,080.90 | 36.43 (392.13) |
| Bidder 2 | 173,152.40 | 39.41 (424.20) |
| Bidder 3 | 206,638.00 | 47.03 (506.22) |
| Bidder 4 | 173,152.40 | 39.41 (424.20) |
| Bidder 5 | 289,514.80 | 65.89 (709.23) |

Bridge with Grade, Drain & Surface Dahl Road (KY 1677)
 Date Let: 08-16-13 Call: 106 County: Pulaski
 Bridge Area: 3,033 ft² (281.8 m²)

District: 08

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 169,285.62 | 55.81 (600.73) |
| Bidder 2 | 141,644.80 | 46.70 (502.67) |
| Bidder 3 | 140,723.10 | 46.40 (499.44) |
| Bidder 4 | 189,435.30 | 62.46 (672.31) |
| Bidder 5 | 167,441.80 | 55.21 (594.27) |

Bridge with Grade, Drain & Surface KY 476

Date Let: 09-27-13

Call: 105

County: Perry

District: 10

Bridge Area: 9,131 ft² (848.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 370,598.60 | 40.59 (436.91) |
| Bidder 2 | 404,720.00 | 44.32 (477.05) |
| Bidder 3 | 451,054.40 | 49.40 (531.74) |
| Bidder 4 | 447,115.40 | 48.97 (527.11) |
| Bidder 5 | 439,449.28 | 48.13 (518.07) |

Grade, Drain & Surface with Bridge Kuttawa-Princeton Road (US 62)

Date Let: 09-27-13

Call: 317

County: Lyon

District: 01

Bridge Area: 21,250 ft² (1,974.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 929,414.09 | 43.74 (470.81) |
| Bidder 2 | 1,030,090.70 | 48.47 (521.72) |

Bridge Replacement Stanton-Slade Road (KY 11)

Date Let: 11-22-13

Call: 104

County: Powell

District: 10

Bridge Area: 3,094 ft² (287.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 134,704.00 | 43.54 (468.66) |
| Bidder 2 | 140,863.40 | 45.53 (490.08) |
| Bidder 3 | 163,743.15 | 52.92 (569.62) |
| Bidder 4 | 183,640.50 | 59.35 (638.84) |

Bridge with Grade, Drain & Surface Beaver Dam - Leitchfield Road (US 62)

Date Let: 11-22-13

Call: 106

County: Ohio

District: 02

Bridge Area: 5,891 ft² (547.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 197,055.80 | 33.45 (360.05) |
| Bidder 2 | 208,444.00 | 35.38 (380.83) |
| Bidder 3 | 228,546.58 | 38.80 (417.64) |
| Bidder 4 | 272,236.18 | 46.21 (497.40) |
| Bidder 5 | 226,501.60 | 38.45 (413.87) |

Bridge with Grade, Drain & Surface Glomawr to Hazard Road (KY 451)

Date Let: 11-22-13

Call: 108

County: Perry

District: 10

Bridge Area: 14,457 ft² (1,343.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 479,784.14 | 33.19 (357.25) |
| Bidder 2 | 553,461.60 | 38.28 (412.04) |
| Bidder 3 | 544,464.80 | 37.66 (405.37) |
| Bidder 4 | 628,118.90 | 43.45 (467.69) |

Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)

Date Let: 11-22-13

Call: 109

County: Hart

District: 04

I 65 over CSX

Bridge Area: 17,868 ft² (1,660.0 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 552,841.61 | 30.94 (333.03) |
| Bidder 2 | 653,784.74 | 36.59 (393.85) |
| Bidder 3 | 626,778.27 | 35.08 (377.60) |

Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)
 Date Let: 11-22-13 Call: 109 County: Hart District: 04
 KY 88 over I 65
 Bridge Area: 12,450 ft² (1,156.6 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 434,348.06 | 34.89 (375.55) |
| Bidder 2 | 491,563.06 | 39.48 (424.96) |
| Bidder 3 | 427,794.26 | 34.36 (369.85) |

Bridge with Grade, Drain & Surface Buffalo Branch Road (CR-1327)
 Date Let: 11-22-13 Call: 111 County: Bell District: 11
 Bridge Area: 1,560 ft² (144.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 93,996.80 | 60.25 (648.52) |
| Bidder 2 | 102,298.80 | 65.58 (705.89) |
| Bidder 3 | 88,843.80 | 56.95 (613.00) |
| Bidder 4 | 107,388.68 | 68.84 (740.98) |

Grade, Drain & Surface with Bridge Gratz-Moxley Road (KY-355)
 Date Let: 12-13-13 Call: 106 County: Owen District: 06
 Bridge Area: 5,946 ft² (552.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 394,310.20 | 66.32 (713.86) |
| Bidder 2 | 494,948.64 | 83.24 (895.98) |
| Bidder 3 | 415,842.00 | 69.94 (752.82) |
| Bidder 4 | 396,160.00 | 66.63 (717.20) |
| Bidder 5 | 469,930.44 | 79.03 (850.67) |
| Bidder 6 | 476,207.40 | 80.09 (862.08) |
| Bidder 7 | 356,904.54 | 60.02 (646.05) |
| Bidder 8 | 414,673.02 | 69.74 (750.67) |
| Bidder 9 | 513,881.10 | 86.42 (930.21) |

Grade & Drain with Bridge Partridge to Oven Fork Road (US 119, Section 3B)
 Date Let: 12-13-13 Call: 113 County: Letcher District: 12
 Bridge Area: 19,487 ft² (1,810.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 660,790.19 | 33.91 (365.00) |
| Bidder 2 | 595,658.00 | 30.57 (329.05) |
| Bidder 3 | 611,642.00 | 31.39 (337.88) |
| Bidder 4 | 613,430.00 | 31.48 (338.85) |

Grade, Drain & Surface with Bridge US-68 and Louie B. Nunn Parkway
 Date Let: 12-13-13 Call: 306 County: Metcalfe District: 03
 Bridge Area: 10,833 ft² (1,006.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 396,517.75 | 36.60 (393.96) |
| Bidder 2 | 421,614.70 | 38.92 (418.93) |
| Bidder 3 | 449,834.00 | 41.52 (446.92) |

Grade, Drain & Surface with Bridge New Moody Lane-Commerce Parkway (New Route)
 Date Let: 12-13-13 Call: 307 County: Oldham District: 05
 Bridge Area: 70,013 ft² (6,504.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 1,682,584.50 | 24.03 (258.66) |
| Bidder 2 | 1,988,200.00 | 28.40 (305.69) |
| Bidder 3 | 1,955,443.50 | 27.93 (300.63) |
| Bidder 4 | 1,930,523.00 | 27.57 (296.76) |
| Bidder 5 | 2,121,907.75 | 30.31 (326.25) |
| Bidder 6 | 1,729,120.75 | 24.70 (265.87) |
| Bidder 7 | 2,237,843.25 | 31.96 (344.01) |
| Bidder 8 | 2,072,025.25 | 29.59 (318.50) |

Grade, Drain & Surface with Bridge Morgantown Road (KY 79)
 Date Let: 01-24-14 Call: 313 County: Logan District: 03
 Bridge Area: 10,101 ft² (938.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 371,972.90 | 36.83 (396.43) |
| Bidder 2 | 411,978.60 | 40.79 (439.06) |
| Bidder 3 | 371,972.90 | 36.83 (396.43) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren District: 03
 US 31W Connector over Commonwealth
 Bridge Area: 6,956 ft² (646.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 223,066.30 | 32.07 (345.20) |
| Bidder 2 | 222,886.60 | 32.04 (344.87) |
| Bidder 3 | 273,223.54 | 39.28 (422.80) |
| Bidder 4 | 265,272.80 | 38.14 (410.53) |
| Bidder 5 | 230,975.40 | 33.21 (357.47) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren District: 03
 US 31W Connector over US 68 / KY80 / RR
 Bridge Area: 21,549 ft² (2,002.0 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 624,505.90 | 28.98 (311.94) |
| Bidder 2 | 620,306.95 | 28.79 (309.89) |
| Bidder 3 | 750,441.56 | 34.82 (374.80) |
| Bidder 4 | 778,171.10 | 36.11 (388.68) |
| Bidder 5 | 706,382.55 | 32.78 (352.84) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren District: 03
 US 31W Connector over I-65
 Bridge Area: 30,634 ft² (2,846.0 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 898,475.20 | 29.33 (315.70) |
| Bidder 2 | 909,123.30 | 29.68 (319.47) |
| Bidder 3 | 1,090,286.74 | 35.59 (383.09) |
| Bidder 4 | 1,092,353.60 | 35.66 (383.84) |
| Bidder 5 | 948,302.98 | 30.96 (333.25) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren
 Kelly Road over US 31W Connector
 Bridge Area: 8,375 ft² (778.1 m²)

District: 03

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 302,192.70 | 36.08 (388.36) |
| Bidder 2 | 313,699.35 | 37.46 (403.21) |
| Bidder 3 | 371,265.58 | 44.33 (477.16) |
| Bidder 4 | 374,129.30 | 44.67 (480.82) |
| Bidder 5 | 337,891.17 | 40.35 (434.32) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren
 US 31W Connector over CSX Railroad
 Bridge Area: 23,789 ft² (2,210.1 m²)

District: 03

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 671,408.20 | 28.22 (303.76) |
| Bidder 2 | 700,294.60 | 29.44 (316.89) |
| Bidder 3 | 831,716.36 | 34.96 (376.30) |
| Bidder 4 | 912,564.90 | 38.36 (412.90) |
| Bidder 5 | 712,685.38 | 29.96 (322.49) |

Bridge with Grade & Drain I-65 to US 31W Connector (KY 3145)
 Date Let: 05-30-14 Call: 100 County: Warren
 US 31W Connector over CSX Railroad
 Bridge Area: 19,983 ft² (1,856.5 m²)

District: 03

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 583,108.80 | 29.18 (314.09) |
| Bidder 2 | 590,965.25 | 29.57 (318.29) |
| Bidder 3 | 725,392.67 | 36.30 (390.73) |
| Bidder 4 | 764,209.90 | 38.24 (411.61) |
| Bidder 5 | 631,280.89 | 31.59 (340.03) |

Bridge with Grade, Drain & Surface Frenchburg to Owingsville Road (KY 36)
 Date Let: 06-27-14 Call: 109 County: Menifee
 Bridge Area: 3,266 ft² (303.4 m²)

District: 10

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 200,295.40 | 61.33 (660.15) |
| Bidder 2 | 197,115.60 | 60.35 (649.60) |
| Bidder 3 | 227,349.80 | 69.61 (749.27) |
| Bidder 4 | 141,010.90 | 43.18 (464.78) |
| Bidder 5 | 228,554.20 | 69.98 (753.26) |
| Bidder 6 | 178,867.82 | 54.77 (589.54) |
| Bidder 7 | 259,361.00 | 79.41 (854.76) |

Bridge Replacement Rye Branch Road (CR 1756)
 Date Let: 07-11-14 Call: 108 County: Magoffin
 Bridge Area: 1,225 ft² (113.8 m²)

District: 10

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 81,495.30 | 66.53 (716.12) |
| Bidder 2 | 94,896.00 | 77.47 (833.88) |
| Bidder 3 | 118,925.00 | 97.08 (1,044.96) |

Bridge with Grade, Drain & Surface Hazard-Hyden Road (KY-80)
 Date Let: 07-11-14 Call: 113 County: Perry
 Bridge Area: 19,127 ft² (1,777.0 m²)

District: 10

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 759,953.90 | 39.73 (427.65) |
| Bidder 2 | 709,489.70 | 37.09 (399.23) |
| Bidder 3 | 771,836.00 | 40.35 (434.32) |
| Bidder 4 | 729,488.55 | 38.14 (410.53) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart
 US 31W over I-65
 Bridge Area: 18,511 ft² (1,719.7 m²)

District: 04

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 763,114.63 | 41.22 (443.69) |
| Bidder 2 | 664,422.95 | 35.89 (386.32) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart
 BRIDGE-25019
 Bridge Area: 28,193 ft² (2,619.2 m²)

District: 04

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 1,029,149.37 | 36.50 (392.88) |
| Bidder 2 | 901,926.55 | 31.99 (344.34) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart
 Old Sonora Bridge over I-65
 Bridge Area: 9,415 ft² (874.6 m²)

District: 04

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 367,202.37 | 39.00 (419.79) |
| Bidder 2 | 374,662.55 | 39.79 (428.29) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart
 KY-84 over I-65
 Bridge Area: 21,172 ft² (1,967.0 m²)

District: 04

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 724,093.73 | 34.20 (368.12) |
| Bidder 2 | 677,549.45 | 32.00 (344.44) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart
 BRIDGE-25021
 Bridge Area: 12,079 ft² (1,122.2 m²)

District: 04

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 590,611.37 | 48.90 (526.35) |
| Bidder 2 | 513,926.05 | 42.55 (458.00) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 BRIDGE-25020
 Bridge Area: 13,135 ft² (1,220.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 516,154.59 | 39.30 (423.02) |
| Bidder 2 | 457,776.85 | 34.85 (375.12) |

Bridge with Grade, Drain & Surface KY-49
 Date Let: 08-22-14 Call: 313 County: Marion District: 04
 Bridge Area: 4,518 ft² (419.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 192,216.07 | 42.54 (457.89) |
| Bidder 2 | 191,335.00 | 42.35 (455.85) |
| Bidder 3 | 192,216.07 | 42.54 (457.89) |

Bridge Deck Restorations

The cost analysis for bridge deck restoration work included the following bid items:

- Armored Edge For Concrete
- Blast Cleaning
- Concrete Class M Full Depth Patch
- Concrete Overlay-Latex
- Epoxy Sand Slurry
- Hydrodemolition
- Machine Preparation Of Slab
- Partial Depth Patching

These are the items that KYTC used to prepare and apply a latex modified concrete overlay to an existing bridge deck that does not have an existing overlay. Hydrodemolition was not used with most of the bridges included in the analysis. The calculated unit costs are per unit of overlay area and are summarized in Table C.3. In the statistical analysis the bridges were grouped by overlay area. As the overlay area increased the mean unit cost decreased. The standard deviation also decreased.

Table C.3-Bridge deck restoration unit costs summary

| Overlay Area, A, ft ² (m ²) | Number bridges | n | Unit Costs, \$/ft ² (\$/m ²) | |
|---|-------------------|-----|---|--------------------|
| | | | Mean | Standard Deviation |
| A < 1,000 (A < 92.9) | 2 | 13 | 41.75 (449.39) | 7.93 (85.36) |
| 1,000 ≤ A < 3,000 (92.9 ≤ A < 278.7) | 16 | 83 | 31.55 (339.60) | 7.80 (83.96) |
| 3,000 ≤ A < 5,000 (278.7 ≤ A < 464.5) | 24 | 146 | 22.24 (239.39) | 6.55 (70.50) |
| 5,000 ≤ A < 10,000 (464.5 ≤ A < 929.0) | 47 | 250 | 16.54 (178.03) | 4.79 (51.56) |
| 10,000 ≤ A < 20,000 (929.0 ≤ A < 1,858.1) | 14 | 72 | 13.47 (144.99) | 3.11 (33.48) |
| 20,000 ≤ A < 30,000 (1,858.1 ≤ A < 2,787.1) | 3 | 18 | 12.33 (132.72) | 2.12 (22.82) |
| 54,578 (5,070.5) | 1 | 8 | 10.17 (109.47) | 1.25 (13.45) |
| 242,904 (22,566.6) | 1 | 5 | 9.04 (97.31) | 1.17 (12.59) |

The following are summaries of unit costs for each project used in the analysis.

Bridge Deck Overlay Butler County (WN 9007)

Date Let: 01-25-13 Call: 317 County: Butler District: 03
 Bridge Number: 016B00061N, NB only Overlay Area: 24,115 ft² (2,240.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 226,110.00 | 9.38 (100.97) |
| Bidder 2 | 216,069.20 | 8.96 (96.44) |
| Bidder 3 | 252,862.00 | 10.49 (112.91) |
| Bidder 4 | 233,310.00 | 9.67 (104.09) |
| Bidder 5 | 226,604.00 | 9.40 (101.18) |
| Bidder 6 | 274,630.00 | 11.39 (122.60) |
| Bidder 7 | 378,625.00 | 15.70 (168.99) |

Bridge Deck Restoration & Waterproofing Interstate 64

Date Let: 02-22-13 Call: 100 County: Jefferson District: 05
 Bridge Number: 056B00040R Overlay Area: 11,384 ft² (1,057.6 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 196,818.00 | 17.29 (186.11) |
| Bidder 2 | 194,986.00 | 17.13 (184.39) |
| Bidder 3 | 215,921.00 | 18.97 (204.19) |
| Bidder 4 | 172,151.50 | 15.12 (162.75) |
| Bidder 5 | 192,894.00 | 16.94 (182.34) |
| Bidder 6 | 198,961.00 | 17.48 (188.15) |

Bridge Deck Restoration & Waterproofing Campbell County (KY 9)

Date Let: 02-22-13 Call: 311 County: Campbell District: 06
 Bridge Number: 019B00033N Overlay Area: 28,512 ft² (2,648.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 316,951.90 | 11.12 (119.69) |
| Bidder 2 | 361,645.00 | 12.68 (136.49) |
| Bidder 3 | 378,254.00 | 13.27 (142.84) |
| Bidder 4 | 360,743.80 | 12.65 (136.16) |
| Bidder 5 | 437,256.00 | 15.34 (165.12) |
| Bidder 6 | 365,085.00 | 12.80 (137.78) |

Bridge Deck Restoration & Waterproofing Bridge over North Fork of Triplett Creek

Date Let: 03-22-13 Call: 332 County: Rowan District: 09
 Bridge Number: 103B00027N Overlay Area: 1,980 ft² 183.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 73,187.50 | 36.96 (397.83) |
| Bidder 2 | 66,938.40 | 33.81 (363.93) |
| Bidder 3 | 72,960.00 | 36.85 (396.65) |
| Bidder 4 | 84,126.00 | 42.49 (457.36) |
| Bidder 5 | 103,042.00 | 52.04 (560.15) |

Bridge Deck Restoration & Waterproofing Wayne & McCreary Cos. Bridge Overlays and Joint Replacements

Date Let: 03-22-13 Call: 434 County: Various District: 08
 Bidder Number: 074B00011N Overlay Area: 3,360 ft² (312.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 59,040.80 | 17.57 (189.12) |
| Bidder 2 | 59,270.00 | 17.64 (189.87) |
| Bidder 3 | 62,695.00 | 18.66 (200.85) |
| Bidder 4 | 78,150.00 | 23.26 (250.37) |
| Bidder 5 | 79,846.00 | 23.76 (255.75) |
| Bidder 6 | 102,094.00 | 30.39 (327.11) |

Bridge Deck Restoration & Waterproofing Wayne & McCreary Cos. Bridge Overlays and Joint Replacements

Date Let: 03-22-13 Call: 434 County: Various District: 08
 Bidder Number: 116B00001N Overlay Area: 1,760 ft² (163.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 53,907.20 | 30.63 (329.70) |
| Bidder 2 | 49,405.00 | 28.07 (302.14) |
| Bidder 3 | 62,430.00 | 35.47 (381.79) |
| Bidder 4 | 76,500.00 | 43.47 (467.91) |
| Bidder 5 | 80,807.00 | 45.91 (494.17) |
| Bidder 6 | 106,666.00 | 60.61 (652.40) |

Bridge Deck Overlay Hancock County

Date Let: 04-19-13 Call: 406 County: Hancock District: 02
 Bidder Number: 046B00030N Overlay Area: 8,895 ft² (826.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 141,040.00 | 15.86 (170.71) |
| Bidder 2 | 139,144.00 | 15.64 (168.35) |
| Bidder 3 | 180,160.00 | 20.25 (217.97) |
| Bidder 4 | 150,860.00 | 16.96 (182.56) |
| Bidder 5 | 196,100.00 | 22.05 (237.34) |

Bridge Deck Overlay Hancock County

Date Let: 04-19-13 Call: 406 County: Hancock District: 02
 Bidder Number: 046B00013N Overlay Area: 2,880 ft² (267.6 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 82,486.00 | 28.64 (308.28) |
| Bidder 2 | 90,432.00 | 31.40 (337.99) |
| Bidder 3 | 104,253.50 | 36.20 (389.65) |
| Bidder 4 | 98,380.00 | 34.16 (367.69) |
| Bidder 5 | 95,610.00 | 33.20 (357.36) |

Bridge Deck Restoration & Waterproofing New Circle Road Bridges

Date Let: 04-19-13 Call: 426 County: Fayette District: 07
 Bidder Number: 034B00027L Overlay Area: 5,111 ft² (474.8 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 98,277.40 | 19.23 (206.99) |
| Bidder 2 | 107,070.80 | 20.95 (225.50) |
| Bidder 3 | 121,356.00 | 23.74 (255.53) |
| Bidder 4 | 131,036.60 | 25.64 (275.99) |

Bridge Deck Restoration & Waterproofing New Circle Road Bridges
 Date Let: 04-19-13 Call: 426 County: Fayette District: 07
 Bridge Number: 034B00027R Overlay Area: 5,111 ft² (474.8 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 98,277.40 | 19.23 (206.99) |
| Bidder 2 | 107,070.80 | 20.95 (225.50) |
| Bidder 3 | 121,356.00 | 23.74 (255.53) |
| Bidder 4 | 131,036.60 | 25.64 (275.99) |

Bridge Deck Restoration & Waterproofing New Circle Road Bridges
 Date Let: 04-19-13 Call: 426 County: Fayette District: 07
 Bridge Number: 034B00028L Overlay Area: 5,859 ft² (544.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 98,138.30 | 16.75 (180.29) |
| Bidder 2 | 98,520.60 | 16.82 (181.05) |
| Bidder 3 | 107,052.00 | 18.27 (196.66) |
| Bidder 4 | 111,114.20 | 18.96 (204.08) |

Bridge Deck Restoration & Waterproofing New Circle Road Bridges
 Date Let: 04-19-13 Call: 426 County: Fayette District: 07
 Bridge Number: 034B00028R Overlay Area: 5,859 ft² (544.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 98,138.30 | 16.75 (180.29) |
| Bidder 2 | 98,520.60 | 16.82 (181.05) |
| Bidder 3 | 107,052.00 | 18.27 (196.66) |
| Bidder 4 | 111,114.20 | 18.96 (204.08) |

Bridge Deck Restoration & Waterproofing New Circle Road Bridges
 Date Let: 04-19-13 Call: 426 County: Fayette District: 07
 Bridge Number: 034B00029L Overlay Area: 5,282 ft² (490.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 91,930.70 | 17.40 (187.29) |
| Bidder 2 | 93,212.40 | 17.65 (189.98) |
| Bidder 3 | 100,871.00 | 19.10 (205.59) |
| Bidder 4 | 103,387.30 | 19.57 (210.65) |

Bridge Deck Restoration & Waterproofing New Circle Road Bridges
 Date Let: 04-19-13 Call: 426 County: Fayette District: 07
 Bridge Number: 034B00029R Overlay Area: 5,282 ft² (490.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 91,930.70 | 17.40 (187.29) |
| Bidder 2 | 93,212.40 | 17.65 (189.98) |
| Bidder 3 | 100,871.00 | 19.10 (205.59) |
| Bidder 4 | 103,387.30 | 19.57 (210.65) |

Bridge Deck Restoration & Waterproofing New Circle Road Bridges
 Date Let: 04-19-13 Call: 426 County: Fayette District: 07
 Bridge Number: 034B00031L Overlay Area: 7,103 ft² (659.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 118,720.50 | 16.71 (179.86) |
| Bidder 2 | 119,089.00 | 16.77 (180.51) |
| Bidder 3 | 129,482.00 | 18.23 (196.23) |
| Bidder 4 | 134,504.50 | 18.94 (203.87) |

Bridge Deck Restoration & Waterproofing New Circle Road Bridges

Date Let: 04-19-13 Call: 426 County: Fayette District: 07
 Bridge Number: 034B00031R Overlay Area: 7,103 ft² (659.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 118,720.50 | 16.71 (179.86) |
| Bidder 2 | 119,089.00 | 16.77 (180.51) |
| Bidder 3 | 129,482.00 | 18.23 (196.23) |
| Bidder 4 | 134,504.50 | 18.94 (203.87) |

Bridge Deck Restoration & Waterproofing Bridge over Levisa Fork of Big Sandy

Date Let: 05-24-13 Call: 369 County: Floyd District: 12
 Bridge Number: 036B00038L Overlay Area: 15,390 ft² (1,429.8 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 149,266.80 | 9.70 (104.41) |
| Bidder 2 | 118,243.50 | 7.68 (82.67) |
| Bidder 3 | 170,171.50 | 11.06 (119.05) |
| Bidder 4 | 208,984.80 | 13.58 (146.17) |
| Bidder 5 | 222,013.20 | 14.43 (155.32) |
| Bidder 6 | 219,462.40 | 14.26 (153.49) |

Bridge Deck Restoration & Waterproofing Bridge over Levisa Fork of Big Sandy

Date Let: 05-24-13 Call: 369 County: Floyd District: 12
 Bridge Number: 036B00038R Overlay Area: 15,390 ft² (1,429.8 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 149,266.80 | 9.70 (104.41) |
| Bidder 2 | 118,243.50 | 7.68 (82.67) |
| Bidder 3 | 170,171.50 | 11.06 (119.05) |
| Bidder 4 | 208,984.80 | 13.58 (146.17) |
| Bidder 5 | 222,013.20 | 14.43 (155.32) |
| Bidder 6 | 219,462.40 | 14.26 (153.49) |

Bridge Deck Overlay KY 838 Crittenden and Livingston Countys

Date Let: 05-24-13 Call: 406 County: Various District: 01
 Bridge Number: 028B00047N Overlay Area: 2,520 ft² (234.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 78,950.00 | 31.33 (337.23) |
| Bidder 2 | 62,225.00 | 24.69 (265.76) |
| Bidder 3 | 72,210.00 | 28.65 (308.38) |
| Bidder 4 | 78,150.00 | 31.01 (333.79) |
| Bidder 5 | 100,150.00 | 39.74 (427.76) |

Bridge Deck Overlay KY 838 Crittenden and Livingston Countys

Date Let: 05-24-13 Call: 406 County: Various District: 01
 Bridge Number: 028B00048N Overlay Area: 2,160 ft² (200.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 69,325.00 | 32.09 (345.41) |
| Bidder 2 | 55,950.00 | 25.90 (278.78) |
| Bidder 3 | 64,730.00 | 29.97 (322.59) |
| Bidder 4 | 70,345.00 | 32.57 (350.58) |
| Bidder 5 | 87,790.00 | 40.64 (437.44) |

Bridge Deck Overlay KY 838 Crittenden and Livingston Countys
 Date Let: 05-24-13 Call: 406 County: Various District: 01
 Bridge Number: 070B00058N Overlay Area: 2,520 ft² (234.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 78,950.00 | 31.33 (337.23) |
| Bidder 2 | 62,225.00 | 24.69 (265.76) |
| Bidder 3 | 72,210.00 | 28.65 (308.38) |
| Bidder 4 | 78,150.00 | 31.01 (333.79) |
| Bidder 5 | 100,150.00 | 39.74 (427.76) |

Bridge Deck Restoration & Waterproofing KY 80 over KY 9006
 Date Let: 05-24-13 Call: 420 County: Clay District: 11
 Bridge Number: 026B00061N Overlay Area: 15,308 ft² (1,422.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 190,382.00 | 12.44 (133.90) |
| Bidder 2 | 206,123.20 | 13.47 (144.99) |
| Bidder 3 | 208,883.00 | 13.65 (146.93) |
| Bidder 4 | 248,457.90 | 16.23 (174.70) |
| Bidder 5 | 235,408.00 | 15.38 (165.55) |
| Bidder 6 | 200,501.00 | 13.10 (141.01) |
| Bidder 7 | 231,608.00 | 15.13 (162.86) |

Bridge Deck Restoration & Waterproofing KY 80 over KY 9006
 Date Let: 05-24-13 Call: 420 County: Clay District: 11
 Bridge Number: 026B00067N Overlay Area: 5,940 ft² (551.8 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 76,706.00 | 12.91 (138.96) |
| Bidder 2 | 79,218.90 | 13.34 (143.59) |
| Bidder 3 | 80,648.00 | 13.58 (146.17) |
| Bidder 4 | 102,467.90 | 17.25 (185.68) |
| Bidder 5 | 91,280.00 | 15.37 (165.44) |
| Bidder 6 | 78,866.50 | 13.28 (142.94) |
| Bidder 7 | 92,652.50 | 15.60 (167.92) |

Bridge Deck Restoration & Waterproofing Bridges over I-64
 Date Let: 06-14-13 Call: 201 County: Bath District: 09
 Bridge Number: 006B00017N Overlay Area: 8,040 ft² (746.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 71,136.00 | 8.85 (95.26) |
| Bidder 2 | 75,540.00 | 9.40 (101.18) |
| Bidder 3 | 92,251.00 | 11.47 (123.46) |
| Bidder 4 | 55,350.00 | 6.88 (74.06) |
| Bidder 5 | 80,700.00 | 10.04 (108.07) |
| Bidder 6 | 120,887.60 | 15.04 (161.89) |
| Bidder 7 | 123,906.00 | 15.41 (165.87) |
| Bidder 8 | 115,592.00 | 14.38 (154.78) |
| Bidder 9 | 115,640.00 | 14.38 (154.78) |

Bridge Deck Restoration & Waterproofing Bridges over I-64

Date Let: 06-14-13

Call: 201

County: Bath

District: 09

Bridge Number: 006B00042N

Overlay Area: 8,528 ft² (792.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 110,282.50 | 12.93 (139.18) |
| Bidder 2 | 107,992.00 | 12.66 (136.27) |
| Bidder 3 | 144,802.80 | 16.98 (182.77) |
| Bidder 4 | 93,457.00 | 10.96 (117.97) |
| Bidder 5 | 118,890.50 | 13.94 (150.05) |
| Bidder 6 | 176,764.46 | 20.73 (223.13) |
| Bidder 7 | 188,213.00 | 22.07 (237.56) |
| Bidder 8 | 177,563.50 | 20.82 (224.10) |
| Bidder 9 | 221,990.00 | 26.03 (280.18) |

Bridge Deck Restoration & Waterproofing Bridges over I-64

Date Let: 06-14-13

Call: 201

County: Bath

District: 09

Bridge Number: 103B00029N

Overlay Area: 8,658 ft² (804.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 88,174.50 | 10.18 (109.58) |
| Bidder 2 | 88,090.50 | 10.17 (109.47) |
| Bidder 3 | 115,304.70 | 13.32 (143.37) |
| Bidder 4 | 75,838.00 | 8.76 (94.29) |
| Bidder 5 | 96,648.50 | 11.16 (120.12) |
| Bidder 6 | 143,742.58 | 16.60 (178.68) |
| Bidder 7 | 149,040.00 | 17.21 (185.25) |
| Bidder 8 | 141,916.00 | 16.39 (176.42) |
| Bidder 9 | 175,412.50 | 20.26 (218.08) |

Bridge Deck Restoration & Waterproofing I-64 Bridges

Date Let: 08-16-13

Call: 201

County: Franklin

District: 05

Bridge Number: 037B00055L

Overlay Area: 4,770 ft² (443.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 173,197.50 | 36.31 (390.84) |
| Bidder 2 | 148,853.00 | 31.21 (335.94) |
| Bidder 3 | 159,960.00 | 33.53 (360.91) |
| Bidder 4 | 164,700.00 | 34.53 (371.68) |
| Bidder 5 | 95,620.00 | 20.05 (215.82) |

Bridge Deck Restoration & Waterproofing I-64 Bridges

Date Let: 08-16-13

Call: 201

County: Franklin

District: 05

Bridge Number: 037B00055R

Overlay Area: 4,700 ft² (436.6 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 173,197.50 | 36.31 (390.84) |
| Bidder 2 | 148,853.00 | 31.21 (335.94) |
| Bidder 3 | 159,960.00 | 33.53 (360.91) |
| Bidder 4 | 164,700.00 | 34.53 (371.68) |
| Bidder 5 | 95,620.00 | 20.05 (215.82) |

Bridge Deck Restoration & Waterproofing I-64 Bridges

Date Let: 08-16-13 Call: 201 County: Franklin District: 05
 Bridge Number: 037B00056L Overlay Area: 4,500 ft² (418.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 163,535.00 | 36.34 (391.16) |
| Bidder 2 | 140,550.00 | 31.23 (336.16) |
| Bidder 3 | 151,070.00 | 33.57 (361.34) |
| Bidder 4 | 155,500.00 | 34.56 (372.00) |
| Bidder 5 | 90,280.00 | 20.06 (215.92) |

Bridge Deck Restoration & Waterproofing I-64 Bridges

Date Let: 08-16-13 Call: 201 County: Franklin District: 05
 Bridge Number: 106B00059L Overlay Area: 6,780 ft² (629.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 246,410.75 | 36.34 (391.16) |
| Bidder 2 | 211,795.30 | 31.24 (336.26) |
| Bidder 3 | 227,660.00 | 33.58 (361.45) |
| Bidder 4 | 234,310.00 | 34.56 (372.00) |
| Bidder 5 | 136,050.00 | 20.07 (216.03) |

Bridge Deck Restoration & Waterproofing Robertson County KY 165 and KY 616

Date Let: 08-16-13 Call: 410 County: Robertson District: 06
 Bridge Number: 101B00009N Overlay Area: 7,560 ft² (702.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 101,846.00 | 13.47 (144.99) |
| Bidder 2 | 102,990.00 | 13.62 (146.60) |
| Bidder 3 | 108,271.00 | 14.32 (154.14) |
| Bidder 4 | 101,165.00 | 13.38 (144.02) |
| Bidder 5 | 122,425.00 | 16.19 (174.27) |
| Bidder 6 | 141,524.00 | 18.72 (201.50) |
| Bidder 7 | 163,096.00 | 21.57 (232.18) |

Bridge Deck Overlay Boone County KY 8 and KY 536--Gallatin County KY 35

Date Let: 08-16-13 Call: 430 County: Various District: 06
 Bridge Number: 008B00036N Overlay Area: 4,920 ft² (457.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 59,935.00 | 12.18 (131.10) |
| Bidder 2 | 50,680.00 | 10.30 (110.87) |
| Bidder 3 | 63,317.50 | 12.87 (138.53) |
| Bidder 4 | 76,690.00 | 15.59 (167.81) |
| Bidder 5 | 84,872.50 | 17.25 (185.68) |
| Bidder 6 | 82,230.00 | 16.71 (179.86) |

Bridge Deck Overlay Boone County KY 8 and KY 536--Gallatin County KY 35

Date Let: 08-16-13 Call: 430 County: Various District: 06
 Bridge Number: 039B00010N Overlay Area: 11,200 ft² (1,040.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 116,584.00 | 10.41 (112.05) |
| Bidder 2 | 123,600.00 | 11.04 (118.83) |
| Bidder 3 | 124,038.60 | 11.07 (119.16) |
| Bidder 4 | 131,568.00 | 11.75 (126.48) |
| Bidder 5 | 150,274.00 | 13.42 (144.45) |
| Bidder 6 | 197,455.00 | 17.63 (189.77) |

Bridge Deck Overlay Boone County KY 8 and KY 536--Gallatin County KY 35
 Date Let: 08-16-13 Call: 430 County: Various District: 06
 Bridge Number: 008B00021N Overlay Area: 9,540 ft² (886.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 117,875.00 | 12.36 (133.04) |
| Bidder 2 | 107,410.00 | 11.26 (121.20) |
| Bidder 3 | 136,392.50 | 14.30 (153.92) |
| Bidder 4 | 154,390.00 | 16.18 (174.16) |
| Bidder 5 | 167,007.50 | 17.51 (188.48) |
| Bidder 6 | 166,270.00 | 17.43 (187.61) |

Bridge Deck Overlay Outerloop (KY 1065)
 Date Let: 09-27-13 Call: 311 County: Jefferson District: 05
 Bridge Number: 056B00290N Overlay Area: 54,578 ft² (5,070.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 542,275.50 | 9.94 (106.99) |
| Bidder 2 | 531,847.00 | 9.74 (104.84) |
| Bidder 3 | 458,843.00 | 8.41 (90.52) |
| Bidder 4 | 555,711.00 | 10.18 (109.58) |
| Bidder 5 | 573,765.00 | 10.51 (113.13) |
| Bidder 6 | 508,018.00 | 9.31 (100.21) |
| Bidder 7 | 575,630.00 | 10.55 (113.56) |
| Bidder 8 | 694,372.00 | 12.72 (136.92) |

Bridge Deck Restoration & Waterproofing KY 1773 Bridge over Grassy Creek
 Date Let: 09-27-13 Call: 320 County: Carter District: 09
 Bridge Number: 022B00135N Overlay Area: 3,784 ft² (351.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 100,185.00 | 26.48 (285.03) |
| Bidder 2 | 114,988.00 | 30.39 (327.11) |
| Bidder 3 | 128,957.00 | 34.08 (366.83) |

Bridge Deck Restoration & Waterproofing KY 386 Bridge over McBride Creek
 Date Let: 09-27-13 Call: 322 County: Nicholas District: 09
 Bridge Number: 091B00033N Overlay Area: 2,178 ft² (202.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 56,052.80 | 25.74 (277.06) |
| Bidder 2 | 89,783.80 | 41.22 (443.69) |

Bridge Deck Restoration & Waterproofing KY 699 Bridge over Leatherwood Creek
 Date Let: 09-27-13 Call: 323 County: Perry District: 10
 Bridge Number: 097B00045N Overlay Area: 2,904 ft² (269.8 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 93,368.00 | 32.15 (346.06) |
| Bidder 2 | 115,983.70 | 39.94 (429.91) |
| Bidder 3 | 127,867.00 | 44.03 (473.93) |
| Bidder 4 | 128,447.00 | 44.23 (476.09) |

Bridge Deck Restoration & Waterproofing Henderson County KY 285

Date Let: 10-25-13 Call: 301 County: Henderson District: 02
 Bridge Number: 051B00029N Overlay Area: 2,772 ft² (257.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 67,190.00 | 24.24 (260.92) |
| Bidder 2 | 74,022.00 | 26.70 (287.40) |
| Bidder 3 | 92,995.00 | 33.55 (361.13) |
| Bidder 4 | 107,180.00 | 38.67 (416.24) |
| Bidder 5 | 77,116.00 | 27.82 (299.45) |
| Bidder 6 | 118,650.00 | 42.80 (460.69) |

Bridge Deck Restoration & Waterproofing Ohio County KY 1245

Date Let: 10-25-13 Call: 304 County: Ohio District: 02
 Bridge Number: 092B00112N Overlay Area: 7,332 ft² (681.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 89,627.50 | 12.22 (131.53) |
| Bidder 2 | 104,580.50 | 14.26 (153.49) |
| Bidder 3 | 112,245.00 | 15.31 (164.79) |
| Bidder 4 | 130,044.50 | 17.74 (190.95) |
| Bidder 5 | 118,889.00 | 16.22 (174.59) |
| Bidder 6 | 148,890.00 | 20.31 (218.61) |

Bridge Deck Restoration & Waterproofing Union County KY 359

Date Let: 10-25-13 Call: 321 County: Union District: 02
 Bridge Number: 092B00112N Overlay Area: 6,248 ft² (580.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 85,264.00 | 13.65 (146.93) |
| Bidder 2 | 93,633.00 | 14.99 (161.35) |
| Bidder 3 | 109,429.00 | 17.51 (188.48) |
| Bidder 4 | 113,342.00 | 18.14 (195.26) |

Bridge Deck Restoration & Waterproofing Daviess County KY 3143, KY 554 and US 431

Date Let: 10-25-13 Call: 400 County: Daviess District: 02
 Bridge Number: 030B00115N Overlay Area: 2,736 ft² (254.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 45,263.00 | 16.54 (178.03) |
| Bidder 2 | 45,761.00 | 16.73 (180.08) |
| Bidder 3 | 50,896.00 | 18.60 (200.21) |
| Bidder 4 | 57,810.50 | 21.13 (227.44) |
| Bidder 5 | 69,201.50 | 25.29 (272.22) |
| Bidder 6 | 63,418.00 | 23.18 (249.51) |
| Bidder 7 | 71,670.00 | 26.20 (282.01) |
| Bidder 8 | 81,814.00 | 29.90 (321.84) |

Bridge Deck Restoration & Waterproofing Davies County KY 3143, KY 554 and US 431
 Date Let: 10-25-13 Call: 400 County: Daviess District: 02
 Bridge Number: 030B00084N Overlay Area: 6,750 ft² (627.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 100,530.00 | 14.89 (160.27) |
| Bidder 2 | 106,334.00 | 15.75 (169.53) |
| Bidder 3 | 116,358.00 | 17.24 (185.57) |
| Bidder 4 | 124,393.00 | 18.43 (198.38) |
| Bidder 5 | 145,747.00 | 21.59 (232.39) |
| Bidder 6 | 137,887.00 | 20.43 (219.91) |
| Bidder 7 | 165,306.00 | 24.49 (263.61) |
| Bidder 8 | 186,606.00 | 27.65 (297.62) |

Bridge Deck Restoration & Waterproofing Davies County KY 3143, KY 554 and US 431
 Date Let: 10-25-13 Call: 400 County: Daviess District: 02
 Bridge Number: 030B00048N Overlay Area: 4,400 ft² (408.8 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 63,089.00 | 14.34 (154.35) |
| Bidder 2 | 61,265.00 | 13.92 (149.83) |
| Bidder 3 | 75,698.00 | 17.20 (185.14) |
| Bidder 4 | 85,617.50 | 19.46 (209.46) |
| Bidder 5 | 102,584.50 | 23.31 (250.91) |
| Bidder 6 | 91,180.00 | 20.72 (223.03) |
| Bidder 7 | 108,938.00 | 24.76 (266.51) |
| Bidder 8 | 119,155.00 | 27.08 (291.49) |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Powell County
 Date Let: 10-25-13 Call: 404 County: Powell District: 10
 Bridge Number: 099B00009R Overlay Area: 4,770 ft² (443.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 44,413.50 | 9.31 (100.21) |
| Bidder 2 | 66,670.50 | 13.98 (150.48) |
| Bidder 3 | 69,943.00 | 14.66 (157.80) |
| Bidder 4 | 78,126.00 | 16.38 (176.31) |
| Bidder 5 | 76,864.00 | 16.10 (173.41) |
| Bidder 6 | 79,103.00 | 16.58 (178.46) |
| Bidder 7 | 73,981.00 | 15.51 (166.95) |
| Bidder 8 | 108,884.00 | 22.83 (245.74) |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Powell County
 Date Let: 10-25-13 Call: 404 County: Powell District: 10
 Bridge Number: 099B00017N Overlay Area: 4,246 ft² (394.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 45,292.50 | 10.67 (114.85) |
| Bidder 2 | 65,107.50 | 15.33 (165.01) |
| Bidder 3 | 71,434.00 | 16.82 (181.05) |
| Bidder 4 | 80,256.00 | 18.90 (203.44) |
| Bidder 5 | 79,872.00 | 18.81 (202.47) |
| Bidder 6 | 81,702.00 | 19.24 (207.10) |
| Bidder 7 | 95,541.00 | 22.50 (242.19) |
| Bidder 8 | 115,169.00 | 27.12 (291.92) |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Powell County
 Date Let: 10-25-13 Call: 404 County: Powell District: 10
 Bridge Number: 099B00042N Overlay Area: 6,240 ft² (579.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 62,524.50 | 10.02 (107.85) |
| Bidder 2 | 92,035.50 | 14.75 (158.77) |
| Bidder 3 | 96,098.80 | 15.40 (165.76) |
| Bidder 4 | 108,950.00 | 17.46 (187.94) |
| Bidder 5 | 110,808.00 | 17.76 (191.17) |
| Bidder 6 | 114,449.00 | 18.34 (197.41) |
| Bidder 7 | 134,451.00 | 21.55 (231.96) |
| Bidder 8 | 153,515.40 | 24.60 (264.79) |

Bridge Deck Restoration & Waterproofing District 9 Bridge Overlays
 Date Let: 10-25-13 Call: 406 County: Various District: 09
 Bridge Number: 022B00106N Overlay Area: 5,760 ft² (535.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 99,885.00 | 17.34 (186.65) |
| Bidder 2 | 97,942.00 | 17.00 (182.99) |
| Bidder 3 | 106,405.00 | 18.47 (198.81) |
| Bidder 4 | 105,610.00 | 18.34 (197.41) |
| Bidder 5 | 119,840.00 | 20.81 (224.00) |
| Bidder 6 | 105,330.00 | 18.29 (196.87) |
| Bidder 7 | 106,980.00 | 18.57 (199.89) |

Bridge Deck Restoration & Waterproofing District 9 Bridge Overlays
 Date Let: 10-25-13 Call: 406 County: Various District: 09
 Bridge Number: 068B00030N Overlay Area: 3,612 ft² (335.6 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 66,413.00 | 18.39 (197.95) |
| Bidder 2 | 66,421.00 | 18.39 (197.95) |
| Bidder 3 | 71,770.00 | 19.87 (213.88) |
| Bidder 4 | 69,175.00 | 19.15 (206.13) |
| Bidder 5 | 81,799.00 | 22.65 (243.80) |
| Bidder 6 | 72,646.00 | 20.11 (216.46) |
| Bidder 7 | 70,244.00 | 19.45 (209.36) |

Bridge Deck Restoration & Waterproofing District 9 Bridge Overlays
 Date Let: 10-25-13 Call: 406 County: Various District: 09
 Bridge Number: 068B00031N Overlay Area: 5,200 ft² (483.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 86,947.00 | 16.72 (179.97) |
| Bidder 2 | 83,524.00 | 16.06 (172.87) |
| Bidder 3 | 92,695.00 | 17.83 (191.92) |
| Bidder 4 | 91,120.00 | 17.52 (188.58) |
| Bidder 5 | 101,727.00 | 19.56 (210.54) |
| Bidder 6 | 91,656.00 | 17.63 (189.77) |
| Bidder 7 | 92,264.00 | 17.74 (190.95) |

Bridge Deck Restoration & Waterproofing District 9 Bridge Overlays

Date Let: 10-25-13 Call: 406 County: Various District: 09
 Bridge Number: 091B00035N Overlay Area: 3,840 ft² (356.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 71,089.00 | 18.51 (199.24) |
| Bidder 2 | 72,163.00 | 18.79 (202.25) |
| Bidder 3 | 76,540.00 | 19.93 (214.52) |
| Bidder 4 | 73,570.00 | 19.16 (206.24) |
| Bidder 5 | 87,792.00 | 22.86 (246.06) |
| Bidder 6 | 78,320.00 | 20.40 (219.58) |
| Bidder 7 | 75,142.00 | 19.57 (210.65) |

Bridge Deck Restoration & Waterproofing Bluegrass Parkway

Date Let: 11-22-13 Call: 304 County: Nelson District: 04
 Bridge Number: 090B00017L Overlay Area: 4,180 ft² (388.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 75,600.50 | 18.09 (194.72) |
| Bidder 2 | 80,099.00 | 19.16 (206.24) |
| Bidder 3 | 81,242.00 | 19.44 (209.25) |
| Bidder 4 | 83,138.00 | 19.89 (214.09) |
| Bidder 5 | 55,643.00 | 13.31 (143.27) |
| Bidder 6 | 74,313.00 | 17.78 (191.38) |
| Bidder 7 | 77,967.00 | 18.65 (200.75) |
| Bidder 8 | 84,885.00 | 20.31 (218.61) |

Bridge Deck Restoration & Waterproofing Bluegrass Parkway

Date Let: 11-22-13 Call: 304 County: Nelson District: 04
 Bridge Number: 090B00017R Overlay Area: 4,180 ft² (388.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 75,600.50 | 18.09 (194.72) |
| Bidder 2 | 80,099.00 | 19.16 (206.24) |
| Bidder 3 | 81,242.00 | 19.44 (209.25) |
| Bidder 4 | 83,138.00 | 19.89 (214.09) |
| Bidder 5 | 55,643.00 | 13.31 (143.27) |
| Bidder 6 | 74,313.00 | 17.78 (191.38) |
| Bidder 7 | 77,967.00 | 18.65 (200.75) |
| Bidder 8 | 84,885.00 | 20.31 (218.61) |

Bridge Deck Restoration & Waterproofing District 10 Bridge Overlays

Date Let: 11-22-13 Call: 406 County: Various District: 10
 Bridge Number: 013B00026N Overlay Area: 990 ft² (92.0 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 43,878.80 | 44.32 (477.05) |
| Bidder 2 | 48,699.20 | 49.19 (529.47) |
| Bidder 3 | 38,193.00 | 38.58 (415.27) |
| Bidder 4 | 46,453.00 | 46.92 (505.04) |
| Bidder 5 | 40,766.60 | 41.18 (443.26) |
| Bidder 6 | 55,335.00 | 55.89 (601.59) |

Bridge Deck Restoration & Waterproofing District 10 Bridge Overlays

Date Let: 11-22-13 Call: 406 County: Various District: 10
 Bridge Number: 077B00026N Overlay Area: 2,640 ft² (245.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 66,095.20 | 25.04 (269.53) |
| Bidder 2 | 70,418.70 | 26.67 (287.07) |
| Bidder 3 | 60,558.00 | 22.94 (246.92) |
| Bidder 4 | 71,736.00 | 27.17 (292.45) |
| Bidder 5 | 73,462.90 | 27.83 (299.56) |
| Bidder 6 | 80,190.00 | 30.38 (327.01) |

Bridge Deck Restoration & Waterproofing District 10 Bridge Overlays

Date Let: 11-22-13 Call: 406 County: Various District: 10
 Bridge Number: 088B00042N Overlay Area: 5,580 ft² (518.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 103,268.50 | 18.51 (199.24) |
| Bidder 2 | 103,758.20 | 18.59 (200.10) |
| Bidder 3 | 97,296.00 | 17.44 (187.72) |
| Bidder 4 | 110,341.50 | 19.77 (212.80) |
| Bidder 5 | 116,521.00 | 20.88 (224.75) |
| Bidder 6 | 126,000.00 | 22.58 (243.05) |

Bridge Deck Restoration & Waterproofing District 10 Bridge Overlays

Date Let: 11-22-13 Call: 406 County: Various District: 10
 Bridge Number: 097B00036N Overlay Area: 2,574 ft² (239.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 70,449.00 | 27.37 (294.61) |
| Bidder 2 | 71,260.10 | 27.68 (297.94) |
| Bidder 3 | 72,633.00 | 28.22 (303.76) |
| Bidder 4 | 68,254.50 | 26.52 (285.46) |
| Bidder 5 | 86,026.50 | 33.42 (359.73) |
| Bidder 6 | 87,525.00 | 34.00 (365.97) |

Bridge Deck Restoration & Waterproofing Warren County KY 185

Date Let: 12-13-13 Call: 303 County: Warren District: 03
 Bridge Number: 114B00003N Overlay Area: 17,440 ft² (1,620.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 152,990.00 | 8.77 (94.40) |
| Bidder 2 | 205,218.00 | 11.77 (126.69) |
| Bidder 3 | 194,020.00 | 11.13 (119.80) |
| Bidder 4 | 222,468.00 | 12.76 (137.35) |
| Bidder 5 | 237,557.00 | 13.62 (146.60) |
| Bidder 6 | 251,700.00 | 14.43 (155.32) |
| Bidder 7 | 301,906.00 | 17.31 (186.32) |

Bridge Deck Restoration & Waterproofing District 4 Bridge Overlays

Date Let: 12-13-13 Call: 401 County: Various District: 04
 Bridge Number: 078B00038N Overlay Area: 5,082 ft² (472.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 82,059.00 | 16.15 (173.84) |
| Bidder 2 | 85,860.00 | 16.89 (181.80) |
| Bidder 3 | 92,283.00 | 18.16 (195.47) |
| Bidder 4 | 100,722.00 | 19.82 (213.34) |
| Bidder 5 | 45,562.00 | 8.97 (96.55) |
| Bidder 6 | 96,307.00 | 18.95 (203.98) |
| Bidder 7 | 100,110.00 | 19.70 (212.05) |

Bridge Deck Restoration & Waterproofing District 4 Bridge Overlays

Date Let: 12-13-13 Call: 401 County: Various District: 04
 Bridge Number: 109B00004N Overlay Area: 858 ft² (79.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 25,458.90 | 29.67 (319.36) |
| Bidder 2 | 33,722.40 | 39.30 (423.02) |
| Bidder 3 | 29,520.70 | 34.41 (370.38) |
| Bidder 4 | 37,274.20 | 43.44 (467.58) |
| Bidder 5 | 23,974.00 | 27.94 (300.74) |
| Bidder 6 | 42,173.50 | 49.15 (529.04) |
| Bidder 7 | 36,641.00 | 42.71 (459.72) |

Bridge Deck Restoration & Waterproofing District 4 Bridge Overlays

Date Let: 12-13-13 Call: 401 County: Various District: 04
 Bridge Number: 109B00025N Overlay Area: 3,096 ft² (287.6 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 61,216.00 | 19.77 (212.80) |
| Bidder 2 | 64,897.00 | 20.96 (225.61) |
| Bidder 3 | 68,126.00 | 22.00 (236.81) |
| Bidder 4 | 75,872.00 | 24.51 (263.82) |
| Bidder 5 | 35,450.00 | 11.45 (123.25) |
| Bidder 6 | 83,568.00 | 26.99 (290.52) |
| Bidder 7 | 87,670.00 | 28.32 (304.83) |

Bridge Deck Restoration & Waterproofing Bridge over Culp Creek Rd

Date Let: 04-25-14 Call: 328 County: Greenup District: 09
 Bridge Number: 045B00077N Overlay Area: 11,328 ft² (1,052.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 164,093.00 | 14.49 (155.97) |
| Bidder 2 | 171,420.50 | 15.13 (162.86) |
| Bidder 3 | 172,398.00 | 15.22 (163.83) |
| Bidder 4 | 205,479.00 | 18.14 (195.26) |
| Bidder 5 | 235,419.00 | 20.78 (223.67) |

Bridge Deck Restoration & Waterproofing US 31E

Date Let: 04-25-14 Call: 329 County: Nelson District: 04
 Bridge Number: 090B00044N Overlay Area: 6,390 ft² (593.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 93,112.80 | 14.57 (156.83) |
| Bidder 2 | 123,845.80 | 19.38 (208.60) |
| Bidder 3 | 126,313.08 | 19.77 (212.80) |
| Bidder 4 | 107,798.00 | 16.87 (181.59) |

Bridge Deck Restoration & Waterproofing Fleming County Bridge Overlays
 Date Let: 04-25-14 Call: 403 County: Fleming District: 09
 Bridge Number: 035B00022N Overlay Area: 5,040 ft² (468.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 53,587.10 | 10.63 (114.42) |
| Bidder 2 | 62,480.60 | 12.40 (133.47) |
| Bidder 3 | 81,521.53 | 16.17 (174.05) |
| Bidder 4 | 74,219.50 | 14.73 (158.55) |
| Bidder 5 | 89,191.00 | 17.70 (190.52) |

Bridge Deck Restoration & Waterproofing Fleming County Bridge Overlays
 Date Let: 04-25-14 Call: 403 County: Fleming District: 09
 Bridge Number: 035B00025N Overlay Area: 4,200 ft² (390.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 45,100.50 | 10.74 (115.60) |
| Bidder 2 | 53,160.00 | 12.66 (136.27) |
| Bidder 3 | 69,058.57 | 16.44 (176.96) |
| Bidder 4 | 63,098.50 | 15.02 (161.67) |
| Bidder 5 | 75,645.00 | 18.01 (193.86) |

Bridge Deck Restoration & Waterproofing Davies County
 Date Let: 05-30-14 Call: 352 County: Daviess District: 02
 Bridge Number: 030B00069R Overlay Area: 8,635 ft² (802.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 130,874.00 | 15.16 (163.18) |
| Bidder 2 | 191,254.00 | 22.15 (238.42) |
| Bidder 3 | 170,172.00 | 19.71 (212.16) |
| Bidder 4 | 208,061.00 | 24.10 (259.41) |
| Bidder 5 | 183,927.00 | 21.30 (229.27) |
| Bidder 6 | 185,470.00 | 21.48 (231.21) |

Bridge Deck Restoration & Waterproofing Hopkins
 Date Let: 05-30-14 Call: 353 County: Hopkins District: 02
 Bridge Number: 054B00014L Overlay Area: 5,966 ft² (554.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 75,190.00 | 12.60 (135.62) |
| Bidder 2 | 95,654.00 | 16.03 (172.54) |
| Bidder 3 | 97,488.00 | 16.34 (175.88) |
| Bidder 4 | 103,324.50 | 17.32 (186.43) |
| Bidder 5 | 112,621.00 | 18.88 (203.22) |
| Bidder 6 | 114,708.00 | 19.23 (206.99) |

Bridge Deck Restoration & Waterproofing Hopkins
 Date Let: 05-30-14 Call: 353 County: Hopkins District: 02
 Bridge Number: 054B00014R Overlay Area: 5,966 ft² (554.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 73,822.85 | 12.37 (133.15) |
| Bidder 2 | 95,654.00 | 16.03 (172.54) |
| Bidder 3 | 97,388.00 | 16.32 (175.67) |
| Bidder 4 | 103,324.50 | 17.32 (186.43) |
| Bidder 5 | 112,621.00 | 18.88 (203.22) |
| Bidder 6 | 110,908.00 | 18.59 (200.10) |

Bridge Deck Restoration & Waterproofing Bridge over Licking River

Date Let: 05-30-14 Call: 354 County: Morgan District: 10
 Bridge Number: 088B00070N Overlay Area: 11,592 ft² (1,076.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 144,884.00 | 12.50 (134.55) |
| Bidder 2 | 179,175.00 | 15.46 (166.41) |
| Bidder 3 | 189,522.00 | 16.35 (175.99) |
| Bidder 4 | 167,753.50 | 14.47 (155.75) |
| Bidder 5 | 232,763.00 | 20.08 (216.14) |
| Bidder 6 | 201,475.00 | 17.38 (187.08) |

Bridge Deck Restoration & Waterproofing Bridge over Middle Fork of Red River

Date Let: 05-30-14 Call: 355 County: Powell District: 10
 Bridge Number: 099B00011L Overlay Area: 6,210 ft² (576.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 78,533.00 | 12.65 (136.16) |
| Bidder 2 | 100,762.00 | 16.23 (174.70) |
| Bidder 3 | 84,875.00 | 13.67 (147.14) |
| Bidder 4 | 77,810.00 | 12.53 (134.87) |
| Bidder 5 | 105,507.50 | 16.99 (182.88) |

Bridge Deck Restoration & Waterproofing KY 114 Overlays

Date Let: 05-30-14 Call: 440 County: Floyd District: 12
 Bridge Number: 036B00021N Overlay Area: 5,016 ft² (466.0 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 90,262.75 | 17.99 (193.64) |
| Bidder 2 | 101,227.40 | 20.18 (217.21) |
| Bidder 3 | 95,070.00 | 18.95 (203.98) |
| Bidder 4 | 94,805.00 | 18.90 (203.44) |
| Bidder 5 | 91,467.00 | 18.24 (196.33) |

Bridge Deck Restoration & Waterproofing KY 114 Overlays

Date Let: 05-30-14 Call: 440 County: Floyd District: 12
 Bridge Number: 036B00022N Overlay Area: 4,770 ft² (443.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 86,767.75 | 18.19 (195.79) |
| Bidder 2 | 96,766.80 | 20.29 (218.40) |
| Bidder 3 | 91,209.00 | 19.12 (205.81) |
| Bidder 4 | 90,670.50 | 19.01 (204.62) |
| Bidder 5 | 87,413.50 | 18.33 (197.30) |

Bridge Deck Restoration & Waterproofing Davies County US 231

Date Let: 05-30-14 Call: 444 County: Daviess District: 02
 Bridge Number: 030B00034N Overlay Area: 3,960 ft² (367.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 68,322.50 | 17.25 (185.68) |
| Bidder 2 | 85,820.00 | 21.67 (233.25) |
| Bidder 3 | 85,820.00 | 21.67 (233.25) |
| Bidder 4 | 80,680.00 | 20.37 (219.26) |
| Bidder 5 | 96,720.00 | 24.42 (262.85) |
| Bidder 6 | 94,525.00 | 23.87 (256.93) |
| Bidder 7 | 88,120.00 | 22.25 (239.50) |

Bridge Deck Restoration & Waterproofing Davies County US 231
 Date Let: 05-30-14 Call: 444 County: Daviess District: 02
 Bridge Number: 030B00033N Overlay Area: 4,440 ft² (412.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 75,625.50 | 17.03 (183.31) |
| Bidder 2 | 95,732.00 | 21.56 (232.07) |
| Bidder 3 | 91,187.00 | 20.54 (221.09) |
| Bidder 4 | 89,693.00 | 20.20 (217.43) |
| Bidder 5 | 107,340.75 | 24.18 (260.27) |
| Bidder 6 | 104,505.75 | 23.54 (253.38) |
| Bidder 7 | 97,606.00 | 21.98 (236.59) |

Bridge Deck Restoration & Waterproofing Davies County US 231
 Date Let: 05-30-14 Call: 444 County: Daviess District: 02
 Bridge Number: 030B00032N Overlay Area: 3,960 ft² (367.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 64,360.00 | 16.25 (174.91) |
| Bidder 2 | 85,820.00 | 21.67 (233.25) |
| Bidder 3 | 80,690.00 | 20.38 (219.37) |
| Bidder 4 | 80,680.00 | 20.37 (219.26) |
| Bidder 5 | 95,920.00 | 24.22 (260.70) |
| Bidder 6 | 92,790.00 | 23.43 (252.20) |
| Bidder 7 | 88,120.00 | 22.25 (239.50) |

Bridge Deck Restoration & Waterproofing Ballard County
 Date Let: 05-30-14 Call: 445 County: Ballard District: 01
 Bridge Number: 004B00032N Overlay Area: 3,960 ft² (367.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 83,937.00 | 21.20 (228.19) |
| Bidder 2 | 88,775.00 | 22.42 (241.33) |
| Bidder 3 | 105,725.00 | 26.70 (287.40) |
| Bidder 4 | 135,006.00 | 34.09 (366.94) |
| Bidder 5 | 110,117.00 | 27.81 (299.34) |

Bridge Deck Restoration & Waterproofing Ballard County
 Date Let: 05-30-14 Call: 445 County: Ballard District: 01
 Bridge Number: 004B00051N Overlay Area: 2,376 ft² (220.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 52,165.00 | 21.95 (236.27) |
| Bidder 2 | 56,820.00 | 23.91 (257.36) |
| Bidder 3 | 66,775.00 | 28.10 (302.46) |
| Bidder 4 | 83,547.00 | 35.16 (378.46) |
| Bidder 5 | 82,742.00 | 34.82 (374.80) |

Bridge Deck Restoration & Waterproofing Ballard County
 Date Let: 05-30-14 Call: 445 County: Ballard District: 01
 Bridge Number: 004B00050N Overlay Area: 2,376 ft² (220.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 53,013.00 | 22.31 (240.14) |
| Bidder 2 | 54,480.00 | 22.93 (246.82) |
| Bidder 3 | 67,405.00 | 28.37 (305.37) |
| Bidder 4 | 82,833.00 | 34.86 (375.23) |
| Bidder 5 | 91,590.00 | 38.55 (414.95) |

Bridge Deck Restoration & Waterproofing Bridges over Mountain Parkway
 Date Let: 05-30-14 Call: 446 County: Powell District: 10
 Bridge Number: 099B00033N Overlay Area: 10,436 ft² (969.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 170,896.00 | 16.38 (176.31) |
| Bidder 2 | 160,302.00 | 15.36 (165.33) |
| Bidder 3 | 177,654.60 | 17.02 (183.20) |
| Bidder 4 | 180,838.00 | 17.33 (186.54) |
| Bidder 5 | 158,673.80 | 15.20 (163.61) |

Bridge Deck Restoration & Waterproofing Bridges over Mountain Parkway
 Date Let: 05-30-14 Call: 446 County: Powell District: 10
 Bridge Number: 119B00019N Overlay Area: 8,288 ft² (770.0 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 122,440.00 | 14.77 (158.98) |
| Bidder 2 | 107,510.00 | 12.97 (139.61) |
| Bidder 3 | 124,245.00 | 14.99 (161.35) |
| Bidder 4 | 102,130.00 | 12.32 (132.61) |
| Bidder 5 | 116,345.00 | 14.04 (151.12) |

Bridge Deck Restoration & Waterproofing Bridge over Wilson Creek
 Date Let: 06-27-14 Call: 316 County: Nelson District: 04
 Bridge Number: 090B00062N Overlay Area: 6,150 ft² (571.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 59,893.00 | 9.74 (104.84) |
| Bidder 2 | 94,819.00 | 15.42 (165.98) |
| Bidder 3 | 87,856.00 | 14.29 (153.82) |
| Bidder 4 | 90,041.00 | 14.64 (157.58) |
| Bidder 5 | 123,084.00 | 20.01 (215.39) |

Bridge Deck Restoration & Waterproofing Interstate 64
 Date Let: 07-11-14 Call: 100 County: Franklin District: 05
 Bridge Number: 037B00057L Overlay Area: 4,770 ft² (443.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 148,480.00 | 31.13 (335.08) |
| Bidder 2 | 160,300.00 | 33.61 (361.77) |
| Bidder 3 | 166,570.00 | 34.92 (375.87) |
| Bidder 4 | 148,130.00 | 31.05 (334.22) |
| Bidder 5 | 152,080.00 | 31.88 (343.15) |

Bridge Deck Restoration & Waterproofing Interstate 64
 Date Let: 07-11-14 Call: 100 County: Franklin District: 05
 Bridge Number: 037B00057R Overlay Area: 4,770 ft² (443.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 148,480.00 | 31.13 (335.08) |
| Bidder 2 | 160,300.00 | 33.61 (361.77) |
| Bidder 3 | 166,570.00 | 34.92 (375.87) |
| Bidder 4 | 148,130.00 | 31.05 (334.22) |
| Bidder 5 | 152,080.00 | 31.88 (343.15) |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Harlan County
 Date Let: 08-22-14 Call: 435 County: Harlan District: 11
 Bridge Number: 048B00065N Overlay Area: 13,830 ft² (1,284.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 202,984.50 | 14.68 (158.01) |
| Bidder 2 | 191,187.00 | 13.82 (148.76) |
| Bidder 3 | 195,393.50 | 14.13 (152.09) |
| Bidder 4 | 201,785.00 | 14.59 (157.04) |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Harlan County
 Date Let: 08-22-14 Call: 435 County: Harlan District: 11
 Bridge Number: 048B00147N Overlay Area: 9,152 ft² (850.3 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 122,432.00 | 13.38 (144.02) |
| Bidder 2 | 107,691.50 | 11.77 (126.69) |
| Bidder 3 | 139,840.00 | 15.28 (164.47) |
| Bidder 4 | 117,290.00 | 12.82 (137.99) |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Harlan County
 Date Let: 08-22-14 Call: 435 County: Harlan District: 11
 Bridge Number: 048B00129N Overlay Area: 7,520 ft² (698.6 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 126,851.60 | 16.87 (181.59) |
| Bidder 2 | 121,111.40 | 16.11 (173.41) |
| Bidder 3 | 120,557.00 | 16.03 (172.54) |
| Bidder 4 | 122,410.00 | 16.28 (175.24) |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Perry County
 Date Let: 08-22-14 Call: 445 County: Perry District: 10
 Bridge Number: 097B00042N Overlay Area: 6,986 ft² (649.0 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 192,580.60 | 27.57 (296.76) |
| Bidder 2 | 188,308.00 | 26.96 (290.19) |
| Bidder 3 | 180,060.50 | 25.77 (277.38) |
| Bidder 4 | 262,902.50 | 37.63 (405.04) |
| Bidder 5 | 170,101.20 | 24.35 (262.10) |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Perry County
 Date Let: 08-22-14 Call: 445 County: Perry District: 10
 Bridge Number: 097B00089N Overlay Area: 20,672 ft² (1,920.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 271,794.50 | 13.15 (141.54) |
| Bidder 2 | 274,015.00 | 13.26 (142.73) |
| Bidder 3 | 294,015.00 | 14.22 (153.06) |
| Bidder 4 | 306,895.00 | 14.85 (159.84) |
| Bidder 5 | 282,292.00 | 13.66 (147.03) |

Bridge Deck Restoration & Waterproofing Bridge over Ohio River
 Date Let: 09-26-14 Call: 100 County: Boone District: 06
 Bridge Number: 008B00052N Overlay Area: 242,904 ft² (22,566.6 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 1,751,140.00 | 7.21 (77.61) |
| Bidder 2 | 2,383,350.00 | 9.81 (105.59) |
| Bidder 3 | 2,202,850.00 | 9.07 (97.63) |
| Bidder 4 | 2,491,337.50 | 10.26 (110.44) |
| Bidder 5 | 2,152,700.00 | 8.86 (95.37) |

Bridge Deck Restoration & Waterproofing Western Kentucky Parkway Bridge Overlays
 Date Let: 09-26-14 Call: 404 County: Hardin District: 04
 Bridge Number: 047B00092L Overlay Area: 5,190 ft² (482.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 62,953.45 | 12.13 (130.57) |
| Bidder 2 | 50,207.50 | 9.67 (104.09) |
| Bidder 3 | 51,749.10 | 9.97 (107.32) |
| Bidder 4 | 62,977.40 | 12.13 (130.57) |
| Bidder 5 | 72,664.50 | 14.00 (150.69) |
| Bidder 6 | 84,094.00 | 16.20 (174.37) |

Bridge Deck Restoration & Waterproofing Western Kentucky Parkway Bridge Overlays
 Date Let: 09-26-14 Call: 404 County: Hardin District: 04
 Bridge Number: 047B00092R Overlay Area: 5,190 ft² (482.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 62,953.45 | 12.13 (130.57) |
| Bidder 2 | 50,207.50 | 9.67 (104.09) |
| Bidder 3 | 51,749.10 | 9.97 (107.32) |
| Bidder 4 | 62,977.40 | 12.13 (130.57) |
| Bidder 5 | 72,664.50 | 14.00 (150.69) |
| Bidder 6 | 84,094.00 | 16.20 (174.37) |

Bridge Deck Restoration & Waterproofing Western Kentucky Parkway Bridge Overlays
 Date Let: 09-26-14 Call: 404 County: Hardin District: 04
 Bridge Number: 047B00093L Overlay Area: 6,270 ft² (582.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 74,357.20 | 11.86 (127.66) |
| Bidder 2 | 59,958.00 | 9.56 (102.90) |
| Bidder 3 | 62,031.60 | 9.89 (106.45) |
| Bidder 4 | 74,720.80 | 11.92 (128.31) |
| Bidder 5 | 85,550.00 | 13.64 (146.82) |
| Bidder 6 | 99,890.00 | 15.93 (171.47) |

Bridge Deck Restoration & Waterproofing Western Kentucky Parkway Bridge Overlays
 Date Let: 09-26-14 Call: 404 County: Hardin District: 04
 Bridge Number: 047B00093R Overlay Area: 6,270 ft² (582.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 74,357.20 | 11.86 (127.66) |
| Bidder 2 | 59,958.00 | 9.56 (102.90) |
| Bidder 3 | 62,031.60 | 9.89 (106.45) |
| Bidder 4 | 74,720.80 | 11.92 (128.31) |
| Bidder 5 | 85,550.00 | 13.64 (146.82) |
| Bidder 6 | 99,890.00 | 15.93 (171.47) |

Bridge Deck Restoration & Waterproofing Bridge over Tygarts Creek

Date Let: 10-24-14 Call: 319 County: Carter District: 09
 Bridge Number: 022B00035N Overlay Area: 7,840 ft² (728.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 123,668.50 | 15.77 (169.75) |
| Bidder 2 | 121,139.00 | 15.45 (166.30) |
| Bidder 3 | 146,880.00 | 18.73 (201.61) |
| Bidder 4 | 131,227.40 | 16.74 (180.19) |
| Bidder 5 | 90,260.00 | 11.51 (123.89) |
| Bidder 6 | 118,462.60 | 15.11 (162.64) |
| Bidder 7 | 202,561.00 | 25.84 (278.14) |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Wayne County

Date Let: 10-24-14 Call: 403 County: Wayne District: 08
 Bridge Number: 116B00009N Overlay Area: 3,816 ft² (354.5 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 71,358.00 | 18.70 (201.28) |
| Bidder 2 | 98,020.00 | 25.69 (276.52) |
| Bidder 3 | 113,131.10 | 29.65 (319.15) |
| Bidder 4 | 141,528.50 | 37.09 (399.23) |
| Bidder 5 | 97,926.80 | 25.66 (276.20) |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Wayne County

Date Let: 10-24-14 Call: 403 County: Wayne District: 08
 Bridge Number: 116B00010N Overlay Area: 2,736 ft² (254.2 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 55,004.00 | 20.10 (216.35) |
| Bidder 2 | 76,455.00 | 27.94 (300.74) |
| Bidder 3 | 87,926.30 | 32.14 (345.95) |
| Bidder 4 | 107,372.50 | 39.24 (422.37) |
| Bidder 5 | 78,709.40 | 28.77 (309.68) |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Wayne County

Date Let: 10-24-14 Call: 403 County: Wayne District: 08
 Bridge Number: 116B00020N Overlay Area: 1,320 ft² (122.6 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 28,364.00 | 21.49 (231.32) |
| Bidder 2 | 40,230.00 | 30.48 (328.08) |
| Bidder 3 | 46,245.80 | 35.03 (377.06) |
| Bidder 4 | 55,644.00 | 42.15 (453.70) |
| Bidder 5 | 42,637.40 | 32.30 (347.67) |

The following roadway projects also included bridge deck restoration work.

Asphalt Rehab with Bridge(s) Louisville-Cincinnati Road (1-71)

Date Let: 09-27-13 Call: 200 County: Henry District: 05
 Bridge Number: 052B00001N Overlay Area: 8,040 ft² (746.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 75,910.00 | 9.44 (101.61) |
| Bidder 2 | 97,879.00 | 12.17 (131.00) |
| Bidder 3 | 82,249.20 | 10.23 (110.11) |
| Bidder 4 | 93,034.00 | 11.57 (124.54) |

Asphalt Rehab with Bridge(s) Louisville-Cincinnati Road (1-71)
 Date Let: 09-27-13 Call: 200 County: Henry District: 05
 Bridge Number: 052B00038N Overlay Area: 9,482 ft² (880.9 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 80,785.00 | 8.52 (91.71) |
| Bidder 2 | 89,842.50 | 9.48 (102.04) |
| Bidder 3 | 87,553.00 | 9.23 (99.35) |
| Bidder 4 | 96,349.00 | 10.16 (109.36) |

Asphalt Rehab with Bridge(s) Louisville-Cincinnati Road (1-71)
 Date Let: 09-27-13 Call: 200 County: Henry District: 05
 Bridge Number: 052B00051L Overlay Area: 13,868 ft² (1,288.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 123,265.00 | 8.89 (95.69) |
| Bidder 2 | 137,309.50 | 9.90 (106.56) |
| Bidder 3 | 133,616.60 | 9.63 (103.66) |
| Bidder 4 | 146,901.00 | 10.59 (113.99) |

Grade, Drain & Surface with Bridge Richmond-Lancaster Road (KY 52)
 Date Let: 09-27-13 Call: 201 County: Various District: 07
 Bridge Number: 040B00004N Overlay Area: 3,080 ft² (286.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 58,960.00 | 19.14 (206.02) |
| Bidder 2 | 72,649.38 | 23.59 (253.92) |
| Bidder 3 | 88,352.00 | 28.69 (308.82) |
| Bidder 4 | 87,778.00 | 28.50 (306.77) |

Grade, Drain & Surface with Bridge Cumberland Parkway (9008) and US 127 Interchange
 Date Let: 04-25-14 Call: 302 County: Russell District: 08
 Bridge Number: 104B00022N Overlay Area: 17,216 ft² (1,599.4 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 206,665.38 | 12.00 (129.17) |
| Bidder 2 | 200,646.00 | 11.65 (125.40) |
| Bidder 3 | 200,646.00 | 11.65 (125.40) |
| Bidder 4 | 236,609.00 | 13.74 (147.90) |

Asphalt Rehab Interstate/Parkway Edward T. Breathitt Parkway (PW 9004)
 Date Let: 05-30-14 Call: 200 County: Hopkins District: 02
 Bridge Number: 051B00062L Overlay Area: 6,954 ft² (646.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 87,186.50 | 12.54 (134.98) |
| Bidder 2 | 81,049.80 | 11.66 (125.51) |
| Bidder 3 | 89,475.75 | 12.87 (138.53) |

Asphalt Rehab Interstate/Parkway Edward T. Breathitt Parkway (PW 9004)
 Date Let: 05-30-14 Call: 200 County: Hopkins District: 02
 Bridge Number: 051B00062R Overlay Area: 6,954 ft² (646.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 87,186.50 | 12.54 (134.98) |
| Bidder 2 | 81,049.80 | 11.66 (125.51) |
| Bidder 3 | 89,475.75 | 12.87 (138.53) |

Asphalt Rehab Interstate/Parkway Edward T. Breathitt Parkway (PW 9004)
 Date Let: 05-30-14 Call: 200 County: Hopkins District: 02
 Bridge Number: 117B00071L Overlay Area: 11,040 ft² (1,025.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 94,819.50 | 8.59 (92.46) |
| Bidder 2 | 95,236.65 | 8.63 (92.89) |
| Bidder 3 | 109,586.50 | 9.93 (106.89) |

Asphalt Rehab Interstate/Parkway Edward T. Breathitt Parkway (PW 9004)
 Date Let: 05-30-14 Call: 200 County: Hopkins District: 02
 Bridge Number: 117B00071R Overlay Area: 11,040 ft² (1,025.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 94,819.50 | 8.59 (92.46) |
| Bidder 2 | 95,236.65 | 8.63 (92.89) |
| Bidder 3 | 109,586.50 | 9.93 (106.89) |

Asphalt Pavement & Roadway Rehab Julian M. Carroll Parkway (9003)
 Date Let: 08-22-14 Call: 203 County: Graves District: 01
 Bridge Number: 079B00075L, SB only Overlay Area: 8,726 ft² (810.7 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 93,975.00 | 10.77 (115.93) |
| Bidder 2 | 95,366.30 | 10.93 (117.65) |

Asphalt Rehab with Bridge(s) Louie B. Nunn Cumberland Parkway (9008)
 Date Let: 10-24-14 Call: 306 County: Barren District: 03
 Bridge Number: 005B00068R, EB only Overlay Area: 8,558 ft² (795.1 m²)

| | Total Deck Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|----------------------|--|
| Bidder 1 | 122,270.00 | 14.29 (153.82) |

Bridge Removals

The cost analysis for structure removal included the following bid items:

- Remove structure
- Remove exist superstructure and abutment

The length and width of the structures used to calculate the area of the structures that were removed were taken from the National Bridge Inventory (NBI) database for Kentucky. The calculated unit costs are summarized in Table C.4.

Table C.4-Bridge removal costs summary

| Structure type-main | Number of bridges | n | Unit Costs, \$/ft ² (\$/m ²) | |
|---------------------|-------------------|-----|---|--------------------|
| | | | Mean | Standard Deviation |
| 101 | 4 | 14 | 28.75 (310.46) | 21.83 (235.74) |
| 104 | 17 | 69 | 28.37 (306.36) | 15.83 (170.94) |
| 204 | 10 | 23 | 14.13 (152.59) | 4.03 (43.52) |
| 122 | 4 | 15 | 22.20 (218.13) | 12.20 (131.74) |
| 119 | 1 | 4 | 10.66 (115.11) | 6.35 (68.57) |
| 505 | 8 | 19 | 24.51 (264.68) | 18.76 (202.58) |
| 302 | 12 | 32 | 19.45 (210.04) | 9.29 (100.32) |
| 402 | 3 | 10 | 23.36 (252.26) | 17.64 (190.49) |
| 403 | 2 | 6 | 25.39 (274.18) | 7.69 (83.04) |
| 310 | 6 | 23 | 23.95 (258.63) | 12.84 (138.66) |
| 702 | 1 | 6 | 26.52 (286.38) | 11.00 (119.22) |
| All | 68 | 221 | 23.73 (256.25) | 14.69 (158.63) |

Structure Type Codes

- 101 = concrete slab
- 104 = concrete tee beam
- 204 = continuous concrete tee beam
- 122 = concrete channel beam
- 119 = concrete culvert
- 505 = prestressed concrete box beam or girders - multiple
- 302 = steel stringer/multi-beam or girder
- 402 = continuous steel stringer/multi-beam or girder
- 403 = continuous steel girder and floorbeam system
- 310 = steel thru truss
- 702 = timber stringer/multi-beam or girder

The following are summaries of unit costs for each project used in the analysis. Unit costs marked with an asterisk were not used in the cost analysis.

Concrete Slab Bridges (NBI Item 43=101)

Bridge Replacement East Union-Carlisle Road (KY-1285)

Date Let: 09-27-13 Call: 102 County: Nicholas District: 09
 NBI Structure Number: 091B00005N Bridge Area: 417 ft² (38.7 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 9,000.00 | 21.57 (232.18) |
| Bidder 2 | 5,000.00 | 11.98 (128.95) |
| Bidder 3 | 5,000.00 | 11.98 (128.95) |
| Bidder 4 | 50,000.00 | 119.84 (1,289.94) * |
| Bidder 5 | 10,000.00 | 23.97 (258.01) |
| Bidder 6 | 28,500.00 | 68.31 (735.28) |

Bridge with Grade, Drain & Surface Bent Branch Road (KY-1426)

Date Let: 06-27-14 Call: 101 County: Pike District: 12
 NBI Structure Number: 098B00015N Bridge Area: 841 ft² (78.1 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 70,000.00 | 83.27 (896.31) |

Bridge with Grade, Drain & Surface Wildie Road (CR-1071)

Date Let: 09-26-14 Call: 117 County: Rockcastle District: 08
 NBI Structure Number: 102C00009N Bridge Area: 1,024 ft² (95.1 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 41,500.00 | 40.52 (436.15) |
| Bidder 2 | 22,500.00 | 21.97 (236.48) |
| Bidder 3 | 10,000.00 | 9.76 (105.06) |

Bridge Replacement Wildie Road (CR 1071)

Date Let: 10-24-14 Call: 111 County: Rockcastle District: 08
 NBI Structure Number: 102C00008N Bridge Area: 991 ft² (92.1 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 16,000.00 | 16.15 (173.84) |
| Bidder 2 | 22,500.00 | 22.71 (244.45) |
| Bidder 3 | 34,000.00 | 34.32 (369.42) |
| Bidder 4 | 21,000.00 | 21.20 (228.19) |
| Bidder 5 | 14,662.50 | 14.80 (159.31) |

Concrete Tee Beam Bridges (NBI Item 43=104)

Bridge with Grade, Drain & Surface KY 1428

Date Let: 02-22-13 Call: 104 County: Floyd District: 12
 NBI Structure Number: 036B00003N Bridge Area: 2,344 ft² (217.8 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 70,000.00 | 29.86 (321.41) |
| Bidder 2 | 130,000.00 | 55.46 (596.96) |

Bridge with Grade, Drain & Surface Fulton-Fulgham Road (KY 307)

Date Let: 03-22-13 Call: 104 County: Hickman District: 01
 NBI Structure Number: 053B00014N Bridge Area: 2,813 ft² (261.3 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 80,000.00 | 28.44 (306.12) |
| Bidder 2 | 500,000.00 | 177.77 (1,913.49) * |

Bridge with Grade, Drain & Surface Fulton-Fulgham Road (KY 307)
 Date Let: 03-22-13 Call: 104 County: Hickman District: 01
 NBI Structure Number: 053B00015N Bridge Area: 3,519 ft² (326.9 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 70,000.00 | 19.89 (214.09) |
| Bidder 2 | 500,000.00 | 142.08 (1,529.33) * |

Bridge with Grade, Drain & Surface Fulton-Fulgham Road (KY 307)
 Date Let: 03-22-13 Call: 104 County: Hickman District: 01
 NBI Structure Number: 053B00016N Bridge Area: 2,540 ft² (236.0 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 60,000.00 | 23.62 (254.24) |
| Bidder 2 | 500,000.00 | 196.87 (2,119.08) * |

Bridge with Grade, Drain & Surface Huddy-McVeigh Road (KY 199)
 Date Let: 08-16-13 Call: 103 County: Pike District: 12
 NBI Structure Number: 098B00033N Bridge Area: 1,151 ft² (106.9 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 10,000.00 | 8.69 (93.54) |
| Bidder 2 | 20,000.00 | 17.38 (187.08) |
| Bidder 3 | 55,000.00 | 47.79 (514.41) |
| Bidder 4 | 15,000.00 | 13.03 (140.25) |

Bridge with Grade, Drain & Surface Wilson Creek Bridge (KY 945)
 Date Let: 09-27-13 Call: 101 County: Graves District: 01
 NBI Structure Number: 042B00187N Bridge Area: 2,503 ft² (232.5 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 48,203.50 | 19.26 (207.31) |
| Bidder 2 | 30,000.00 | 11.99 (129.06) |
| Bidder 3 | 100,000.00 | 39.96 (430.12) |
| Bidder 4 | 95,000.00 | 37.96 (408.60) |

Bridge with Grade, Drain & Surface KY 476
 Date Let: 09-27-13 Call: 105 County: Perry District: 10
 NBI Structure Number: 097B00008N Bridge Area: 3,446 ft² (320.1 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 35,000.00 | 10.16 (109.36) |
| Bidder 2 | 90,000.00 | 26.12 (281.15) |
| Bidder 3 | 89,000.00 | 25.83 (278.03) |
| Bidder 4 | 50,000.00 | 14.51 (156.18) |
| Bidder 5 | 130,000.00 | 37.73 (406.12) |

Bridge Replacement Anthoston-Niagara Road (KY-136)
 Date Let: 10-25-13 Call: 109 County: Henderson District: 02
 NBI Structure Number: 051B00024N Bridge Area: 556 ft² (51.7 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 29,500.00 | 53.05 (571.02) |
| Bidder 2 | 38,000.00 | 68.34 (735.60) |
| Bidder 3 | 20,000.00 | 35.97 (387.18) |
| Bidder 4 | 42,500.00 | 76.43 (822.68) |
| Bidder 5 | 33,000.00 | 59.35 (638.84) |

Bridge Replacement Stanton-Slade Road (KY 11)

Date Let: 11-22-13 Call: 104 County: Powell District: 10
 NBI Structure Number: 099B00039N Bridge Area: 1,385 ft² (128.7 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 15,000.00 | 10.83 (116.57) |
| Bidder 2 | 9,400.00 | 6.79 (73.09) |
| Bidder 3 | 43,000.00 | 31.04 (334.11) |
| Bidder 4 | 35,000.00 | 25.27 (272.00) |

Bridge with Grade, Drain & Surface Beaver Dam - Leitchfield Road (US 62)

Date Let: 11-22-13 Call: 106 County: Ohio District: 02
 NBI Structure Number: 092B00034N Bridge Area: 2,575 ft² (239.2 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 39,500.00 | 15.34 (165.12) |
| Bidder 2 | 66,000.00 | 25.63 (275.88) |
| Bidder 3 | 60,000.00 | 23.30 (250.80) |
| Bidder 4 | 15,000.00 | 5.83 (62.75) |
| Bidder 5 | 40,000.00 | 15.54 (167.27) |

Bridge with Grade, Drain & Surface Sedalia to Mayfield Road (KY 79)

Date Let: 11-22-13 Call: 107 County: Graves District: 01
 NBI Structure Number: 042B00046N Bridge Area: 1,612 ft² (149.8 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 33,000.00 | 20.47 (220.34) |
| Bidder 2 | 49,010.82 | 30.40 (327.22) |
| Bidder 3 | 40,000.00 | 24.81 (267.05) |

Grade, Drain & Surface with Bridge Gratz-Moxley Road (KY-355)

Date Let: 12-13-13 Call: 106 County: Owen District: 06
 NBI Structure Number: 094B00009N Bridge Area: 4,924 ft² (457.5 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 100,000.00 | 20.31 (218.61) |
| Bidder 2 | 55,087.89 | 11.19 (120.45) |
| Bidder 3 | 50,000.00 | 10.16 (109.36) |
| Bidder 4 | 163,860.00 | 33.28 (358.22) |
| Bidder 5 | 143,000.00 | 29.04 (312.58) |
| Bidder 6 | 140,500.00 | 28.54 (307.20) |
| Bidder 7 | 200,000.00 | 40.62 (437.23) |
| Bidder 8 | 133,000.00 | 27.01 (290.73) |
| Bidder 9 | 155,000.00 | 31.48 (338.85) |

Grade, Drain & Surface with Bridge Morgantown Road (KY 79)

Date Let: 01-24-14 Call: 313 County: Logan District: 03
 NBI Structure Number: 071B00009N Bridge Area: 2,049 ft² (190.4 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 22,000.00 | 10.74 (115.60) |
| Bidder 2 | 20,000.00 | 9.76 (105.06) |
| Bidder 3 | 32,000.00 | 15.62 (168.13) |

Bridge Replacement Bloomfield Road (US 62)

Date Let: 04-25-14 Call: 105 County: Nelson District: 04
 NBI Structure Number: 090B00023N Bridge Area: 1,072 ft² (99.6 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 25,000.00 | 23.33 (251.12) |
| Bidder 2 | 34,000.00 | 31.73 (341.54) |
| Bidder 3 | 24,000.00 | 22.40 (241.11) |
| Bidder 4 | 34,000.00 | 31.73 (341.54) |

Bridge with Grade, Drain & Surface Frenchburg to Owingsville Road (KY 36)

Date Let: 06-27-14 Call: 109 County: Menifee District: 10
 NBI Structure Number: 083B00001N Bridge Area: 2,795 ft² (259.7 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 50,000.00 | 17.89 (192.57) |
| Bidder 2 | 100,000.00 | 35.77 (385.02) |
| Bidder 3 | 180,000.00 | 64.39 (693.09) |
| Bidder 4 | 90,000.00 | 32.20 (346.60) |
| Bidder 5 | 125,000.00 | 44.72 (481.36) |
| Bidder 6 | 122,000.00 | 43.64 (469.74) |
| Bidder 7 | 39,100.00 | 13.99 (150.59) |

Bridge with Grade, Drain & Surface KY 32 over Seas Branch

Date Let: 06-27-14 Call: 110 County: Rowan District: 09
 NBI Structure Number: 103B00013N Bridge Area: 739 ft² (68.7 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 19,000.00 | 25.72 (276.85) |
| Bidder 2 | 4,600.00 | 6.23 (67.06) |
| Bidder 3 | 10,000.00 | 13.53 (145.64) |
| Bidder 4 | 10,000.00 | 13.53 (145.64) |
| Bidder 5 | 63,000.00 | 85.27 (917.84) * |
| Bidder 6 | 27,500.00 | 37.22 (400.63) |
| Bidder 7 | 32,500.00 | 43.99 (473.50) |
| Bidder 8 | 25,000.00 | 33.84 (364.25) |

Bridge with Grade, Drain & Surface Morehead-Grayson Road (US-60)

Date Let: 08-22-14 Call: 106 County: Rowan District: 09
 NBI Structure Number: 103B00006N
 Bridge Area: 851 ft² (79.1 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 55,000.00 | 64.60 (695.35) |
| Bidder 2 | 25,000.00 | 29.36 (316.03) |
| Bidder 3 | 25,000.00 | 29.36 (316.03) |
| Bidder 4 | 29,500.00 | 34.65 (372.97) |

Continuous Concrete Tee Beam Bridges (NBI Item 43=204)

Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)
 Date Let: 11-22-13 Call: 109 County: Hart District: 04
 NBI Structure Number: 050B00006N Bridge Area: 8,447 ft² (784.8 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 100,000.00 | 11.84 (127.44) |
| Bidder 2 | 160,000.00 | 18.94 (203.87) |
| Bidder 3 | 200,000.00 | 23.68 (254.89) |

Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)
 Date Let: 11-22-13 Call: 109 County: Hart District: 04
 NBI Structure Number: 050B00027L Bridge Area: 5,620 ft² (522.1 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 62,500.00 | 11.12 (119.69) |
| Bidder 2 | 95,000.00 | 16.90 (181.91) |
| Bidder 3 | 110,837.70 | 19.72 (212.26) |

Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)
 Date Let: 11-22-13 Call: 109 County: Hart District: 04
 NBI Structure Number: 050B00027R Bridge Area: 5,620 ft² (522.1 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 62,500.00 | 11.12 (119.69) |
| Bidder 2 | 95,000.00 | 16.90 (181.91) |
| Bidder 3 | 110,837.70 | 19.72 (212.26) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 NBI Structure Number: 062B00016N Bridge Area: 7,400 ft² (687.5 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 120,000.00 | 16.22 (174.59) |
| Bidder 2 | 80,000.00 | 10.81 (116.36) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 NBI Structure Number: 050B00030L Bridge Area: 7,225 ft² (671.2 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 82,500.00 | 11.42 (122.92) |
| Bidder 2 | 100,000.00 | 13.84 (148.97) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 NBI Structure Number: 050B00030R Bridge Area: 7,225 ft² (671.2 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 82,500.00 | 11.42 (122.92) |
| Bidder 2 | 100,000.00 | 13.84 (148.97) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 NBI Structure Number: 050B00008N Bridge Area: 9,612 ft² (874.6 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 120,000.00 | 12.48 (134.33) |
| Bidder 2 | 100,000.00 | 10.40 (111.94) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 NBI Structure Number: 047B00042N Bridge Area: 9,414 ft² (874.6 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 140,000.00 | 14.87 (160.06) |
| Bidder 2 | 100,000.00 | 10.62 (114.31) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 NBI Structure Number: 047B00064N Bridge Area: 7,332 ft² (681.2 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 140,000.00 | 19.10 (205.59) |
| Bidder 2 | 80,000.00 | 10.91 (117.43) |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)
 Date Let: 08-22-14 Call: 200 County: Hart District: 04
 NBI Structure Number: 047B00029N Bridge Area: 12,563 ft² (1,167.1 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 140,000.00 | 11.14 (119.91) |
| Bidder 2 | 100,000.00 | 7.96 (85.68) |

Concrete Culvert (NBI Item 43=119)

Bridge with Grade, Drain & Surface Low Water Drive (CR 1336)
 Date Let: 05-24-13 Call: 352 County: Harlan District: 11
 NBI Structure Number: 048B00135N Bridge Area: 2,640 ft² (245.3 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 25,000.00 | 9.47 (101.93) |
| Bidder 2 | 20,000.00 | 7.58 (81.59) |
| Bidder 3 | 15,000.00 | 5.68 (61.14) |
| Bidder 4 | 52,500.00 | 19.89 (214.09) |

Concrete Channel Beam Bridges (NBI Item 43=122)

Bridge with Grade, Drain & Surface Outland School Road (KY-1536)
 Date Let: 05-30-14 Call: 103 County: Calloway District: 01
 NBI Structure Number: 018B00108N Bridge Area: 1,314 ft² (122.1 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 34,600.00 | 26.33 (283.41) |
| Bidder 2 | 18,500.00 | 14.08 (151.56) |
| Bidder 3 | 40,000.00 | 30.44 (327.65) |

Grade, Drain & Surface with Bridge Kenneth Barrett Road (KY 30)
 Date Let: 09-26-14 Call: 112 County: Owsley District: 10
 NBI Structure Number: 095B00013N Bridge Area: 1,556 ft² (144.6 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 11,000.00 | 7.07 (76.10) |
| Bidder 2 | 15,000.00 | 9.64 (103.76) |
| Bidder 3 | 12,000.00 | 7.71 (82.99) |
| Bidder 4 | 30,000.00 | 19.28 (207.53) |
| Bidder 5 | 15,000.00 | 9.64 (103.76) |

Grade & Drain with Bridge KY 343

Date Let: 09-26-14 Call: 119 County: Letcher District: 12
 NBI Structure Number: 067B00015N Bridge Area: 656 ft² (60.9 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 32,500.00 | 49.52 (533.03) |
| Bidder 2 | 20,000.00 | 30.48 (328.08) |
| Bidder 3 | 20,000.00 | 30.48 (328.08) |

Bridge Replacement Pryorsburg to Dublin Road (KY 1748)

Date Let: 10-24-14 Call: 108 County: Graves District: 01
 NBI Structure Number: 042B00236N Bridge Area: 1,300 ft² (120.8 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 27,000.00 | 20.77 (223.57) |
| Bidder 2 | 17,500.00 | 13.46 (144.88) |
| Bidder 3 | 45,318.00 | 34.86 (375.23) |
| Bidder 4 | 38,000.00 | 29.23 (314.63) |

Steel Stringer/multi-beam or Girder Bridges (NBI Item 43=302)

Bridge with Grade, Drain & Surface Dahl Road (KY 1677)

Date Let: 08-16-13 Call: 106 County: Pulaski District: 08
 NBI Structure Number: 100B00023N Bridge Area: 1,168 ft² (108.5 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 20,000.00 | 17.12 (184.28) |
| Bidder 2 | 7,500.00 | 6.42 (69.10) |
| Bidder 3 | 20,000.00 | 17.12 (184.28) |
| Bidder 4 | 25,000.00 | 21.41 (230.45) |
| Bidder 5 | 25,000.00 | 21.41 (230.45) |

Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)

Date Let: 11-22-13 Call: 109 County: Hart District: 04
 NBI Structure Number: 050B00029L Bridge Area: 4,698 ft² (436.5 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 75,000.00 | 15.96 (171.79) |
| Bidder 2 | 112,500.00 | 23.95 (257.79) |
| Bidder 3 | 150,901.11 | 32.12 (345.74) |

Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)

Date Let: 11-22-13 Call: 109 County: Hart District: 04
 NBI Structure Number: 050B00029R Bridge Area: 4,698 ft² (436.5 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 75,000.00 | 15.96 (171.79) |
| Bidder 2 | 112,500.00 | 23.95 (257.79) |
| Bidder 3 | 150,901.11 | 32.12 (345.74) |

Bridge with Grade, Drain & Surface Buffalo Branch Road (CR-1327)

Date Let: 11-22-13 Call: 111 County: Bell District: 11
 NBI Structure Number: 007C00048N Bridge Area: 681 ft² (63.3 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 10,000.00 | 14.68 (158.01) |
| Bidder 2 | 6,000.00 | 8.81 (94.83) |
| Bidder 3 | 10,000.00 | 14.68 (158.01) |
| Bidder 4 | 47,500.00 | 69.75 (750.78) * |

Bridge Replacement Pacies Branch Road (CR 1245)

Date Let: 03-28-14 Call: 112 County: Letcher District: 12
 NBI Structure Number: 067C00027N Bridge Area: 332 ft² (30.8 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 30,000.00 | 90.49 (974.02) * |
| Bidder 2 | 7,700.00 | 23.23 (250.04) |

Bridge Replacement Hacker Branch Road (CR-1136)

Date Let: 07-11-14 Call: 107 County: Owsley District: 10
 NBI Structure Number: 095C00007N Bridge Area: 1,565 ft² (145.4 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 10,000.00 | 6.39 (68.78) |
| Bidder 2 | 25,000.00 | 15.97 (171.90) |
| Bidder 3 | 27,000.00 | 17.25 (185.68) |

Bridge Replacement Rye Branch Road (CR 1756)

Date Let: 07-11-14 Call: 108 County: Magoffin District: 10
 NBI Structure Number: 077C00048N Bridge Area: 638 ft² (59.3 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 9,500.00 | 14.89 (160.27) |
| Bidder 2 | 5,000.00 | 7.84 (84.39) |
| Bidder 3 | 22,500.00 | 35.26 (379.53) |

Bridge with Grade & Drain Stinson Road (CR-1700)

Date Let: 07-11-14 Call: 115 County: Wayne District: 08
 NBI Structure Number: 116C00040N Bridge Area: 609 ft² (56.6 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 11,100.00 | 18.21 (196.01) |
| Bidder 2 | 77,000.00 | 126.34 (1,359.91) * |
| Bidder 3 | 50,000.00 | 82.04 (883.07) * |

Bridge with Grade & Drain Curtis Road (CR 1226)

Date Let: 08-22-14 Call: 111 County: Boyle District: 07
 NBI Structure Number: 011C00042N Bridge Area: 860 ft² (79.9 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 15,000.00 | 17.44 (187.72) |
| Bidder 2 | 30,000.00 | 34.87 (375.34) |

Bridge with Grade, Drain & Surface Oscar Bowling Road (CR 1113A)

Date Let: 09-26-14 Call: 104 County: Clay District: 11
 NBI Structure Number: 026C00063N Bridge Area: 1,373 ft² (127.6 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 30,000.00 | 21.84 (235.08) |
| Bidder 2 | 20,000.00 | 14.56 (156.72) |

Bridge Replacement Hade Bell Road (CR 1167)

Date Let: 09-26-14 Call: 116 County: Allen District: 03
 NBI Structure Number: 002C00012N Bridge Area: 506 ft² (47.0 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 20,000.00 | 39.50 (425.17) |
| Bidder 2 | 19,000.00 | 37.52 (403.86) |

Bridge Replacement Hemp Patch Branch Road (CR-1002)
 Date Let: 10-24-14 Call: 302 County: Knott District: 12
 NBI Structure Number: 060C00001N Bridge Area: 1,004 ft² (93.3 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 10,000.00 | 9.96 (107.21) |
| Bidder 2 | 5,000.00 | 4.98 (53.60) |
| Bidder 3 | 14,500.00 | 14.45 (155.54) |
| Bidder 4 | 22,500.00 | 22.42 (241.33) |

Continuous Steel Stringer/multi-beam or Girder Bridges (NBI Item 43=402)

Bridge Replacement Elk Lick Creek Road (CR 1224)
 Date Let: 05-30-14 Call: 110 County: Lee District: 10
 NBI Structure Number: 065C00023N Bridge Area: 495 ft² (46.0 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 2,000.00 | 4.04 (43.49) |
| Bidder 2 | 16,300.00 | 32.91 (354.24) |
| Bidder 3 | 7,500.00 | 15.14 (162.96) |
| Bidder 4 | 24,000.00 | 48.46 (521.62) |

Bridge Replacement Mobley Mill Road (CR 1327)
 Date Let: 08-22-14 Call: 108 County: Nelson District: 04
 NBI Structure Number: 090C00039N Bridge Area: 1,742 ft² (161.8 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 10,000.00 | 5.74 (61.78) |
| Bidder 2 | 31,000.00 | 17.80 (191.60) |
| Bidder 3 | 11,000.00 | 6.31 (67.92) |
| Bidder 4 | 25,000.00 | 14.35 (154.46) |

Bridge with Grade, Drain & Surface KG Estates Road (CR 1162)
 Date Let: 09-26-14 Call: 118 County: Lawrence District: 12
 NBI Structure Number: 064C00078N Bridge Area: 996 ft² (92.5 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 48,500.00 | 48.71 (524.31) |
| Bidder 2 | 40,000.00 | 40.17 (432.38) |

Continuous Steel Girder and Floorbeam System Bridges (NBI Item 43=403)

Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)
 Date Let: 11-22-13 Call: 109 County: Hart District: 04
 NBI Structure Number: 050B00031L Bridge Area: 24,158 ft² (2,244.4 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 400,000.00 | 16.56 (178.25) |
| Bidder 2 | 625,000.00 | 25.87 (278.46) |
| Bidder 3 | 815,000.00 | 33.74 (363.17) |

Bridge with Grade, Drain & Surface Tennessee State Line to E-Town Road (I-65)
 Date Let: 11-22-13 Call: 109 County: Hart District: 04
 NBI Structure Number: 050B00031R Bridge Area: 24,158 ft² (2,244.4 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 400,000.00 | 16.56 (178.25) |
| Bidder 2 | 625,000.00 | 25.87 (278.46) |
| Bidder 3 | 815,000.00 | 33.74 (363.17) |

Bridge with Grade, Drain & Surface Patty Loveless Drive (KY 80)
 Date Let: 12-13-13 Call: 105 County: Pike District: 12
 NBI Structure Number: 098B00137N Bridge Area: 28,356 ft² (2,634.4 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 45,000.00 | 1.59 (17.11) * |
| Bidder 2 | 1,000.00 | 0.04 (0.43) * |

Steel Thru Truss Bridges (NBI Item 43=310)

Bridge with Grade, Drain & Surface Ray Road (CR 1060)
 Date Let: 07-12-13 Call: 200 County: Daviess District: 02
 NBI Structure Number: 030C00018N Bridge Area: 1,296 ft² (120.4 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 20,000.00 | 15.43 (166.09) |
| Bidder 2 | 8,000.00 | 6.17 (66.41) |
| Bidder 3 | 23,000.00 | 17.75 (191.06) |
| Bidder 4 | 35,000.00 | 27.01 (290.73) |
| Bidder 5 | 25,000.00 | 19.29 (207.64) |

Bridge with Grade, Drain & Surface Glomawr to Hazard Road (KY 451)
 Date Let: 11-22-13 Call: 108 County: Perry District: 10
 NBI Structure Number: 097B00016N Bridge Area: 8,247 ft² (766.2 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 109,426.97 | 13.27 (142.84) |
| Bidder 2 | 120,000.00 | 14.55 (156.61) |
| Bidder 3 | 209,000.00 | 25.34 (272.76) |
| Bidder 4 | 265,000.00 | 32.13 (345.84) |

Bridge with Grade, Drain & Surface Hazard-Hyden Road (KY-80)
 Date Let: 07-11-14 Call: 113 County: Perry District: 10
 NBI Structure Number: 097B00029N Bridge Area: 9,576 ft² (889.6 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 180,000.00 | 18.80 (202.36) |
| Bidder 2 | 165,000.00 | 17.23 (185.46) |
| Bidder 3 | 185,365.00 | 19.36 (208.39) |
| Bidder 4 | 1,050,000.00 | 109.65 (1,180.26) * |

Bridge Replacement Glasgow Street (CS 1053)
 Date Let: 08-22-14 Call: 107 County: Metcalfe District: 03
 NBI Structure Number: 085C00007N Bridge Area: 1,255 ft² (116.6 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 24,000.00 | 19.12 (205.81) |
| Bidder 2 | 15,000.00 | 11.95 (128.63) |
| Bidder 3 | 30,000.00 | 23.90 (257.26) |
| Bidder 4 | 25,000.00 | 19.92 (214.42) |

Bridge with Grade, Drain & Surface Booneville-Jackson Road (KY 30)
 Date Let: 09-26-14 Call: 113 County: Breathitt District: 10
 NBI Structure Number: 013B00017N Bridge Area: 6,951 ft² (645.8 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 150,000.00 | 21.58 (232.28) |
| Bidder 2 | 115,000.00 | 16.54 (178.03) |
| Bidder 3 | 335,000.00 | 48.20 (518.82) |
| Bidder 4 | 485,000.00 | 69.78 (751.10) * |

Prestressed Concrete Box Beam or Girders – Multiple Bridges (NBI Item 43=505)

Bridge Replacement Bridge over Little Goose Creek
 Date Let: 05-24-13 Call: 368 County: Clay District: 11
 NBI Structure Number: 026B00041N Bridge Area: 1,320 ft² (122.6 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 13,000.00 | 9.85 (106.02) |
| Bidder 2 | 22,000.00 | 16.67 (179.43) |
| Bidder 3 | 13,500.00 | 10.23 (110.11) |

Bridge with Grade, Drain & Surface Woodbine-Barbourville Road (KY 6)
 Date Let: 08-16-13 Call: 202 County: Knox District: 11
 NBI Structure Number: 061B00042N Bridge Area: 1,430 ft² (132.9 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 20,000.00 | 13.99 (150.59) |
| Bidder 2 | 200,000.00 | 139.87 (1,505.54) * |

Bridge with Grade, Drain & Surface Woodbine-Barbourville Road (KY 6)
 Date Let: 08-16-13 Call: 202 County: Knox District: 11
 NBI Structure Number: 061B00043N Bridge Area: 1,183 ft² (109.9 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 20,000.00 | 16.91 (182.02) |
| Bidder 2 | 200,000.00 | 169.10 (1,820.17) * |

Bridge Replacement KY-502
 Date Let: 09-27-13 Call: 111 County: Hopkins District: 02
 NBI Structure Number: 054B00125N Bridge Area: 3,887 ft² (361.1 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 200,000.00 | 51.45 (553.80) |
| Bidder 2 | 405,000.00 | 104.19 (1,121.49) * |
| Bidder 3 | 250,000.00 | 64.32 (692.33) |

Bridge with Grade, Drain & Surface Gray-Indian Creek Road (KY 3437)
 Date Let: 11-22-13 Call: 105 County: Knox District: 11
 NBI Structure Number: 061B00086N Bridge Area: 503 ft² (46.7 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 7,000.00 | 13.92 (149.83) |
| Bidder 2 | 10,000.00 | 19.89 (214.09) |
| Bidder 3 | 10,000.00 | 19.89 (214.09) |

Bridge with Grade, Drain & Surface Lower Johns Creek Road (KY-194)
 Date Let: 06-27-14 Call: 207 County: Floyd District: 12
 NBI Structure Number: 036B00065N Bridge Area: 946 ft² (87.9 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 10,000.00 | 10.58 (113.88) |

Bridge with Grade, Drain & Surface KY-49
 Date Let: 08-22-14 Call: 313 County: Marion District: 04
 NBI Structure Number: 078B00066N Bridge Area: 1,509 ft² (140.2 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 18,000.00 | 11.93 (128.41) |
| Bidder 2 | 29,950.00 | 19.85 (213.66) |
| Bidder 3 | 18,000.00 | 11.93 (128.41) |

Bridge with Grade, Drain & Surface Upper Wolf Creek Road (CR 1134)
 Date Let: 10-24-14 Call: 110 County: Owsley District: 10
 NBI Structure Number: 095C00018N Bridge Area: 2,174 ft² (202.0 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 15,000.00 | 6.90 (74.27) |
| Bidder 2 | 62,000.00 | 28.52 (306.99) |
| Bidder 3 | 75,000.00 | 34.50 (371.35) |
| Bidder 4 | 72,000.00 | 33.12 (356.50) |
| Bidder 5 | 155,000.00 | 71.31 (767.57) |

Timber Stringer/multi-beam or Girder Bridge (NBI Item 43=702)

Bridge with Grade, Drain & Surface Brown Badgett Loop (CR 1092)
 Date Let: 01-25-13 Call: 103 County: Hopkins District: 02
 NBI Structure Number: 054C00004N Bridge Area: 1,681 ft² (156.2 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 53,000.00 | 31.53 (339.38) |
| Bidder 2 | 60,500.00 | 35.99 (387.39) |
| Bidder 3 | 50,000.00 | 29.75 (320.23) |
| Bidder 4 | 60,000.00 | 35.70 (384.27) |
| Bidder 5 | 29,000.00 | 17.25 (185.68) |
| Bidder 6 | 15,000.00 | 8.92 (96.01) |

Although the following project only called for the removal of the existing superstructure and abutment, the existing bridge was a single span steel thru truss.

Bridge Replacement Tebb's Bend (CR-1236)
 Date Let: 09-26-14 Call: 103 County: Taylor District: 04
 NBI Structure Number: 109C00015N Bridge Area: 2,669 ft² (248.0 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 50,000.00 | 18.73 (201.61) |
| Bidder 2 | 150,000.00 | 56.20 (604.93) |
| Bidder 3 | 135,561.56 | 50.79 (546.70) |
| Bidder 4 | 100,000.00 | 37.47 (403.32) |

Bridge Deck Removals

The cost analysis for deck removal included the following bid item:

- Remove existing deck

The calculated unit costs are summarized in Table C.5.

Table C.5-Bridge deck removal costs summary

| Structure Type | n | Unit Costs, \$/ft ² (\$/m ²) | |
|----------------|---|---|--------------------|
| | | Mean | Standard Deviation |
| 402 | 3 | 4.87 (52.42) | 2.61 (28.09) |
| 505 | 7 | 12.69 (136.59) | 5.77 (62.11) |

The following is a summary of unit costs for the project used in the analysis.

Asphalt Rehab with Bridge (s) Martha Layne Collins Parkway (BG 9002)

Date Let: 04-19-13 Call: 425 County: Various District: 04

NBI Structure Number: 115B00041L and 115B00041R

Existing structure type-main: continuous steel stringer/multi-beam or girder (NBI Item 43=402)

Area each bridge: 18,123 ft² (1,683.7 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 250,000.00 | 6.90 (74.27) |
| Bidder 2 | 210,000.00 | 5.79 (62.32) |
| Bidder 3 | 70,000.00 | 1.93 (20.77) |

The following project was not used in the cost analysis for deck removal because the structure type is adjacent prestressed concrete box beams. The different structural configuration results in removal conditions that are different than a slab on beam structure. Therefore these costs were not considered to be appropriate for this study.

Bridge Deck Restoration & Waterproofing Robertson County KY 165 and KY 616

Date Let: 08-16-13 Call: 410 County: Robertson District: 06

NBI Structure Number: 101B00018N

Existing structure type-main: prestressed concrete box beam or girders - multiple (NBI Item 43=505)

Area: 5,910 ft² (549.1 m²)

| | Total Removal Items, \$ | Unit Cost, \$/ft ² (\$/m ²) |
|----------|-------------------------|--|
| Bidder 1 | 20,000.00 | 3.38 (36.36) |
| Bidder 2 | 55,000.00 | 9.31 (100.21) |
| Bidder 3 | 50,000.00 | 8.46 (91.06) |
| Bidder 4 | 86,000.00 | 14.55 (156.61) |
| Bidder 5 | 100,000.00 | 16.92 (182.12) |
| Bidder 6 | 115,000.00 | 19.46 (209.46) |
| Bidder 7 | 99,168.81 | 16.78 (177.39) |

Bridge Rail Retrofits

The cost analysis for bridge rail retrofit with thrie beam included the following bid items:

- Guardrail Thrie Beam
- Thrie Beam to W Beam Connector

The calculated unit costs are summarized in Table C.6.

Table C.6-Thrie beam retrofit costs summary

| Cost Analysis Case | n | Unit Costs, \$/ft (\$/m) | |
|--|---|--------------------------|--------------------|
| | | Mean | Standard Deviation |
| Excluding \$180.00/ft (\$590.55/m) unit cost | 5 | 76.99 (252.59) | 14.52 (47.64) |
| All costs included | 6 | 94.16 (308.92) | 44.01 (144.39) |

The following are summaries of unit costs for the projects used in the analysis.

Guardrail Russell - Greenup (US 23)

Date Let: 06-14-13 Call: 202 County: Greenup District: 09

| Unit Cost-Thrie Beam Retrofit | | |
|---|---------------|-----------------|
| Item | Bidder 1 | Bidder 2 |
| Guardrail Thrie Beam, \$/ft (\$/m) | 28.75 (94.32) | 100.00 (328.08) |
| Thrie Beam to W Beam Connector, \$/each | 400.00 | 500.00 |

Divide the cost of one connector by its length, 6.25 feet (1.91 m) to get an equivalent cost per length and add to the thrie beam cost. These costs were used in the analysis.

| Unit Cost-Thrie Beam Retrofit, \$/ft (\$/m) | |
|---|-----------------|
| Bidder 1 | Bidder 2 |
| 100.75 (330.54) | 180.00 (590.55) |

Asphalt Rehab with Bridge(s) Louisville-Cincinnati Road (1-71)

Date Let: 09-27-13 Call: 200 County: Henry District: 05

| Unit Cost-Thrie Beam Retrofit, \$/ft (\$/m)* | | | |
|--|-------------------|-------------------|-------------------|
| Bidder 1 | Bidder 2 | Bidder 3 | Bidder 4 |
| 65.00 (213.25) | 80.71 (264.80) | 70.00 (229.66) | 68.50 (224.74) |

*Includes connectors to W beam rail

APPENDIX D: MAINTENANCE OF TRAFFIC COSTS

Appendix D contains summaries of bid items and costs for maintenance of traffic (MOT) during the following:

- Bridge construction
- Bridge deck restoration

Maintenance of Traffic-Bridge Construction

The analysis of maintenance of traffic (MOT) costs calculated the percentage of the total contract amount that was bid for MOT items. The analysis included the following MOT bid items:

- Arrow Panel
- Barricade-Type III
- Concrete Median Barrier Type 9C2
- Concrete Barrier Wall Type 9T
- Crash Cushion TY VI Class B TL2
- Crash Cushion TY VI Class B TL3
- Crash Cushion TY VI Class BT TL2
- Crash Cushion TY VI Class BT TL3
- Crash Cushion Type IX-A
- Creek Crossing
- Diversions (By-Pass Detours)
- Install Temp Concrete Med Barrier
- Lane Closure
- Law Enforcement Officer
- Maintain & Control Traffic
- Pave Mark Temp Paint Stop Bar-24 in
- Pave Striping-Temp Paint-12 in
- Pave Striping-Temp Paint-4 in
- Pave Striping-Temp Paint-6 in
- Pave Striping-Temp Rem Tape-B
- Pave Striping-Temp Rem Tape-W
- Pave Striping-Temp Rem Tape-Y
- Pavement Marker Type IVA-BY Temp
- Pavement Marker Type IVA-MY Temp
- Portable Changeable Message Sign
- Relocate Concrete Barrier Wall
- Relocate Crash Cushion
- Relocate Temp Concrete Barrier
- Signs
- Temp Concrete Med Barrier
- Temp Crash Cushion
- Temp Guardrail
- Temp Median Crossover
- Temp Signal
- Temp Signal 2 Phase
- Temporary Signs
- Tubular Markers

Not all items were used on every project. The results of the analysis are summarized in Table D1.

Table D1-Maintenance of traffic analysis summary bridge replacement

| Analysis Case | n | Mean | Standard Deviation |
|----------------------|-----|--------|--------------------|
| Precast PC I beams | 114 | 3.41% | 2.77% |
| Precast PC box beams | 133 | 3.12% | 3.55% |
| RC culvert | 3 | 16.27% | 2.23% |
| All types | 250 | 3.41% | 3.50% |

The following are summaries of MOT percentages for each project used in the analysis.

Bridge with Grade, Drain & Surface Brown Badgett Loop (CR 1092)

Date Let: 01-25-13 Call: 103 County: Hopkins District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 9,543.62 | 1,805,945.22 | 0.53 |
| Bidder 2 | 7,601.00 | 1,899,850.23 | 0.40 |
| Bidder 3 | 12,684.00 | 1,944,512.77 | 0.65 |
| Bidder 4 | 12,453.00 | 1,988,759.09 | 0.63 |
| Bidder 5 | 12,684.00 | 2,146,221.90 | 0.59 |
| Bidder 6 | 111,060.00 | 2,656,235.33 | 4.18 |

Grade, Drain & Surface with Bridge Georgetown Northwest Bypass

Date Let: 04-19-13 Call: 101 County: Scott District: 07

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 153,547.81 | 12,989,572.70 | 1.18 |
| Bidder 2 | 221,160.49 | 13,527,266.37 | 1.63 |
| Bidder 3 | 177,774.40 | 13,566,463.38 | 1.31 |
| Bidder 4 | 186,733.20 | 13,665,008.63 | 1.37 |
| Bidder 5 | 177,984.10 | 13,782,220.09 | 1.29 |
| Bidder 6 | 133,770.00 | 14,225,780.57 | 0.94 |

Grade, Drain & Surface with Bridge Hooker Branch Road (CR 1276)

Date Let: 07-12-13 Call: 366 County: Clay District: 11

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 32,661.60 | 1,905,366.71 | 1.71 |
| Bidder 2 | 26,871.20 | 2,021,640.81 | 1.33 |
| Bidder 3 | 20,575.20 | 2,068,642.54 | 0.99 |
| Bidder 4 | 40,527.20 | 2,238,985.14 | 1.81 |
| Bidder 5 | 80,670.00 | 2,822,095.55 | 2.86 |

Bridge with Grade, Drain & Surface Dahl Road (KY 1677)

Date Let: 08-16-13 Call: 106 County: Pulaski District: 08

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 9,044.00 | 796,767.60 | 1.14 |
| Bidder 2 | 9,908.00 | 839,199.35 | 1.18 |
| Bidder 3 | 38,568.00 | 875,900.00 | 4.40 |
| Bidder 4 | 12,552.00 | 909,134.52 | 1.38 |
| Bidder 5 | 6,650.00 | 932,078.86 | 0.71 |

Bridge with Grade, Drain & Surface KY 476

Date Let: 09-27-13 Call: 105 County: Perry District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 100,277.50 | 1,422,535.50 | 7.05 |
| Bidder 2 | 53,736.50 | 1,575,056.78 | 3.41 |
| Bidder 3 | 173,204.50 | 1,854,347.34 | 9.34 |
| Bidder 4 | 149,230.50 | 1,915,908.17 | 7.79 |
| Bidder 5 | 189,861.71 | 1,952,550.75 | 9.72 |

Grade, Drain & Surface with Bridge Kuttawa-Princeton Road (US 62)

Date Let: 09-27-13 Call: 317 County: Lyon District: 01

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 301,754.84 | 14,869,588.01 | 2.03 |
| Bidder 2 | 389,724.40 | 17,448,243.17 | 2.23 |

Bridge Replacement Stanton-Slade Road (KY 11)

Date Let: 11-22-13 Call: 104 County: Powell District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 75,300.80 | 895,095.49 | 8.41 |
| Bidder 2 | 72,917.00 | 982,594.15 | 7.42 |
| Bidder 3 | 92,366.80 | 997,701.81 | 9.26 |
| Bidder 4 | 188,700.80 | 1,332,867.48 | 14.16 |

Bridge with Grade, Drain & Surface Beaver Dam - Leitchfield Road (US 62)

Date Let: 11-22-13 Call: 106 County: Ohio District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 2,724.00 | 849,506.11 | 0.32 |
| Bidder 2 | 4,724.00 | 979,852.08 | 0.48 |
| Bidder 3 | 2,116.00 | 986,670.88 | 0.21 |
| Bidder 4 | 2,944.00 | 998,489.59 | 0.29 |
| Bidder 5 | 10,344.00 | 1,071,853.80 | 0.97 |

Bridge with Grade, Drain & Surface Glomawr to Hazard Road (KY 451)

Date Let: 11-22-13 Call: 108 County: Perry District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 23,360.62 | 2,535,118.11 | 0.92 |
| Bidder 2 | 23,142.70 | 2,670,259.63 | 0.87 |
| Bidder 3 | 28,673.50 | 3,005,043.64 | 0.95 |
| Bidder 4 | 50,820.70 | 3,775,000.00 | 1.35 |

Bridge with Grade, Drain & Surface Buffalo Branch Road (CR-1327)

Date Let: 11-22-13 Call: 111 County: Bell District: 11

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 15,100.00 | 475,850.00 | 3.17 |
| Bidder 2 | 8,500.00 | 504,497.78 | 1.68 |
| Bidder 3 | 7,600.00 | 534,380.10 | 1.42 |
| Bidder 4 | 33,300.00 | 613,600.97 | 5.43 |

Grade, Drain & Surface with Bridge Gratz-Moxley Road (KY-355)

Date Let: 12-13-13 Call: 106 County: Owen District: 06

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 89,514.50 | 1,546,652.16 | 5.79 |
| Bidder 2 | 94,190.50 | 1,623,700.00 | 5.80 |
| Bidder 3 | 87,014.50 | 1,625,648.35 | 5.35 |
| Bidder 4 | 111,085.50 | 1,750,662.02 | 6.35 |
| Bidder 5 | 154,514.50 | 1,769,334.22 | 8.73 |
| Bidder 6 | 120,926.50 | 1,839,724.00 | 6.57 |
| Bidder 7 | 110,006.56 | 1,860,657.00 | 5.91 |
| Bidder 8 | 189,014.50 | 1,870,341.94 | 10.11 |
| Bidder 9 | 185,400.00 | 2,045,723.25 | 9.06 |

Grade & Drain with Bridge Partridge to Oven Fork Road (US 119, Section 3B)

Date Let: 12-13-13 Call: 113 County: Letcher District: 12

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 4,420.00 | 7,578,221.53 | 0.06 |
| Bidder 2 | 3,294.00 | 7,754,235.24 | 0.04 |
| Bidder 3 | 9,548.96 | 7,880,422.72 | 0.12 |
| Bidder 4 | 12,780.00 | 9,192,686.00 | 0.14 |

Grade, Drain & Surface with Bridge US-68 and Louie B. Nunn Parkway

Date Let: 12-13-13 Call: 306 County: Metcalfe District: 03

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 391,503.25 | 9,682,936.69 | 4.04 |
| Bidder 2 | 358,121.89 | 10,053,930.28 | 3.56 |
| Bidder 3 | 614,784.71 | 10,074,064.58 | 6.10 |

Grade, Drain & Surface with Bridge New Moody Lane-Commerce Parkway (New Route)

Date Let: 12-13-13 Call: 307 County: Oldham District: 05

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 62,870.56 | 9,129,000.00 | 0.69 |
| Bidder 2 | 142,196.00 | 9,484,979.49 | 1.50 |
| Bidder 3 | 191,239.56 | 9,500,000.00 | 2.01 |
| Bidder 4 | 152,561.80 | 9,550,564.42 | 1.60 |
| Bidder 5 | 135,333.60 | 9,569,595.94 | 1.41 |
| Bidder 6 | 120,497.35 | 9,916,269.92 | 1.22 |
| Bidder 7 | 198,691.03 | 10,272,238.97 | 1.93 |
| Bidder 8 | 188,126.78 | 10,838,290.31 | 1.74 |

Grade, Drain & Surface with Bridge Morgantown Road (KY 79)

Date Let: 01-24-14 Call: 313 County: Logan District: 03

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 226,205.00 | 3,698,030.22 | 6.12 |
| Bidder 2 | 242,151.00 | 4,129,147.14 | 5.86 |
| Bidder 3 | 251,134.56 | 4,184,763.00 | 6.00 |

Bridge with Grade, Drain & Surface Frenchburg to Owingsville Road (KY 36)

Date Let: 06-27-14 Call: 109 County: Menifee District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 37,210.00 | 1,030,975.29 | 3.61 |
| Bidder 2 | 54,188.00 | 1,135,135.26 | 4.77 |
| Bidder 3 | 38,613.00 | 1,252,303.33 | 3.08 |
| Bidder 4 | 78,624.14 | 1,261,739.43 | 6.23 |
| Bidder 5 | 49,520.00 | 1,269,226.50 | 3.90 |
| Bidder 6 | 122,342.00 | 1,296,794.87 | 9.43 |
| Bidder 7 | 70,970.00 | 1,556,668.07 | 4.56 |

Bridge Replacement Rye Branch Road (CR 1756)

Date Let: 07-11-14 Call: 108 County: Magoffin District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 11,960.00 | 353,862.26 | 3.38 |
| Bidder 2 | 13,424.00 | 360,631.06 | 3.72 |
| Bidder 3 | 13,080.00 | 401,434.99 | 3.26 |

Bridge with Grade, Drain & Surface Hazard-Hyden Road (KY-80)

Date Let: 07-11-14 Call: 113 County: Perry District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 135,085.80 | 4,277,564.72 | 3.16 |
| Bidder 2 | 219,865.80 | 4,863,809.42 | 4.52 |
| Bidder 3 | 134,235.80 | 5,457,242.25 | 2.46 |
| Bidder 4 | 188,169.80 | 5,509,665.31 | 3.42 |

Bridge with Grade, Drain & Surface Tennessee State Line-Elizabethtown Road (I-65)

Date Let: 08-22-14 Call: 200 County: Hart District: 04

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|----------------|-------------|
| Bidder 1 | 5,022,849.79 | 138,485,749.39 | 3.63 |
| Bidder 2 | 7,612,965.54 | 144,700,000.00 | 5.26 |

Bridge with Grade, Drain & Surface KY-49

Date Let: 08-22-14 Call: 313 County: Marion District: 04

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 253,032.00 | 6,563,341.37 | 3.86 |
| Bidder 2 | 227,647.00 | 7,142,390.72 | 3.19 |
| Bidder 3 | 227,212.00 | 7,625,000.00 | 2.98 |

The following prestressed I-beam projects were included in the analysis of MOT costs but not in the analysis of replacement costs because bridge area data was not available.

Grade, Drain & Surface with Bridge Morgantown Road (KY 79)

Date Let: 12-13-13 Call: 300 County: Logan District: 03

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 272,151.00 | 4,198,460.80 | 6.48 |
| Bidder 2 | 303,197.00 | 4,240,001.19 | 7.15 |

Bridge with Grade, Drain & Surface Oscar Bowling Road (CR 1113A)

Date Let: 09-26-14 Call: 104 County: Clay District: 11

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 90,225.00 | 1,345,000.00 | 6.71 |
| Bidder 2 | 90,534.86 | 1,429,391.95 | 6.33 |

Grade, Drain & Surface with Bridge Kenneth Barrett Road (KY 30)

Date Let: 09-26-14 Call: 112 County: Owsley District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 70,995.84 | 3,916,594.89 | 1.81 |
| Bidder 2 | 51,745.84 | 4,103,166.10 | 1.26 |
| Bidder 3 | 112,645.84 | 4,359,000.00 | 2.58 |
| Bidder 4 | 67,090.12 | 4,363,986.66 | 1.54 |
| Bidder 5 | 108,455.74 | 4,553,738.21 | 2.38 |

Bridge with Grade, Drain & Surface Booneville-Jackson Road (KY 30)

Date Let: 09-26-14 Call: 113 County: Breathitt District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 100,055.30 | 3,141,110.54 | 3.19 |
| Bidder 2 | 117,229.20 | 3,898,353.71 | 3.01 |
| Bidder 3 | 182,311.30 | 4,373,538.22 | 4.17 |
| Bidder 4 | 257,401.30 | 5,045,000.00 | 5.10 |

Grade & Drain with Bridge Simpsonville - Buck Creek Road (KY 1848)

Date Let: 10-24-14 Call: 118 County: Shelby District: 05

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 145,595.72 | 7,964,000.00 | 1.83 |
| Bidder 2 | 135,013.72 | 8,193,500.00 | 1.65 |
| Bidder 3 | 203,235.72 | 8,400,000.00 | 2.42 |
| Bidder 4 | 90,504.82 | 8,443,035.77 | 1.07 |
| Bidder 5 | 159,505.72 | 8,982,600.00 | 1.78 |

Bridge Replacement Hemp Patch Branch Road (CR-1002)

Date Let: 10-24-14 Call: 302 County: Knott District: 12

Proposal Description: FD04 SPP 060 1002 000-001

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 13,876.00 | 578,922.34 | 2.40 |
| Bidder 2 | 19,232.50 | 582,948.64 | 3.30 |
| Bidder 3 | 19,311.00 | 652,000.00 | 2.96 |
| Bidder 4 | 13,826.00 | 687,400.70 | 2.01 |

The following projects were included in the analysis of MOT costs but not in the analysis of replacement costs because the bridge type was prestressed concrete box beam.

Bridge with Grade, Drain & Surface Fulton-Fulgham Road (KY 307)

Date Let: 03-22-13 Call: 104 County: Hickman District: 01

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 180,652.00 | 4,785,770.00 | 3.77 |
| Bidder 2 | 675,325.10 | 7,999,354.11 | 8.44 |

Asphalt Rehab with Bridge(s) Martha Layne Collins Parkway (BG 9002)

Date Let: 04-19-13 Call: 425 County: Various District: 04

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 1,052,014.43 | 15,274,318.78 | 6.89 |
| Bidder 2 | 870,315.75 | 16,440,000.00 | 5.29 |
| Bidder 3 | 562,969.98 | 16,645,000.00 | 3.38 |

Bridge with Grade, Drain & Surface Low Water Drive (CR 1336)

Date Let: 05-24-13 Call: 352 County: Harlan District: 11

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 23,529.00 | 1,099,520.97 | 2.14 |
| Bidder 2 | 25,453.00 | 1,115,808.16 | 2.28 |
| Bidder 3 | 26,786.00 | 1,303,490.78 | 2.05 |
| Bidder 4 | 37,464.00 | 1,393,334.07 | 2.69 |

Bridge with Grade, Drain & Surface Ray Road (CR 1060)

Date Let: 07-12-13 Call: 200 County: Daviess District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 4,332.00 | 506,417.49 | 0.86 |
| Bidder 2 | 7,232.00 | 510,474.97 | 1.42 |
| Bidder 3 | 9,199.20 | 585,581.00 | 1.57 |
| Bidder 4 | 13,322.50 | 651,335.09 | 2.05 |
| Bidder 5 | 14,732.00 | 679,247.20 | 2.17 |

Bridge with Grade, Drain & Surface Huddy-Mcveigh Road (KY 199)

Date Let: 08-16-13 Call: 103 County: Pike District: 12

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 4,063.00 | 921,425.55 | 0.44 |
| Bidder 2 | 17,963.00 | 1,071,105.92 | 1.68 |
| Bidder 3 | 37,467.80 | 1,197,516.40 | 3.13 |
| Bidder 4 | 34,954.50 | 1,302,471.50 | 2.68 |

Bridge with Grade & Drain Bridge Connector

Date Let: 08-16-13 Call: 344 County: Martin District: 12

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 3,228.00 | 803,709.59 | 0.40 |
| Bidder 2 | 10,535.00 | 881,765.54 | 1.19 |
| Bidder 3 | 7,785.00 | 892,137.20 | 0.87 |

Bridge with Grade, Drain & Surface Wilson Creek Bridge (KY 945)

Date Let: 09-27-13 Call: 101 County: Graves District: 01

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 13,966.72 | 1,061,739.37 | 1.32 |
| Bidder 2 | 12,320.00 | 1,181,273.31 | 1.04 |
| Bidder 3 | 10,648.80 | 1,283,145.52 | 0.83 |
| Bidder 4 | 9,049.00 | 1,298,504.00 | 0.70 |

Bridge Replacement East Union-Carlisle Road (KY-1285)

Date Let: 09-27-13 Call: 102 County: Nicholas District: 09

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 10,160.00 | 844,352.00 | 1.20 |
| Bidder 2 | 10,236.00 | 851,117.74 | 1.20 |
| Bidder 3 | 12,993.00 | 908,062.62 | 1.43 |
| Bidder 4 | 15,532.00 | 982,293.27 | 1.58 |
| Bidder 5 | 13,312.80 | 999,561.89 | 1.33 |
| Bidder 6 | 13,936.00 | 1,027,542.18 | 1.36 |

Bridge Replacement KY-502

Date Let: 09-27-13 Call: 111 County: Hopkins District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 37,617.53 | 1,496,471.40 | 2.51 |
| Bidder 2 | 4,252.00 | 1,534,048.98 | 0.28 |
| Bidder 3 | 8,352.00 | 1,819,794.55 | 0.46 |

Bridge Replacement Anthoston-Niagara Road (KY-136)

Date Let: 10-25-13 Call: 109 County: Henderson District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 3,120.00 | 644,680.18 | 0.48 |
| Bidder 2 | 2,920.00 | 695,836.16 | 0.42 |
| Bidder 3 | 4,480.00 | 705,464.54 | 0.64 |
| Bidder 4 | 7,100.00 | 713,383.91 | 1.00 |
| Bidder 5 | 12,220.00 | 835,597.95 | 1.46 |

Bridge with Grade, Drain & Surface Gray-Indian Creek Road (KY 3437)

Date Let: 11-22-13 Call: 105 County: Knox District: 11

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 5,600.00 | 629,053.34 | 0.89 |
| Bidder 2 | 7,790.00 | 630,903.09 | 1.23 |
| Bidder 3 | 21,850.00 | 729,500.00 | 3.00 |

Bridge with Grade, Drain & Surface Sedalia to Mayfield Road (KY 79)

Date Let: 11-22-13 Call: 107 County: Graves District: 01

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 4,015.25 | 903,300.00 | 0.44 |
| Bidder 2 | 12,027.85 | 906,572.53 | 1.33 |
| Bidder 3 | 12,442.75 | 958,903.34 | 1.30 |

Bridge with Grade, Drain & Surface Baizetown-Windy Hill Road (KY 505 over Western KY Parkway)

Date Let: 12-13-13 Call: 402 County: Ohio District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 37,696.40 | 1,297,816.47 | 2.90 |
| Bidder 2 | 25,000.40 | 1,326,690.97 | 1.88 |
| Bidder 3 | 45,856.40 | 1,374,382.90 | 3.34 |
| Bidder 4 | 166,762.40 | 1,758,287.84 | 9.48 |

Bridge with Grade, Drain & Surface KY 1505

Date Let: 01-24-14 Call: 101 County: Rockcastle District: 08

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 31,500.00 | 540,750.00 | 5.83 |
| Bidder 2 | 36,125.00 | 555,019.67 | 6.51 |
| Bidder 3 | 52,500.00 | 598,439.48 | 8.77 |
| Bidder 4 | 24,332.50 | 620,293.57 | 3.92 |
| Bidder 5 | 38,967.37 | 630,366.97 | 6.18 |
| Bidder 6 | 41,958.33 | 741,746.41 | 5.66 |

Bridge Replacement Daniel Boone Drive (KY-11)

Date Let: 01-24-14 Call: 301 County: Knox District: 11

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 35,173.00 | 2,649,044.01 | 1.33 |
| Bidder 2 | 31,068.00 | 2,658,452.65 | 1.17 |
| Bidder 3 | 68,001.50 | 3,412,908.31 | 1.99 |

Bridge Replacement Pacies Branch Road (CR 1245)

Date Let: 03-28-14 Call: 112 County: Letcher District: 12

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 8,484.00 | 437,088.88 | 1.94 |
| Bidder 2 | 5,304.52 | 530,009.43 | 1.00 |

Bridge Replacement Bloomfield Road (US 62)

Date Let: 04-25-14 Call: 105 County: Nelson District: 04

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 8,039.98 | 410,219.97 | 1.96 |
| Bidder 2 | 10,170.00 | 473,997.78 | 2.15 |
| Bidder 3 | 5,066.00 | 499,559.32 | 1.01 |
| Bidder 4 | 8,866.00 | 558,843.58 | 1.59 |

Bridge with Grade, Drain & Surface Outland School Road (KY-1536)

Date Let: 05-30-14 Call: 103 County: Calloway District: 01

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 7,933.05 | 564,752.04 | 1.40 |
| Bidder 2 | 2,292.00 | 589,089.00 | 0.39 |
| Bidder 3 | 8,728.00 | 704,451.63 | 1.24 |

Bridge Replacement Tousey Road (CR 1872) over Spring Fork

Date Let: 05-30-14 Call: 108 County: Grayson District: 04

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 1,500.00 | 247,414.14 | 0.61 |
| Bidder 2 | 2,500.00 | 259,974.76 | 0.96 |
| Bidder 3 | 6,000.00 | 395,717.51 | 1.52 |

Bridge with Grade & Drain Stinson Road (CR-1700)

Date Let: 05-30-14 Call: 109 County: Wayne District: 08

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 52,220.00 | 584,268.40 | 8.94 |

Bridge Replacement Elk Lick Creek Road (CR 1224)

Date Let: 05-30-14 Call: 110 County: Lee District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 8,200.00 | 189,220.42 | 4.33 |
| Bidder 2 | 41,500.00 | 224,848.10 | 18.46 |
| Bidder 3 | 43,500.00 | 227,910.54 | 19.09 |
| Bidder 4 | 1,000.00 | 243,728.50 | 0.41 |

Bridge with Grade, Drain & Surface KY 32 over Seas Branch

Date Let: 06-27-14 Call: 110 County: Rowan District: 09

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 53,455.00 | 907,243.52 | 5.89 |
| Bidder 2 | 75,786.00 | 996,876.68 | 7.60 |
| Bidder 3 | 82,792.00 | 1,112,225.48 | 7.44 |
| Bidder 4 | 78,021.83 | 1,168,146.31 | 6.68 |
| Bidder 5 | 173,902.00 | 1,218,490.41 | 14.27 |
| Bidder 6 | 115,602.00 | 1,219,772.95 | 9.48 |
| Bidder 7 | 191,902.75 | 1,222,250.96 | 15.70 |
| Bidder 8 | 237,593.00 | 1,379,104.73 | 17.23 |

Bridge with Grade, Drain & Surface Lower Johns Creek Road (KY-194)

Date Let: 06-27-14 Call: 207 County: Floyd District: 12

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 22,350.00 | 798,175.52 | 2.80 |

Bridge Replacement Hacker Branch Road (CR-1136)

Date Let: 07-11-14 Call: 107 County: Owsley District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 10,000.00 | 908,735.60 | 1.10 |
| Bidder 2 | 1,000.00 | 931,183.89 | 0.11 |
| Bidder 3 | 32,500.00 | 1,104,653.07 | 2.94 |

Bridge with Grade, Drain & Surface Kg Estates Road (CR 1162)

Date Let: 07-11-14 Call: 109 County: Lawrence District: 12

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 28,145.00 | 697,491.87 | 4.04 |
| Bidder 2 | 16,430.00 | 720,475.28 | 2.28 |

Bridge with Grade & Drain Stinson Road (CR-1700)

Date Let: 07-11-14 Call: 115 County: Wayne District: 08

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 28,915.00 | 366,965.44 | 7.88 |
| Bidder 2 | 25,636.00 | 381,161.00 | 6.73 |
| Bidder 3 | 22,020.00 | 498,981.95 | 4.41 |

Bridge with Grade, Drain & Surface Morehead-Grayson Road (US-60)

Date Let: 08-22-14 Call: 106 County: Rowan District: 09

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 82,033.96 | 1,777,455.92 | 4.62 |
| Bidder 2 | 104,643.84 | 1,958,099.72 | 5.34 |
| Bidder 3 | 100,088.80 | 2,040,112.57 | 4.91 |
| Bidder 4 | 170,591.96 | 2,054,367.03 | 8.30 |

Bridge Replacement Glasgow Street (CS 1053)

Date Let: 08-22-14 Call: 107 County: Metcalfe District: 03

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 1,975.00 | 889,251.56 | 0.22 |
| Bidder 2 | 1,735.00 | 935,417.89 | 0.19 |
| Bidder 3 | 22,995.00 | 1,046,509.65 | 2.20 |
| Bidder 4 | 6,626.57 | 1,162,102.31 | 0.57 |

Bridge Replacement Mobley Mill Road (CR 1327)

Date Let: 08-22-14 Call: 108 County: Nelson District: 04

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 3,422.00 | 326,336.65 | 1.05 |
| Bidder 2 | 1,684.00 | 379,489.78 | 0.44 |
| Bidder 3 | 3,186.00 | 385,347.04 | 0.83 |
| Bidder 4 | 3,642.74 | 401,845.35 | 0.91 |

Bridge with Grade, Drain & Surface Upper Wolf Creek Road (CR 1134)

Date Let: 08-22-14 Call: 109 County: Owsley District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 6,172.50 | 688,250.58 | 0.90 |
| Bidder 2 | 8,030.00 | 727,788.73 | 1.10 |
| Bidder 3 | 9,222.50 | 746,698.10 | 1.24 |

Bridge with Grade & Drain Curtis Road (CR 1226)

Date Let: 08-22-14 Call: 111 County: Boyle District: 07

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 4,286.00 | 503,216.38 | 0.85 |
| Bidder 2 | 5,522.12 | 592,950.97 | 0.93 |

Bridge Replacement Hade Bell Road (CR 1167)

Date Let: 09-26-14 Call: 116 County: Allen District: 03

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 2,270.00 | 356,355.71 | 0.64 |
| Bidder 2 | 2,988.50 | 385,855.52 | 0.77 |

Bridge with Grade, Drain & Surface Wildie Road (CR-1071)

Date Let: 09-26-14 Call: 117 County: Rockcastle District: 08

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 17,750.00 | 543,590.31 | 3.27 |
| Bidder 2 | 14,308.75 | 556,335.00 | 2.57 |
| Bidder 3 | 9,985.89 | 567,949.77 | 1.76 |

Bridge with Grade, Drain & Surface Kg Estates Road (CR 1162)

Date Let: 09-26-14 Call: 118 County: Lawrence District: 12

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 35,262.00 | 718,909.19 | 4.90 |
| Bidder 2 | 16,430.00 | 720,817.89 | 2.28 |

Bridge with Grade, Drain & Surface 10th Street (KY-2386)

Date Let: 09-26-14 Call: 306 County: Whitley District: 11

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 60,899.00 | 2,568,000.00 | 2.37 |
| Bidder 2 | 21,053.00 | 2,717,624.63 | 0.77 |

Bridge Replacement Pryorsburg to Dublin Road (KY 1748)

Date Let: 10-24-14 Call: 108 County: Graves District: 01

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 3,960.00 | 499,248.06 | 0.79 |
| Bidder 2 | 3,748.00 | 593,808.00 | 0.63 |
| Bidder 3 | 14,916.00 | 628,858.68 | 2.37 |
| Bidder 4 | 12,912.00 | 774,376.54 | 1.67 |

Bridge with Grade, Drain & Surface Upper Wolf Creek Road (CR 1134)

Date Let: 10-24-14 Call: 110 County: Owsley District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 17,822.50 | 560,100.00 | 3.18 |
| Bidder 2 | 16,172.50 | 688,781.91 | 2.35 |
| Bidder 3 | 17,522.50 | 696,905.94 | 2.51 |
| Bidder 4 | 20,130.00 | 721,464.81 | 2.79 |
| Bidder 5 | 25,964.00 | 909,200.91 | 2.86 |

Bridge Replacement Wildie Road (CR 1071)

Date Let: 10-24-14 Call: 111 County: Rockcastle District: 08

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 12,697.50 | 472,350.00 | 2.69 |
| Bidder 2 | 12,457.00 | 500,851.70 | 2.49 |
| Bidder 3 | 17,047.50 | 504,868.57 | 3.38 |
| Bidder 4 | 9,097.50 | 543,018.80 | 1.68 |
| Bidder 5 | 15,956.97 | 577,334.24 | 2.76 |

Grade & Drain with Asphalt Surface Chalybeate School Road (KY 743)

Date Let: 10-24-14 Call: 304 County: Edmonson District: 03

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 96,199.09 | 3,297,310.97 | 2.92 |

The following project was included in the analysis of MOT costs but not in the analysis of replacement costs because the bridge type was reinforced concrete box culvert.

Grade & Drain with Bridge KY 343

Date Let: 09-26-14 Call: 119 County: Letcher District: 12

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 70,714.00 | 504,849.77 | 14.01 |
| Bidder 2 | 85,769.00 | 524,724.15 | 16.35 |
| Bidder 3 | 110,456.00 | 598,309.85 | 18.46 |

Maintenance of Traffic-Bridge Deck Restoration

The analysis of maintenance of traffic (MOT) costs calculated the percentage of the total contract amount that was bid for MOT items. The analysis included the following MOT bid items:

- Arrow Panel
- Barricade-Type III
- Concrete Barrier Wall Type 9T
- Crash Cushion Type VI Class B TL2
- Crash Cushion Type VI Class B TL3
- Crash Cushion Type VI Class BT TL3
- Install Temp Crash Cushion
- Lane Closure
- Law Enforcement Officer
- Maintain & Control Traffic
- Pave Striping-Temp Paint-4 in
- Pave Striping-Temp Paint -6 in
- Pave Striping-Temp Rem Tape -B
- Pave Striping-Temp Rem Tape -W
- Pave Striping-Temp Rem Tape-Y
- Pavement Marker Type IVA-MW Temp
- Pavement Marker Type IVA-MY Temp
- Pavement Marker Type V-B W/R
- Police Officer with Vehicle
- Portable Changeable Message Sign
- Relocate Crash Cushion
- Relocate Temp Concrete Barrier
- Relocate Water-Filled Barriers
- Remove Pavement Marker Type V
- Signs
- Temp Concrete Median Barrier
- Temp Crash Cushion
- Temp Signal 2 Phase
- Temp Signal Multi Phase
- Temporary Signs
- Truck Mounted Attenuator
- Water-Filled Barriers

Not all items were used on every project. The results of the analysis are summarized in Table D2.

Table D2-Maintenance of traffic analysis summary bridge deck restoration

| Analysis Case | n | Mean | Standard Deviation |
|---------------|-----|--------|--------------------|
| MOT < 30% | 270 | 14.19% | 6.10% |
| MOT < 35% | 276 | 14.46% | 6.46% |
| MOT < 40% | 280 | 14.75% | 6.87% |
| All | 283 | 15.12% | 7.73% |

The following are summaries of MOT percentages for each project used in the analysis.

Bridge Deck Overlay Butler County (WN 9007)

Date Let: 01-25-13 Call: 317 County: Butler District: 03

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 64,760.00 | 342,714.00 | 18.90 |
| Bidder 2 | 68,945.00 | 352,658.20 | 19.55 |
| Bidder 3 | 61,800.00 | 359,799.24 | 17.18 |
| Bidder 4 | 81,200.00 | 370,450.00 | 21.92 |
| Bidder 5 | 55,700.00 | 394,259.03 | 14.13 |
| Bidder 6 | 77,150.00 | 417,997.30 | 18.46 |
| Bidder 7 | 73,900.00 | 497,065.00 | 14.87 |

Bridge Deck Restoration & Waterproofing Interstate 64

Date Let: 02-22-13 Call: 100 County: Jefferson District: 05

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 71,995.00 | 326,889.00 | 22.02 |
| Bidder 2 | 101,995.00 | 348,000.00 | 29.31 |
| Bidder 3 | 78,797.00 | 348,000.00 | 22.64 |
| Bidder 4 | 99,245.00 | 372,488.52 | 26.64 |
| Bidder 5 | 85,095.00 | 390,520.70 | 21.79 |
| Bidder 6 | 127,682.00 | 411,888.53 | 31.00 |

Bridge Deck Restoration & Waterproofing Campbell County (KY 9)

Date Let: 02-22-13 Call: 311 County: Campbell District: 06

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 59,300.00 | 584,185.49 | 10.15 |
| Bidder 2 | 62,050.00 | 608,000.00 | 10.21 |
| Bidder 3 | 101,010.00 | 688,574.00 | 14.67 |
| Bidder 4 | 56,800.00 | 693,950.26 | 8.19 |
| Bidder 5 | 65,700.00 | 718,203.86 | 9.15 |
| Bidder 6 | 108,950.00 | 749,910.42 | 14.53 |

Bridge Deck Restoration & Waterproofing Bridge over North Fork of Triplett Creek

Date Let: 03-22-13 Call: 332 County: Rowan District: 09

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 29,343.00 | 179,566.50 | 16.34 |
| Bidder 2 | 21,746.00 | 195,140.54 | 11.14 |
| Bidder 3 | 70,192.00 | 205,016.10 | 34.24 |
| Bidder 4 | 53,540.00 | 246,550.62 | 21.72 |
| Bidder 5 | 22,895.00 | 273,178.03 | 8.38 |

Bridge Deck Restoration & Waterproofing Wayne & McCreary Cos. Bridge Overlays and Joint Replacements

Date Let: 03-22-13 Call: 434 County: Various District: 08

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 60,990.00 | 384,878.62 | 15.85 |
| Bidder 2 | 105,360.00 | 422,043.30 | 24.96 |
| Bidder 3 | 134,060.00 | 465,063.70 | 28.83 |
| Bidder 4 | 80,560.00 | 480,000.00 | 16.78 |
| Bidder 5 | 106,020.00 | 504,400.09 | 21.02 |
| Bidder 6 | 49,380.00 | 549,869.87 | 8.98 |

Bridge Deck Overlay Hancock County

Date Let: 04-19-13 Call: 406 County: Hancock District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 49,725.00 | 366,602.53 | 13.56 |
| Bidder 2 | 49,607.50 | 373,503.52 | 13.28 |
| Bidder 3 | 27,040.00 | 407,319.32 | 6.64 |
| Bidder 4 | 82,140.00 | 444,000.00 | 18.50 |
| Bidder 5 | 43,840.00 | 447,250.00 | 9.80 |

Bridge Deck Restoration & Waterproofing New Circle Road Bridges

Date Let: 04-19-13 Call: 426 County: Fayette District: 07

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 269,204.00 | 1,757,032.16 | 15.32 |
| Bidder 2 | 245,660.00 | 1,893,755.14 | 12.97 |
| Bidder 3 | 248,284.00 | 1,984,735.50 | 12.51 |
| Bidder 4 | 261,120.00 | 2,124,203.61 | 12.29 |

Bridge Deck Restoration & Waterproofing Bridge over Levisa Fork of Big Sandy

Date Let: 05-24-13 Call: 369 County: Floyd District: 12

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 50,434.00 | 493,286.00 | 10.22 |
| Bidder 2 | 95,450.00 | 526,038.00 | 18.15 |
| Bidder 3 | 101,238.00 | 649,803.01 | 15.58 |
| Bidder 4 | 87,280.00 | 669,866.57 | 13.03 |
| Bidder 5 | 107,490.00 | 740,600.00 | 14.51 |
| Bidder 6 | 97,990.00 | 757,058.15 | 12.94 |

Bridge Deck Overlay KY 838 Crittenden and Livingston Countys

Date Let: 05-24-13 Call: 406 County: Various District: 01

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 4,200.00 | 362,587.65 | 1.16 |
| Bidder 2 | 50,400.00 | 390,826.36 | 12.90 |
| Bidder 3 | 6,900.00 | 393,250.60 | 1.75 |
| Bidder 4 | 10,500.00 | 398,000.00 | 2.64 |
| Bidder 5 | 32,500.00 | 511,946.72 | 6.35 |

Bridge Deck Restoration & Waterproofing KY 80 over KY 9006

Date Let: 05-24-13 Call: 420 County: Clay District: 11

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 82,197.00 | 514,214.72 | 15.98 |
| Bidder 2 | 108,944.00 | 597,925.53 | 18.22 |
| Bidder 3 | 125,890.00 | 648,249.05 | 19.42 |
| Bidder 4 | 130,410.00 | 718,400.00 | 18.15 |
| Bidder 5 | 129,874.00 | 730,391.97 | 17.78 |
| Bidder 6 | 160,660.00 | 739,593.00 | 21.72 |
| Bidder 7 | 114,580.00 | 755,823.40 | 15.16 |

Bridge Deck Restoration & Waterproofing Bridges over I-64

Date Let: 06-14-13 Call: 201 County: Bath District: 09

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 58,310.00 | 478,001.00 | 12.20 |
| Bidder 2 | 66,785.00 | 499,871.77 | 13.36 |
| Bidder 3 | 57,609.50 | 594,395.18 | 9.69 |
| Bidder 4 | 213,729.00 | 618,439.40 | 34.56 |
| Bidder 5 | 59,629.00 | 621,015.58 | 9.60 |
| Bidder 6 | 106,335.00 | 750,000.00 | 14.18 |
| Bidder 7 | 82,599.50 | 767,220.22 | 10.77 |
| Bidder 8 | 96,432.00 | 776,643.30 | 12.42 |
| Bidder 9 | 58,029.00 | 808,691.81 | 7.18 |

Bridge Deck Restoration & Waterproofing I-64 Bridges

Date Let: 08-16-13 Call: 201 County: Franklin District: 05

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 75,589.50 | 1,006,341.07 | 7.51 |
| Bidder 2 | 283,090.00 | 1,186,067.80 | 23.87 |
| Bidder 3 | 198,945.00 | 1,194,260.00 | 16.66 |
| Bidder 4 | 323,727.00 | 1,279,942.42 | 25.29 |
| Bidder 5 | 761,285.00 | 1,394,080.95 | 54.61 |

Bridge Deck Restoration & Waterproofing Robertson County KY 165 and KY 616

Date Let: 08-16-13 Call: 410 County: Robertson District: 06

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 31,468.00 | 380,405.20 | 8.27 |
| Bidder 2 | 22,900.80 | 397,488.53 | 5.76 |
| Bidder 3 | 28,600.80 | 409,257.75 | 6.99 |
| Bidder 4 | 62,867.20 | 435,829.24 | 14.42 |
| Bidder 5 | 69,500.80 | 458,514.14 | 15.16 |
| Bidder 6 | 17,584.20 | 529,140.17 | 3.32 |
| Bidder 7 | 45,059.50 | 565,000.00 | 7.98 |

Bridge Deck Overlay Boone County KY 8 and KY 536--Gallatin County KY 35

Date Let: 08-16-13 Call: 430 County: Various District: 06

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 78,670.00 | 593,151.55 | 13.26 |
| Bidder 2 | 87,635.00 | 597,553.40 | 14.67 |
| Bidder 3 | 91,634.65 | 625,952.80 | 14.64 |
| Bidder 4 | 75,882.00 | 697,251.99 | 10.88 |
| Bidder 5 | 46,226.24 | 700,000.00 | 6.60 |
| Bidder 6 | 36,549.50 | 808,905.05 | 4.52 |

Bridge Deck Overlay Outerloop (KY 1065)

Date Let: 09-27-13 Call: 311 County: Jefferson District: 05

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 81,790.00 | 679,109.50 | 12.04 |
| Bidder 2 | 50,975.00 | 680,392.00 | 7.49 |
| Bidder 3 | 68,590.00 | 717,403.00 | 9.56 |
| Bidder 4 | 44,439.20 | 731,310.25 | 6.08 |
| Bidder 5 | 37,789.75 | 743,211.00 | 5.08 |
| Bidder 6 | 36,784.00 | 760,025.37 | 4.84 |
| Bidder 7 | 68,516.00 | 775,242.80 | 8.84 |
| Bidder 8 | 51,120.00 | 849,250.00 | 6.02 |

Bridge Deck Restoration & Waterproofing KY 1773 Bridge over Grassy Creek

Date Let: 09-27-13 Call: 320 County: Carter District: 09

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 8,891.00 | 242,283.77 | 3.67 |
| Bidder 2 | 9,895.00 | 257,092.50 | 3.85 |
| Bidder 3 | 29,235.00 | 344,865.61 | 8.48 |

Bridge Deck Restoration & Waterproofing KY 386 Bridge over McBride Creek

Date Let: 09-27-13 Call: 322 County: Nicholas District: 09

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 14,344.00 | 137,579.93 | 10.43 |
| Bidder 2 | 27,493.00 | 224,740.15 | 12.23 |

Bridge Deck Restoration & Waterproofing KY 699 Bridge over Leatherwood Creek

Date Let: 09-27-13 Call: 323 County: Perry District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 19,437.00 | 243,985.70 | 7.97 |
| Bidder 2 | 21,043.00 | 262,310.69 | 8.02 |
| Bidder 3 | 100,960.00 | 350,782.80 | 28.78 |
| Bidder 4 | 115,788.00 | 364,534.00 | 31.76 |

Bridge Deck Restoration & Waterproofing Henderson County KY 285

Date Let: 10-25-13 Call: 301 County: Henderson District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 23,682.00 | 170,577.14 | 13.88 |
| Bidder 2 | 27,777.00 | 186,466.30 | 14.90 |
| Bidder 3 | 17,358.80 | 197,666.79 | 8.78 |
| Bidder 4 | 24,832.00 | 197,848.32 | 12.55 |
| Bidder 5 | 44,338.80 | 213,857.79 | 20.73 |
| Bidder 6 | 24,568.60 | 234,403.75 | 10.48 |

Bridge Deck Restoration & Waterproofing Ohio County KY 1245

Date Let: 10-25-13 Call: 304 County: Ohio District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 22,340.00 | 149,869.30 | 14.91 |
| Bidder 2 | 31,060.00 | 193,124.60 | 16.08 |
| Bidder 3 | 23,720.00 | 198,321.67 | 11.96 |
| Bidder 4 | 27,740.00 | 209,830.30 | 13.22 |
| Bidder 5 | 57,340.00 | 233,742.30 | 24.53 |
| Bidder 6 | 38,480.00 | 256,924.17 | 14.98 |

Bridge Deck Restoration & Waterproofing Union County KY 359

Date Let: 10-25-13 Call: 321 County: Union District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 28,250.00 | 223,910.80 | 12.62 |
| Bidder 2 | 25,885.00 | 235,092.39 | 11.01 |
| Bidder 3 | 45,500.00 | 278,758.57 | 16.32 |
| Bidder 4 | 20,445.00 | 297,790.24 | 6.87 |

Bridge Deck Restoration & Waterproofing Davies County KY 3143, KY 554 and US 431

Date Let: 10-25-13 Call: 400 County: Daviess District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 85,140.00 | 434,403.28 | 19.60 |
| Bidder 2 | 71,228.00 | 442,867.10 | 16.08 |
| Bidder 3 | 56,175.00 | 465,583.78 | 12.07 |
| Bidder 4 | 94,740.00 | 528,500.61 | 17.93 |
| Bidder 5 | 63,940.00 | 567,292.35 | 11.27 |
| Bidder 6 | 93,000.00 | 593,835.42 | 15.66 |
| Bidder 7 | 61,800.00 | 596,820.69 | 10.35 |
| Bidder 8 | 81,580.00 | 598,420.52 | 13.63 |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Powell County

Date Let: 10-25-13 Call: 404 County: Powell District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 56,525.00 | 375,316.50 | 15.06 |
| Bidder 2 | 64,282.00 | 469,842.80 | 13.68 |
| Bidder 3 | 87,476.00 | 524,175.97 | 16.69 |
| Bidder 4 | 120,205.00 | 593,953.05 | 20.24 |
| Bidder 5 | 107,470.00 | 594,711.55 | 18.07 |
| Bidder 6 | 132,576.00 | 598,866.80 | 22.14 |
| Bidder 7 | 103,326.00 | 659,431.33 | 15.67 |
| Bidder 8 | 95,832.00 | 677,677.00 | 14.14 |

Bridge Deck Restoration & Waterproofing District 9 Bridge Overlays

Date Let: 10-25-13 Call: 406 County: Various District: 09

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 79,576.00 | 696,209.67 | 11.43 |
| Bidder 2 | 89,866.00 | 758,915.86 | 11.84 |
| Bidder 3 | 182,368.00 | 779,724.30 | 23.39 |
| Bidder 4 | 72,168.00 | 788,291.30 | 9.15 |
| Bidder 5 | 77,676.00 | 799,161.05 | 9.72 |
| Bidder 6 | 145,960.00 | 864,007.03 | 16.89 |
| Bidder 7 | 133,952.00 | 936,928.70 | 14.30 |

Bridge Deck Restoration & Waterproofing Bluegrass Parkway

Date Let: 11-22-13 Call: 304 County: Nelson District: 04

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 64,484.00 | 426,172.22 | 15.13 |
| Bidder 2 | 109,692.00 | 436,411.00 | 25.14 |
| Bidder 3 | 83,490.00 | 446,551.00 | 18.70 |
| Bidder 4 | 73,088.00 | 447,446.00 | 16.33 |
| Bidder 5 | 134,450.00 | 449,101.00 | 29.94 |
| Bidder 6 | 72,185.00 | 468,019.56 | 15.42 |
| Bidder 7 | 67,788.00 | 472,379.21 | 14.35 |
| Bidder 8 | 54,980.00 | 488,396.69 | 11.26 |

Bridge Deck Restoration & Waterproofing District 10 Bridge Overlays

Date Let: 11-22-13 Call: 406 County: Various District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 74,460.00 | 541,924.72 | 13.74 |
| Bidder 2 | 152,066.00 | 570,456.15 | 26.66 |
| Bidder 3 | 86,976.00 | 581,077.16 | 14.97 |
| Bidder 4 | 108,580.00 | 604,617.60 | 17.96 |
| Bidder 5 | 76,664.00 | 645,743.80 | 11.87 |
| Bidder 6 | 138,440.00 | 706,281.46 | 19.60 |

Bridge Deck Restoration & Waterproofing Warren County KY 185

Date Let: 12-13-13 Call: 303 County: Warren District: 03

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 79,650.00 | 669,947.00 | 11.89 |
| Bidder 2 | 44,330.00 | 692,135.65 | 6.40 |
| Bidder 3 | 36,300.00 | 763,848.41 | 4.75 |
| Bidder 4 | 74,720.00 | 767,673.75 | 9.73 |
| Bidder 5 | 33,363.00 | 849,415.39 | 3.93 |
| Bidder 6 | 45,320.00 | 912,467.95 | 4.97 |
| Bidder 7 | 44,794.00 | 1,000,000.00 | 4.48 |

Bridge Deck Restoration & Waterproofing District 4 Bridge Overlays

Date Let: 12-13-13 Call: 401 County: Various District: 04

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 59,235.00 | 368,839.00 | 16.06 |
| Bidder 2 | 60,735.00 | 396,670.00 | 15.31 |
| Bidder 3 | 62,682.00 | 399,302.03 | 15.70 |
| Bidder 4 | 53,616.00 | 417,662.60 | 12.84 |
| Bidder 5 | 208,425.00 | 430,319.00 | 48.43 |
| Bidder 6 | 50,382.00 | 446,680.50 | 11.28 |
| Bidder 7 | 63,129.00 | 449,898.19 | 14.03 |

Bridge Deck Restoration & Waterproofing Bridge Over Culp Creek Rd

Date Let: 04-25-14 Call: 328 County: Greenup District: 09

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 16,422.00 | 230,410.08 | 7.13 |
| Bidder 2 | 17,070.00 | 233,366.27 | 7.31 |
| Bidder 3 | 46,843.00 | 262,803.00 | 17.82 |
| Bidder 4 | 29,480.00 | 283,913.27 | 10.38 |
| Bidder 5 | 17,073.00 | 296,224.92 | 5.76 |

Bridge Deck Restoration & Waterproofing US 31E

Date Let: 04-25-14 Call: 329 County: Nelson District: 04

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 21,189.00 | 261,859.11 | 8.09 |
| Bidder 2 | 30,569.00 | 284,864.23 | 10.73 |
| Bidder 3 | 43,019.00 | 329,124.88 | 13.07 |
| Bidder 4 | 27,945.00 | 333,770.40 | 8.37 |

Bridge Deck Restoration & Waterproofing Fleming County Bridge Overlays

Date Let: 04-25-14 Call: 403 County: Fleming District: 09

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 35,280.00 | 240,321.15 | 14.68 |
| Bidder 2 | 37,480.00 | 247,784.25 | 15.13 |
| Bidder 3 | 40,638.00 | 299,849.38 | 13.55 |
| Bidder 4 | 36,890.00 | 356,713.01 | 10.34 |
| Bidder 5 | 81,686.00 | 364,499.00 | 22.41 |

Bridge Deck Restoration & Waterproofing Davies County

Date Let: 05-30-14 Call: 352 County: Daviess District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 57,672.50 | 221,318.20 | 26.06 |
| Bidder 2 | 48,150.00 | 270,483.50 | 17.80 |
| Bidder 3 | 84,065.00 | 289,540.92 | 29.03 |
| Bidder 4 | 48,490.00 | 292,049.93 | 16.60 |
| Bidder 5 | 64,900.00 | 299,695.80 | 21.66 |
| Bidder 6 | 73,812.50 | 301,141.90 | 24.51 |

Bridge Deck Restoration & Waterproofing Hopkins

Date Let: 05-30-14 Call: 353 County: Hopkins District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 162,360.00 | 452,638.55 | 35.87 |
| Bidder 2 | 84,650.00 | 515,926.54 | 16.41 |
| Bidder 3 | 98,848.00 | 523,038.38 | 18.90 |
| Bidder 4 | 147,650.00 | 572,290.30 | 25.80 |
| Bidder 5 | 95,400.00 | 593,655.34 | 16.07 |
| Bidder 6 | 122,100.00 | 606,092.10 | 20.15 |

Bridge Deck Restoration & Waterproofing Bridge over Licking River

Date Let: 05-30-14 Call: 354 County: Morgan District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 23,337.00 | 254,117.63 | 9.18 |
| Bidder 2 | 44,969.00 | 292,315.20 | 15.38 |
| Bidder 3 | 19,945.00 | 310,682.38 | 6.42 |
| Bidder 4 | 50,245.00 | 342,734.60 | 14.66 |
| Bidder 5 | 15,245.00 | 347,619.36 | 4.39 |
| Bidder 6 | 86,380.00 | 366,294.00 | 23.58 |

Bridge Deck Restoration & Waterproofing Bridge over Middle Fork of Red River

Date Let: 05-30-14 Call: 355 County: Powell District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 32,817.00 | 170,621.97 | 19.23 |
| Bidder 2 | 38,215.00 | 190,517.70 | 20.06 |
| Bidder 3 | 52,114.00 | 206,032.16 | 25.29 |
| Bidder 4 | 74,470.00 | 207,388.30 | 35.91 |
| Bidder 5 | 36,805.00 | 258,413.77 | 14.24 |

Bridge Deck Restoration & Waterproofing KY 114 Overlays

Date Let: 05-30-14 Call: 440 County: Floyd District: 12

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 55,658.50 | 366,242.27 | 15.20 |
| Bidder 2 | 56,788.00 | 379,004.56 | 14.98 |
| Bidder 3 | 85,488.00 | 384,729.20 | 22.22 |
| Bidder 4 | 61,980.00 | 391,227.10 | 15.84 |
| Bidder 5 | 59,788.00 | 392,574.19 | 15.23 |

Bridge Deck Restoration & Waterproofing Davies County US 231

Date Let: 05-30-14 Call: 444 County: Daviess District: 02

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 93,769.00 | 460,777.00 | 20.35 |
| Bidder 2 | 40,818.00 | 489,121.41 | 8.35 |
| Bidder 3 | 76,760.00 | 513,202.00 | 14.96 |
| Bidder 4 | 115,185.00 | 529,931.75 | 21.74 |
| Bidder 5 | 44,685.00 | 537,515.98 | 8.31 |
| Bidder 6 | 76,276.50 | 560,926.31 | 13.60 |
| Bidder 7 | 97,185.00 | 583,290.00 | 16.66 |

Bridge Deck Restoration & Waterproofing Ballard County

Date Let: 05-30-14 Call: 445 County: Ballard District: 01

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 69,238.00 | 432,024.60 | 16.03 |
| Bidder 2 | 71,605.00 | 461,404.92 | 15.52 |
| Bidder 3 | 81,715.00 | 493,644.71 | 16.55 |
| Bidder 4 | 41,985.00 | 562,607.51 | 7.46 |
| Bidder 5 | 85,747.00 | 640,602.31 | 13.39 |

Bridge Deck Restoration & Waterproofing Bridges over Mountain Parkway

Date Let: 05-30-14 Call: 446 County: Powell District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 55,776.00 | 487,248.51 | 11.45 |
| Bidder 2 | 72,938.00 | 495,021.80 | 14.73 |
| Bidder 3 | 38,138.00 | 498,217.18 | 7.65 |
| Bidder 4 | 43,988.00 | 522,500.60 | 8.42 |
| Bidder 5 | 85,790.00 | 528,787.40 | 16.22 |

Bridge Deck Restoration & Waterproofing Bridge over Wilson Creek

Date Let: 06-27-14 Call: 316 County: Nelson District: 04

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 16,925.00 | 117,467.50 | 14.41 |
| Bidder 2 | 20,269.50 | 163,710.07 | 12.38 |
| Bidder 3 | 30,995.00 | 174,611.50 | 17.75 |
| Bidder 4 | 22,490.00 | 179,482.50 | 12.53 |
| Bidder 5 | 19,245.00 | 209,588.91 | 9.18 |

Bridge Deck Restoration & Waterproofing Interstate 64

Date Let: 07-11-14 Call: 100 County: Franklin District: 05

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 189,066.00 | 787,836.00 | 24.00 |
| Bidder 2 | 74,340.00 | 835,469.00 | 8.90 |
| Bidder 3 | 39,533.60 | 890,676.31 | 4.44 |
| Bidder 4 | 77,200.00 | 923,620.82 | 8.36 |
| Bidder 5 | 133,080.00 | 1,082,629.46 | 12.29 |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Harlan County

Date Let: 08-22-14 Call: 435 County: Harlan District: 11

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 85,176.00 | 791,855.41 | 10.76 |
| Bidder 2 | 182,235.00 | 851,170.40 | 21.41 |
| Bidder 3 | 95,826.00 | 857,545.16 | 11.17 |
| Bidder 4 | 281,604.00 | 950,600.40 | 29.62 |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Perry County

Date Let: 08-22-14 Call: 445 County: Perry District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 101,276.00 | 748,644.42 | 13.53 |
| Bidder 2 | 69,788.00 | 751,375.08 | 9.29 |
| Bidder 3 | 87,936.00 | 822,514.71 | 10.69 |
| Bidder 4 | 161,986.00 | 891,011.70 | 18.18 |
| Bidder 5 | 240,890.00 | 899,935.70 | 26.77 |

Bridge Deck Restoration & Waterproofing Bridge over Ohio River

Date Let: 09-26-14 Call: 100 County: Boone District: 06

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 1,059,290.00 | 6,725,000.00 | 15.75 |
| Bidder 2 | 1,550,465.00 | 8,153,368.39 | 19.02 |
| Bidder 3 | 1,059,298.00 | 8,772,892.82 | 12.07 |
| Bidder 4 | 1,419,050.00 | 8,871,092.00 | 16.00 |
| Bidder 5 | 1,770,505.00 | 9,596,222.00 | 18.45 |

Bridge Deck Restoration & Waterproofing Western Kentucky Parkway Bridge Overlays

Date Let: 09-26-14 Call: 404 County: Hardin District: 04

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 156,748.00 | 735,209.66 | 21.32 |
| Bidder 2 | 238,900.00 | 751,373.00 | 31.80 |
| Bidder 3 | 245,226.04 | 758,000.00 | 32.35 |
| Bidder 4 | 151,380.00 | 795,459.68 | 19.03 |
| Bidder 5 | 209,580.00 | 849,857.00 | 24.66 |
| Bidder 6 | 159,584.00 | 851,503.81 | 18.74 |

Bridge Deck Restoration & Waterproofing Bridge over Tygarts Creek

Date Let: 10-24-14 Call: 319 County: Carter District: 09

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 47,300.00 | 459,533.45 | 10.29 |
| Bidder 2 | 38,800.00 | 497,414.50 | 7.80 |
| Bidder 3 | 1,200.00 | 509,889.52 | 0.24 |
| Bidder 4 | 51,300.00 | 512,384.40 | 10.01 |
| Bidder 5 | 4,000.00 | 562,184.75 | 0.71 |
| Bidder 6 | 15,050.00 | 609,471.66 | 2.47 |
| Bidder 7 | 8,300.00 | 662,378.40 | 1.25 |

Bridge Deck Restoration & Waterproofing Bridge Overlays in Wayne County

Date Let: 10-24-14 Call: 403 County: Wayne District: 08

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 87,705.00 | 389,939.80 | 22.49 |
| Bidder 2 | 76,182.00 | 404,524.40 | 18.83 |
| Bidder 3 | 96,049.95 | 505,884.71 | 18.99 |
| Bidder 4 | 62,829.00 | 514,635.59 | 12.21 |
| Bidder 5 | 108,435.00 | 533,264.15 | 20.33 |

The following projects were included in the analysis of MOT costs but not in the analysis of overlay costs because they did not include a latex-modified concrete overlay.

Bridge Deck Restoration & Waterproofing Bridges over Mountain Parkway

Date Let: 06-14-13 Call: 405 County: Wolfe District: 10

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 38,243.00 | 181,435.80 | 21.08 |
| Bidder 2 | 12,245.00 | 188,366.34 | 6.50 |
| Bidder 3 | 49,745.00 | 240,826.30 | 20.66 |
| Bidder 4 | 21,543.00 | 253,716.31 | 8.49 |
| Bidder 5 | 30,170.00 | 264,780.20 | 11.39 |
| Bidder 6 | 32,537.00 | 313,454.13 | 10.38 |
| Bidder 7 | 82,840.00 | 408,254.16 | 20.29 |

Bridge Deck Restoration & Waterproofing Bridge over Harrods Creek

Date Let: 03-28-14 Call: 300 County: Oldham District: 05

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 4,248.00 | 57,753.20 | 7.36 |
| Bidder 2 | 7,246.80 | 62,622.76 | 11.57 |
| Bidder 3 | 10,947.20 | 83,917.12 | 13.05 |

Bridge Deck Restoration & Waterproofing Anderson County US 62 Tyron Bridge

Date Let: 08-22-14 Call: 319 County: Anderson District: 07

| | MOT Items (\$) | Total Bid, \$ | MOT Percent |
|----------|----------------|---------------|-------------|
| Bidder 1 | 19,500.00 | 42,500.00 | 45.88 |
| Bidder 2 | 13,500.00 | 44,500.00 | 30.34 |
| Bidder 3 | 9,950.00 | 53,755.00 | 18.51 |
| Bidder 4 | 25,000.00 | 99,472.18 | 25.13 |

APPENDIX E: PROBABILISTIC ANALYSIS

Appendix E contains the risk profile statistics and ascending cumulative probability plots for the following probabilistic analyses:

- Bridge over highway
- Bridge over highway with modified bridge construction time and cost
- Bridge over highway with limited variables
- Bridge over waterway
- Bridge over waterway with modified bridge construction time and cost

Bridge over Highway

Table E.1-Risk profile statistics for highway bridge ADT case 1 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 97,438 | 1,045,382 | 794,935 | 341,131 | 1,340,918 |
| Maximum | 1,900,008 | 8,127,154 | 9,416,041 | 2,117,072 | 6,808,270 | 8,115,999 |
| Mean | 1,203,146 | 2,487,246 | 3,690,392 | 1,250,889 | 2,190,694 | 3,441,584 |
| Std Dev | 156,583 | 1,170,485 | 1,180,960 | 175,993 | 906,419 | 929,941 |
| Percentile | | | | | | |
| 1% | 872,316 | 432,429 | 1,593,222 | 918,427 | 612,292 | 1,782,069 |
| 5% | 945,174 | 793,004 | 1,982,405 | 989,862 | 885,351 | 2,096,983 |
| 10% | 998,059 | 1,064,676 | 2,256,335 | 1,035,656 | 1,093,040 | 2,316,965 |
| 15% | 1,036,328 | 1,271,769 | 2,466,409 | 1,068,262 | 1,255,455 | 2,483,991 |
| 20% | 1,067,022 | 1,454,059 | 2,649,745 | 1,095,750 | 1,390,624 | 2,623,876 |
| 25% | 1,093,240 | 1,618,878 | 2,815,350 | 1,121,263 | 1,516,133 | 2,753,954 |
| 30% | 1,117,539 | 1,770,534 | 2,970,703 | 1,145,099 | 1,635,395 | 2,878,401 |
| 35% | 1,139,266 | 1,916,931 | 3,117,045 | 1,167,704 | 1,751,407 | 2,996,011 |
| 40% | 1,160,427 | 2,061,895 | 3,262,952 | 1,190,012 | 1,863,082 | 3,111,579 |
| 45% | 1,180,850 | 2,207,432 | 3,410,607 | 1,211,954 | 1,975,540 | 3,225,424 |
| 50% | 1,201,069 | 2,356,742 | 3,560,778 | 1,235,173 | 2,088,005 | 3,340,833 |
| 55% | 1,220,708 | 2,508,172 | 3,714,483 | 1,258,333 | 2,204,872 | 3,460,045 |
| 60% | 1,241,683 | 2,664,206 | 3,871,521 | 1,282,448 | 2,326,519 | 3,580,577 |
| 65% | 1,263,431 | 2,835,780 | 4,041,007 | 1,307,817 | 2,454,685 | 3,713,426 |
| 70% | 1,285,744 | 3,017,088 | 4,228,912 | 1,335,014 | 2,597,707 | 3,861,338 |
| 75% | 1,309,538 | 3,217,436 | 4,431,141 | 1,364,839 | 2,755,398 | 4,018,037 |
| 80% | 1,336,254 | 3,450,674 | 4,663,438 | 1,398,495 | 2,931,534 | 4,199,411 |
| 85% | 1,367,361 | 3,729,281 | 4,943,681 | 1,438,184 | 3,146,207 | 4,423,492 |
| 90% | 1,407,025 | 4,091,371 | 5,302,833 | 1,489,869 | 3,426,181 | 4,708,994 |
| 95% | 1,464,162 | 4,630,264 | 5,855,001 | 1,564,673 | 3,851,427 | 5,135,324 |
| 99% | 1,576,306 | 5,649,521 | 6,853,068 | 1,708,231 | 4,638,987 | 5,959,375 |

Table E.2-Risk profile statistics for highway bridge ADT case 2 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 128,948 | 1,136,745 | 794,935 | 627,597 | 1,664,219 |
| Maximum | 1,900,008 | 15,913,872 | 17,202,760 | 2,117,072 | 13,417,366 | 14,725,095 |
| Mean | 1,203,146 | 4,805,013 | 6,008,159 | 1,250,889 | 4,265,064 | 5,515,954 |
| Std Dev | 156,583 | 2,320,482 | 2,325,747 | 175,993 | 1,798,822 | 1,813,805 |
| Percentile | | | | | | |
| 1% | 872,316 | 717,568 | 1,901,047 | 918,427 | 1,125,222 | 2,332,708 |
| 5% | 945,174 | 1,443,603 | 2,642,581 | 989,862 | 1,671,524 | 2,898,109 |
| 10% | 998,059 | 1,983,136 | 3,180,393 | 1,035,656 | 2,084,829 | 3,321,224 |
| 15% | 1,036,328 | 2,396,570 | 3,596,632 | 1,068,262 | 2,406,865 | 3,643,361 |
| 20% | 1,067,022 | 2,758,475 | 3,954,421 | 1,095,750 | 2,681,582 | 3,919,214 |
| 25% | 1,093,240 | 3,084,803 | 4,282,127 | 1,121,263 | 2,926,514 | 4,168,648 |
| 30% | 1,117,539 | 3,387,221 | 4,588,013 | 1,145,099 | 3,163,495 | 4,409,121 |
| 35% | 1,139,266 | 3,676,889 | 4,879,458 | 1,167,704 | 3,393,788 | 4,639,750 |
| 40% | 1,160,427 | 3,962,949 | 5,165,387 | 1,190,012 | 3,617,512 | 4,864,784 |
| 45% | 1,180,850 | 4,251,826 | 5,453,012 | 1,211,954 | 3,838,843 | 5,088,789 |
| 50% | 1,201,069 | 4,548,437 | 5,748,648 | 1,235,173 | 4,062,532 | 5,315,901 |
| 55% | 1,220,708 | 4,846,878 | 6,052,732 | 1,258,333 | 4,294,361 | 5,541,791 |
| 60% | 1,241,683 | 5,156,019 | 6,361,843 | 1,282,448 | 4,533,615 | 5,783,157 |
| 65% | 1,263,431 | 5,495,789 | 6,697,248 | 1,307,817 | 4,789,563 | 6,041,907 |
| 70% | 1,285,744 | 5,854,924 | 7,063,779 | 1,335,014 | 5,073,127 | 6,329,824 |
| 75% | 1,309,538 | 6,249,841 | 7,462,974 | 1,364,839 | 5,385,349 | 6,640,381 |
| 80% | 1,336,254 | 6,711,539 | 7,923,100 | 1,398,495 | 5,734,930 | 6,995,903 |
| 85% | 1,367,361 | 7,267,546 | 8,474,759 | 1,438,184 | 6,161,103 | 7,429,282 |
| 90% | 1,407,025 | 7,981,769 | 9,191,668 | 1,489,869 | 6,718,945 | 7,990,383 |
| 95% | 1,464,162 | 9,050,651 | 10,266,998 | 1,564,673 | 7,559,273 | 8,831,245 |
| 99% | 1,576,306 | 11,077,926 | 12,262,742 | 1,708,231 | 9,125,888 | 10,418,898 |

Table E.3-Risk profile statistics for highway bridge ADT case 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 206,437 | 1,270,059 | 794,935 | 1,439,719 | 2,535,401 |
| Maximum | 1,900,008 | 39,277,797 | 40,562,914 | 2,117,072 | 33,244,654 | 34,552,383 |
| Mean | 1,203,146 | 11,758,315 | 12,961,461 | 1,250,889 | 10,488,175 | 11,739,065 |
| Std Dev | 156,583 | 5,771,415 | 5,773,489 | 175,993 | 4,476,565 | 4,486,264 |
| Percentile | | | | | | |
| 1% | 872,316 | 1,585,982 | 2,783,652 | 918,427 | 2,666,615 | 3,888,973 |
| 5% | 945,174 | 3,388,038 | 4,596,383 | 989,862 | 4,028,280 | 5,265,337 |
| 10% | 998,059 | 4,738,215 | 5,943,565 | 1,035,656 | 5,062,315 | 6,312,043 |
| 15% | 1,036,328 | 5,764,651 | 6,972,496 | 1,068,262 | 5,861,357 | 7,103,400 |
| 20% | 1,067,022 | 6,673,058 | 7,878,844 | 1,095,750 | 6,550,163 | 7,791,140 |
| 25% | 1,093,240 | 7,486,983 | 8,680,707 | 1,121,263 | 7,160,756 | 8,400,892 |
| 30% | 1,117,539 | 8,239,355 | 9,437,390 | 1,145,099 | 7,749,965 | 9,001,345 |
| 35% | 1,139,266 | 8,958,709 | 10,156,542 | 1,167,704 | 8,321,916 | 9,568,357 |
| 40% | 1,160,427 | 9,664,707 | 10,869,362 | 1,190,012 | 8,876,822 | 10,121,179 |
| 45% | 1,180,850 | 10,383,858 | 11,589,573 | 1,211,954 | 9,429,836 | 10,679,482 |
| 50% | 1,201,069 | 11,119,865 | 12,320,279 | 1,235,173 | 9,985,899 | 11,237,070 |
| 55% | 1,220,708 | 11,863,936 | 13,067,967 | 1,258,333 | 10,562,750 | 11,808,288 |
| 60% | 1,241,683 | 12,631,063 | 13,832,748 | 1,282,448 | 11,155,603 | 12,406,793 |
| 65% | 1,263,431 | 13,470,428 | 14,672,003 | 1,307,817 | 11,793,266 | 13,040,609 |
| 70% | 1,285,744 | 14,373,610 | 15,569,892 | 1,335,014 | 12,496,336 | 13,756,259 |
| 75% | 1,309,538 | 15,351,251 | 16,561,290 | 1,364,839 | 13,276,944 | 14,523,221 |
| 80% | 1,336,254 | 16,498,176 | 17,708,920 | 1,398,495 | 14,145,345 | 15,395,228 |
| 85% | 1,367,361 | 17,884,613 | 19,086,306 | 1,438,184 | 15,206,662 | 16,465,633 |
| 90% | 1,407,025 | 19,656,498 | 20,859,854 | 1,489,869 | 16,592,100 | 17,853,154 |
| 95% | 1,464,162 | 22,317,651 | 23,537,864 | 1,564,673 | 18,687,465 | 19,951,555 |
| 99% | 1,576,306 | 27,340,546 | 28,539,746 | 1,708,231 | 22,573,882 | 23,859,671 |

Table E.4-Risk profile statistics for highway bridge ADT case 4 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 690,790 | 1,806,946 | 794,935 | 752,672 | 1,843,415 |
| Maximum | 1,900,008 | 11,191,076 | 12,479,963 | 2,117,072 | 8,600,840 | 9,908,569 |
| Mean | 1,203,146 | 4,012,556 | 5,215,702 | 1,250,889 | 3,237,609 | 4,488,499 |
| Std Dev | 156,583 | 1,410,766 | 1,420,371 | 175,993 | 1,065,127 | 1,090,539 |
| Percentile | | | | | | |
| 1% | 872,316 | 1,473,263 | 2,642,809 | 918,427 | 1,348,978 | 2,519,661 |
| 5% | 945,174 | 1,963,911 | 3,147,135 | 989,862 | 1,705,022 | 2,910,677 |
| 10% | 998,059 | 2,295,765 | 3,486,805 | 1,035,656 | 1,948,617 | 3,168,273 |
| 15% | 1,036,328 | 2,543,648 | 3,744,644 | 1,068,262 | 2,136,639 | 3,365,706 |
| 20% | 1,067,022 | 2,762,035 | 3,959,026 | 1,095,750 | 2,300,995 | 3,531,210 |
| 25% | 1,093,240 | 2,963,393 | 4,161,854 | 1,121,263 | 2,444,304 | 3,682,957 |
| 30% | 1,117,539 | 3,149,028 | 4,349,547 | 1,145,099 | 2,582,765 | 3,827,301 |
| 35% | 1,139,266 | 3,332,802 | 4,529,285 | 1,167,704 | 2,720,820 | 3,964,214 |
| 40% | 1,160,427 | 3,508,662 | 4,707,391 | 1,190,012 | 2,853,351 | 4,102,558 |
| 45% | 1,180,850 | 3,683,235 | 4,886,617 | 1,211,954 | 2,986,072 | 4,236,305 |
| 50% | 1,201,069 | 3,865,747 | 5,071,344 | 1,235,173 | 3,120,120 | 4,372,410 |
| 55% | 1,220,708 | 4,052,585 | 5,257,421 | 1,258,333 | 3,257,939 | 4,511,289 |
| 60% | 1,241,683 | 4,245,816 | 5,451,197 | 1,282,448 | 3,403,322 | 4,659,087 |
| 65% | 1,263,431 | 4,447,270 | 5,651,355 | 1,307,817 | 3,556,245 | 4,817,323 |
| 70% | 1,285,744 | 4,662,528 | 5,875,186 | 1,335,014 | 3,723,358 | 4,984,699 |
| 75% | 1,309,538 | 4,904,348 | 6,116,437 | 1,364,839 | 3,902,246 | 5,170,453 |
| 80% | 1,336,254 | 5,179,627 | 6,395,274 | 1,398,495 | 4,110,965 | 5,380,937 |
| 85% | 1,367,361 | 5,512,845 | 6,723,508 | 1,438,184 | 4,363,050 | 5,639,359 |
| 90% | 1,407,025 | 5,933,560 | 7,150,655 | 1,489,869 | 4,688,068 | 5,972,862 |
| 95% | 1,464,162 | 6,573,928 | 7,787,315 | 1,564,673 | 5,177,528 | 6,461,485 |
| 99% | 1,576,306 | 7,770,867 | 8,992,684 | 1,708,231 | 6,110,561 | 7,415,750 |

Table E.5-Risk profile statistics for highway bridge ADT case 5 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 722,300 | 1,930,294 | 794,935 | 1,063,635 | 2,256,461 |
| Maximum | 1,900,008 | 18,977,794 | 20,266,682 | 2,117,072 | 15,209,936 | 16,517,665 |
| Mean | 1,203,146 | 6,330,323 | 7,533,469 | 1,250,889 | 5,311,980 | 6,562,869 |
| Std Dev | 156,583 | 2,530,719 | 2,536,052 | 175,993 | 1,939,853 | 1,956,718 |
| Percentile | | | | | | |
| 1% | 872,316 | 1,868,151 | 3,054,626 | 918,427 | 1,938,273 | 3,133,485 |
| 5% | 945,174 | 2,684,329 | 3,883,606 | 989,862 | 2,532,482 | 3,754,640 |
| 10% | 998,059 | 3,258,857 | 4,453,017 | 1,035,656 | 2,967,113 | 4,199,130 |
| 15% | 1,036,328 | 3,702,118 | 4,904,151 | 1,068,262 | 3,306,553 | 4,543,798 |
| 20% | 1,067,022 | 4,086,513 | 5,283,927 | 1,095,750 | 3,598,788 | 4,838,617 |
| 25% | 1,093,240 | 4,442,203 | 5,643,559 | 1,121,263 | 3,862,853 | 5,104,769 |
| 30% | 1,117,539 | 4,768,723 | 5,972,237 | 1,145,099 | 4,112,247 | 5,362,583 |
| 35% | 1,139,266 | 5,091,612 | 6,292,662 | 1,167,704 | 4,367,917 | 5,613,147 |
| 40% | 1,160,427 | 5,412,614 | 6,608,427 | 1,190,012 | 4,611,938 | 5,857,963 |
| 45% | 1,180,850 | 5,724,548 | 6,927,899 | 1,211,954 | 4,848,313 | 6,100,857 |
| 50% | 1,201,069 | 6,043,843 | 7,250,388 | 1,235,173 | 5,085,968 | 6,339,431 |
| 55% | 1,220,708 | 6,380,034 | 7,584,815 | 1,258,333 | 5,338,865 | 6,593,957 |
| 60% | 1,241,683 | 6,728,621 | 7,927,645 | 1,282,448 | 5,604,887 | 6,857,818 |
| 65% | 1,263,431 | 7,088,269 | 8,295,244 | 1,307,817 | 5,882,195 | 7,142,829 |
| 70% | 1,285,744 | 7,481,278 | 8,688,812 | 1,335,014 | 6,186,605 | 7,442,035 |
| 75% | 1,309,538 | 7,918,934 | 9,127,494 | 1,364,839 | 6,519,861 | 7,781,507 |
| 80% | 1,336,254 | 8,419,858 | 9,634,028 | 1,398,495 | 6,900,388 | 8,157,432 |
| 85% | 1,367,361 | 9,019,055 | 10,232,593 | 1,438,184 | 7,362,019 | 8,631,906 |
| 90% | 1,407,025 | 9,793,609 | 11,007,341 | 1,489,869 | 7,962,515 | 9,233,089 |
| 95% | 1,464,162 | 10,952,717 | 12,167,788 | 1,564,673 | 8,853,724 | 10,127,765 |
| 99% | 1,576,306 | 13,126,231 | 14,352,181 | 1,708,231 | 10,550,036 | 11,853,870 |

Table E.6-Risk profile statistics for highway bridge ADT case 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 816,830 | 2,022,003 | 794,935 | 1,978,980 | 3,144,649 |
| Maximum | 1,900,008 | 42,337,949 | 43,626,836 | 2,117,072 | 35,037,224 | 36,344,953 |
| Mean | 1,203,146 | 13,283,624 | 14,486,770 | 1,250,889 | 11,535,090 | 12,785,980 |
| Std Dev | 156,583 | 5,960,550 | 5,962,774 | 175,993 | 4,605,433 | 4,616,116 |
| Percentile | | | | | | |
| 1% | 872,316 | 2,844,264 | 4,031,257 | 918,427 | 3,536,571 | 4,768,463 |
| 5% | 945,174 | 4,673,734 | 5,882,916 | 989,862 | 4,924,719 | 6,153,751 |
| 10% | 998,059 | 6,044,544 | 7,246,086 | 1,035,656 | 5,956,079 | 7,205,100 |
| 15% | 1,036,328 | 7,094,535 | 8,292,717 | 1,068,262 | 6,778,933 | 8,021,078 |
| 20% | 1,067,022 | 8,012,264 | 9,213,564 | 1,095,750 | 7,459,721 | 8,709,063 |
| 25% | 1,093,240 | 8,848,828 | 10,049,529 | 1,121,263 | 8,103,906 | 9,346,338 |
| 30% | 1,117,539 | 9,620,709 | 10,828,172 | 1,145,099 | 8,700,974 | 9,956,863 |
| 35% | 1,139,266 | 10,371,884 | 11,575,932 | 1,167,704 | 9,298,056 | 10,547,840 |
| 40% | 1,160,427 | 11,113,571 | 12,308,718 | 1,190,012 | 9,871,473 | 11,121,189 |
| 45% | 1,180,850 | 11,848,500 | 13,054,503 | 1,211,954 | 10,431,269 | 11,684,579 |
| 50% | 1,201,069 | 12,609,807 | 13,817,945 | 1,235,173 | 11,002,411 | 12,255,098 |
| 55% | 1,220,708 | 13,384,215 | 14,592,372 | 1,258,333 | 11,602,847 | 12,850,894 |
| 60% | 1,241,683 | 14,203,659 | 15,399,410 | 1,282,448 | 12,221,115 | 13,466,766 |
| 65% | 1,263,431 | 15,058,098 | 16,257,046 | 1,307,817 | 12,883,263 | 14,124,088 |
| 70% | 1,285,744 | 15,977,979 | 17,181,878 | 1,335,014 | 13,607,587 | 14,859,684 |
| 75% | 1,309,538 | 17,019,257 | 18,217,440 | 1,364,839 | 14,403,007 | 15,654,613 |
| 80% | 1,336,254 | 18,186,446 | 19,402,790 | 1,398,495 | 15,295,393 | 16,555,744 |
| 85% | 1,367,361 | 19,609,346 | 20,818,148 | 1,438,184 | 16,398,183 | 17,660,386 |
| 90% | 1,407,025 | 21,461,131 | 22,660,891 | 1,489,869 | 17,817,470 | 19,087,773 |
| 95% | 1,464,162 | 24,201,168 | 25,398,514 | 1,564,673 | 19,980,314 | 21,243,462 |
| 99% | 1,576,306 | 29,395,091 | 30,608,721 | 1,708,231 | 23,970,207 | 25,252,243 |

Table E.7-Risk profile statistics for highway bridge ADT case 7 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 3,103,685 | 4,187,213 | 794,935 | 2,519,511 | 3,688,107 |
| Maximum | 1,900,008 | 26,190,632 | 27,554,763 | 2,117,072 | 19,710,031 | 20,858,993 |
| Mean | 1,203,146 | 10,791,710 | 11,994,856 | 1,250,889 | 7,890,566 | 9,141,455 |
| Std Dev | 156,583 | 3,018,819 | 3,025,201 | 175,993 | 2,115,615 | 2,140,584 |
| Percentile | | | | | | |
| 1% | 872,316 | 5,027,835 | 6,221,604 | 918,427 | 3,897,325 | 5,091,288 |
| 5% | 945,174 | 6,201,260 | 7,399,223 | 989,862 | 4,730,081 | 5,940,267 |
| 10% | 998,059 | 7,013,774 | 8,214,189 | 1,035,656 | 5,282,830 | 6,499,107 |
| 15% | 1,036,328 | 7,612,451 | 8,818,029 | 1,068,262 | 5,696,640 | 6,927,315 |
| 20% | 1,067,022 | 8,134,123 | 9,330,228 | 1,095,750 | 6,049,030 | 7,277,027 |
| 25% | 1,093,240 | 8,595,871 | 9,795,708 | 1,121,263 | 6,354,480 | 7,589,744 |
| 30% | 1,117,539 | 9,018,702 | 10,218,745 | 1,145,099 | 6,634,018 | 7,876,496 |
| 35% | 1,139,266 | 9,424,442 | 10,623,052 | 1,167,704 | 6,904,079 | 8,143,975 |
| 40% | 1,160,427 | 9,815,643 | 11,020,702 | 1,190,012 | 7,173,156 | 8,413,454 |
| 45% | 1,180,850 | 10,191,980 | 11,393,374 | 1,211,954 | 7,450,134 | 8,691,982 |
| 50% | 1,201,069 | 10,575,930 | 11,778,008 | 1,235,173 | 7,713,306 | 8,963,475 |
| 55% | 1,220,708 | 10,963,323 | 12,170,565 | 1,258,333 | 7,981,474 | 9,238,719 |
| 60% | 1,241,683 | 11,368,995 | 12,569,962 | 1,282,448 | 8,262,548 | 9,524,291 |
| 65% | 1,263,431 | 11,800,112 | 13,004,798 | 1,307,817 | 8,565,452 | 9,824,245 |
| 70% | 1,285,744 | 12,244,283 | 13,450,291 | 1,335,014 | 8,891,201 | 10,152,254 |
| 75% | 1,309,538 | 12,731,325 | 13,937,650 | 1,364,839 | 9,236,565 | 10,500,609 |
| 80% | 1,336,254 | 13,303,645 | 14,510,059 | 1,398,495 | 9,636,490 | 10,906,040 |
| 85% | 1,367,361 | 13,964,300 | 15,175,338 | 1,438,184 | 10,112,248 | 11,387,842 |
| 90% | 1,407,025 | 14,827,998 | 16,043,020 | 1,489,869 | 10,727,542 | 12,001,726 |
| 95% | 1,464,162 | 16,123,374 | 17,337,248 | 1,564,673 | 11,644,613 | 12,944,882 |
| 99% | 1,576,306 | 18,613,419 | 19,834,669 | 1,708,231 | 13,479,517 | 14,810,886 |

Table E.8-Risk profile statistics for highway bridge ADT case 8 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 3,232,036 | 4,315,564 | 794,935 | 2,830,474 | 4,023,300 |
| Maximum | 1,900,008 | 32,595,226 | 33,884,113 | 2,117,072 | 24,381,753 | 25,792,195 |
| Mean | 1,203,146 | 13,109,477 | 14,312,623 | 1,250,889 | 9,964,936 | 11,215,825 |
| Std Dev | 156,583 | 3,912,018 | 3,916,923 | 175,993 | 2,838,506 | 2,859,078 |
| Percentile | | | | | | |
| 1% | 872,316 | 5,765,631 | 6,944,840 | 918,427 | 4,719,163 | 5,914,247 |
| 5% | 945,174 | 7,261,582 | 8,451,320 | 989,862 | 5,785,638 | 7,010,177 |
| 10% | 998,059 | 8,258,649 | 9,456,711 | 1,035,656 | 6,487,893 | 7,715,102 |
| 15% | 1,036,328 | 9,010,194 | 10,214,434 | 1,068,262 | 7,027,472 | 8,261,945 |
| 20% | 1,067,022 | 9,659,422 | 10,855,600 | 1,095,750 | 7,475,790 | 8,711,570 |
| 25% | 1,093,240 | 10,235,657 | 11,434,677 | 1,121,263 | 7,877,929 | 9,116,576 |
| 30% | 1,117,539 | 10,773,734 | 11,976,009 | 1,145,099 | 8,259,585 | 9,498,858 |
| 35% | 1,139,266 | 11,293,176 | 12,494,324 | 1,167,704 | 8,620,164 | 9,868,757 |
| 40% | 1,160,427 | 11,790,615 | 12,991,105 | 1,190,012 | 8,983,124 | 10,231,507 |
| 45% | 1,180,850 | 12,299,784 | 13,497,592 | 1,211,954 | 9,338,929 | 10,585,944 |
| 50% | 1,201,069 | 12,798,769 | 14,002,997 | 1,235,173 | 9,697,881 | 10,945,213 |
| 55% | 1,220,708 | 13,300,534 | 14,508,335 | 1,258,333 | 10,071,011 | 11,320,860 |
| 60% | 1,241,683 | 13,828,191 | 15,033,865 | 1,282,448 | 10,455,931 | 11,713,893 |
| 65% | 1,263,431 | 14,378,431 | 15,585,063 | 1,307,817 | 10,855,367 | 12,113,554 |
| 70% | 1,285,744 | 14,976,863 | 16,183,398 | 1,335,014 | 11,279,906 | 12,542,013 |
| 75% | 1,309,538 | 15,636,306 | 16,846,852 | 1,364,839 | 11,755,003 | 13,021,092 |
| 80% | 1,336,254 | 16,362,041 | 17,574,146 | 1,398,495 | 12,304,093 | 13,567,844 |
| 85% | 1,367,361 | 17,238,853 | 18,458,417 | 1,438,184 | 12,952,737 | 14,228,861 |
| 90% | 1,407,025 | 18,369,728 | 19,580,654 | 1,489,869 | 13,796,960 | 15,074,705 |
| 95% | 1,464,162 | 20,083,625 | 21,300,864 | 1,564,673 | 15,041,135 | 16,315,401 |
| 99% | 1,576,306 | 23,291,785 | 24,504,388 | 1,708,231 | 17,536,966 | 18,840,269 |

Table E.9-Risk profile statistics for highway bridge ADT case 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 3,453,948 | 4,700,618 | 794,935 | 3,763,362 | 4,956,188 |
| Maximum | 1,900,008 | 55,955,380 | 57,244,268 | 2,117,072 | 43,004,201 | 44,311,930 |
| Mean | 1,203,146 | 20,062,778 | 21,265,924 | 1,250,889 | 16,188,047 | 17,438,936 |
| Std Dev | 156,583 | 7,053,829 | 7,056,515 | 175,993 | 5,325,634 | 5,339,699 |
| Percentile | | | | | | |
| 1% | 872,316 | 7,366,316 | 8,549,296 | 918,427 | 6,744,891 | 7,957,381 |
| 5% | 945,174 | 9,819,553 | 11,016,051 | 989,862 | 8,525,108 | 9,759,652 |
| 10% | 998,059 | 11,478,824 | 12,678,868 | 1,035,656 | 9,743,086 | 10,982,568 |
| 15% | 1,036,328 | 12,718,239 | 13,924,777 | 1,068,262 | 10,683,195 | 11,924,305 |
| 20% | 1,067,022 | 13,810,174 | 15,004,406 | 1,095,750 | 11,504,973 | 12,742,123 |
| 25% | 1,093,240 | 14,816,966 | 16,017,933 | 1,121,263 | 12,221,519 | 13,465,542 |
| 30% | 1,117,539 | 15,745,138 | 16,944,935 | 1,145,099 | 12,913,827 | 14,161,331 |
| 35% | 1,139,266 | 16,664,011 | 17,858,390 | 1,167,704 | 13,604,101 | 14,853,101 |
| 40% | 1,160,427 | 17,543,312 | 18,740,592 | 1,190,012 | 14,266,757 | 15,519,694 |
| 45% | 1,180,850 | 18,416,174 | 19,624,725 | 1,211,954 | 14,930,360 | 16,186,149 |
| 50% | 1,201,069 | 19,328,734 | 20,532,299 | 1,235,173 | 15,600,600 | 16,847,351 |
| 55% | 1,220,708 | 20,262,925 | 21,467,226 | 1,258,333 | 16,289,696 | 17,541,123 |
| 60% | 1,241,683 | 21,229,080 | 22,433,723 | 1,282,448 | 17,016,609 | 18,272,260 |
| 65% | 1,263,431 | 22,236,350 | 23,439,542 | 1,307,817 | 17,781,227 | 19,029,834 |
| 70% | 1,285,744 | 23,312,638 | 24,518,997 | 1,335,014 | 18,616,790 | 19,874,615 |
| 75% | 1,309,538 | 24,521,739 | 25,730,166 | 1,364,839 | 19,511,231 | 20,769,732 |
| 80% | 1,336,254 | 25,898,133 | 27,101,973 | 1,398,495 | 20,554,824 | 21,821,332 |
| 85% | 1,367,361 | 27,564,227 | 28,773,031 | 1,438,184 | 21,815,248 | 23,077,053 |
| 90% | 1,407,025 | 29,667,802 | 30,866,754 | 1,489,869 | 23,440,341 | 24,708,865 |
| 95% | 1,464,162 | 32,869,642 | 34,066,445 | 1,564,673 | 25,887,641 | 27,141,899 |
| 99% | 1,576,306 | 38,854,335 | 40,071,905 | 1,708,231 | 30,552,805 | 31,812,369 |




Figure E.1-Ascending cumulative probability distributions for highway bridge ADT case 1 (Table 3.6)




Figure E.2-Ascending cumulative probability distributions for highway bridge ADT case 1 (Table 3.6)




Figure E.3-Ascending cumulative probability distributions for highway bridge ADT case 2 (Table 3.6)




Figure E.4-Ascending cumulative probability distributions for highway bridge ADT case 2 (Table 3.6)




Figure E.5-Ascending cumulative probability distributions for highway bridge ADT case 3 (Table 3.6)




Figure E.6-Ascending cumulative probability distributions for highway bridge ADT case 3 (Table 3.6)




Figure E.7-Ascending cumulative probability distributions for highway bridge ADT case 4 (Table 3.6)




Figure E.8-Ascending cumulative probability distributions for highway bridge ADT case 4 (Table 3.6)




Figure E.9-Ascending cumulative probability distributions for highway bridge ADT case 5 (Table 3.6)




Figure E.10-Ascending cumulative probability distributions for highway bridge ADT case 5 (Table 3.6)




Figure E.11-Ascending cumulative probability distributions for highway bridge ADT case 6 (Table 3.6)




Figure E.12-Ascending cumulative probability distributions for highway bridge ADT case 6 (Table 3.6)




Figure E.13-Ascending cumulative probability distributions for highway bridge ADT case 7 (Table 3.6)




Figure E.14-Ascending cumulative probability distributions for highway bridge ADT case 7 (Table 3.6)




Figure E.15-Ascending cumulative probability distributions for highway bridge ADT case 8 (Table 3.6)




Figure E.16-Ascending cumulative probability distributions for highway bridge ADT case 8 (Table 3.6)




Figure E.17-Ascending cumulative probability distributions for highway bridge ADT case 9 (Table 3.6)




Figure E.18-Ascending cumulative probability distributions for highway bridge ADT case 9 (Table 3.6)

Bridge over Highway with Limited Variables

Table E.10-Risk profile statistics for highway bridge with limited variables limited ADT case 1 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|-----------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 1,191,515 | 102,185 | 1,293,699 | 1,172,788 | 331,508 | 1,504,296 |
| Maximum | 1,191,515 | 8,278,948 | 9,470,463 | 1,172,788 | 6,519,239 | 7,692,027 |
| Mean | 1,191,515 | 2,468,495 | 3,660,009 | 1,172,788 | 2,129,102 | 3,301,889 |
| Std Dev | 0 | 1,175,057 | 1,175,057 | 0 | 876,721 | 876,721 |
| Percentile | | | | | | |
| 1% | 1,191,515 | 411,795 | 1,603,309 | 1,172,788 | 597,000 | 1,769,788 |
| 5% | 1,191,515 | 771,918 | 1,963,433 | 1,172,788 | 860,283 | 2,033,071 |
| 10% | 1,191,515 | 1,039,411 | 2,230,926 | 1,172,788 | 1,064,298 | 2,237,086 |
| 15% | 1,191,515 | 1,248,972 | 2,440,487 | 1,172,788 | 1,219,474 | 2,392,262 |
| 20% | 1,191,515 | 1,427,619 | 2,619,134 | 1,172,788 | 1,352,763 | 2,525,551 |
| 25% | 1,191,515 | 1,592,421 | 2,783,936 | 1,172,788 | 1,474,569 | 2,647,357 |
| 30% | 1,191,515 | 1,748,940 | 2,940,455 | 1,172,788 | 1,591,160 | 2,763,948 |
| 35% | 1,191,515 | 1,896,125 | 3,087,640 | 1,172,788 | 1,702,694 | 2,875,482 |
| 40% | 1,191,515 | 2,046,552 | 3,238,067 | 1,172,788 | 1,811,710 | 2,984,498 |
| 45% | 1,191,515 | 2,189,612 | 3,381,126 | 1,172,788 | 1,921,860 | 3,094,648 |
| 50% | 1,191,515 | 2,337,238 | 3,528,753 | 1,172,788 | 2,034,332 | 3,207,120 |
| 55% | 1,191,515 | 2,491,621 | 3,683,135 | 1,172,788 | 2,148,200 | 3,320,987 |
| 60% | 1,191,515 | 2,652,264 | 3,843,779 | 1,172,788 | 2,267,214 | 3,440,002 |
| 65% | 1,191,515 | 2,817,281 | 4,008,796 | 1,172,788 | 2,391,910 | 3,564,697 |
| 70% | 1,191,515 | 3,001,447 | 4,192,961 | 1,172,788 | 2,527,825 | 3,700,612 |
| 75% | 1,191,515 | 3,203,006 | 4,394,521 | 1,172,788 | 2,677,812 | 3,850,600 |
| 80% | 1,191,515 | 3,431,298 | 4,622,813 | 1,172,788 | 2,851,324 | 4,024,112 |
| 85% | 1,191,515 | 3,711,538 | 4,903,053 | 1,172,788 | 3,056,992 | 4,229,780 |
| 90% | 1,191,515 | 4,076,121 | 5,267,635 | 1,172,788 | 3,318,860 | 4,491,648 |
| 95% | 1,191,515 | 4,605,957 | 5,797,472 | 1,172,788 | 3,727,382 | 4,900,170 |
| 99% | 1,191,515 | 5,644,347 | 6,835,861 | 1,172,788 | 4,508,790 | 5,681,578 |

Table E.11-Risk profile statistics for highway bridge with limited variables limited ADT case 2 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 1,191,515 | 123,784 | 1,315,299 | 1,172,788 | 587,671 | 1,760,459 |
| Maximum | 1,191,515 | 16,327,092 | 17,518,607 | 1,172,788 | 12,886,251 | 14,059,039 |
| Mean | 1,191,515 | 4,790,065 | 5,981,580 | 1,172,788 | 4,158,914 | 5,331,702 |
| Std Dev | 0 | 2,332,461 | 2,332,461 | 0 | 1,742,661 | 1,742,661 |
| Percentile | | | | | | |
| 1% | 1,191,515 | 699,344 | 1,890,859 | 1,172,788 | 1,105,370 | 2,278,158 |
| 5% | 1,191,515 | 1,416,765 | 2,608,279 | 1,172,788 | 1,633,029 | 2,805,817 |
| 10% | 1,191,515 | 1,951,161 | 3,142,675 | 1,172,788 | 2,042,178 | 3,214,966 |
| 15% | 1,191,515 | 2,371,272 | 3,562,787 | 1,172,788 | 2,353,193 | 3,525,981 |
| 20% | 1,191,515 | 2,725,045 | 3,916,560 | 1,172,788 | 2,617,119 | 3,789,907 |
| 25% | 1,191,515 | 3,055,272 | 4,246,787 | 1,172,788 | 2,860,320 | 4,033,107 |
| 30% | 1,191,515 | 3,365,017 | 4,556,531 | 1,172,788 | 3,091,169 | 4,263,956 |
| 35% | 1,191,515 | 3,656,520 | 4,848,034 | 1,172,788 | 3,311,994 | 4,484,782 |
| 40% | 1,191,515 | 3,952,722 | 5,144,236 | 1,172,788 | 3,529,821 | 4,702,609 |
| 45% | 1,191,515 | 4,237,852 | 5,429,367 | 1,172,788 | 3,749,267 | 4,922,054 |
| 50% | 1,191,515 | 4,529,065 | 5,720,580 | 1,172,788 | 3,971,580 | 5,144,368 |
| 55% | 1,191,515 | 4,836,252 | 6,027,767 | 1,172,788 | 4,196,943 | 5,369,730 |
| 60% | 1,191,515 | 5,154,928 | 6,346,442 | 1,172,788 | 4,433,437 | 5,606,225 |
| 65% | 1,191,515 | 5,482,301 | 6,673,816 | 1,172,788 | 4,682,179 | 5,854,967 |
| 70% | 1,191,515 | 5,846,515 | 7,038,030 | 1,172,788 | 4,950,081 | 6,122,869 |
| 75% | 1,191,515 | 6,247,103 | 7,438,618 | 1,172,788 | 5,248,507 | 6,421,295 |
| 80% | 1,191,515 | 6,702,656 | 7,894,171 | 1,172,788 | 5,593,621 | 6,766,409 |
| 85% | 1,191,515 | 7,253,934 | 8,445,449 | 1,172,788 | 6,003,695 | 7,176,483 |
| 90% | 1,191,515 | 7,982,758 | 9,174,273 | 1,172,788 | 6,523,102 | 7,695,890 |
| 95% | 1,191,515 | 9,030,446 | 10,221,961 | 1,172,788 | 7,337,277 | 8,510,065 |
| 99% | 1,191,515 | 11,086,970 | 12,278,485 | 1,172,788 | 8,891,219 | 10,064,006 |

Table E.12-Risk profile statistics for highway bridge with limited variables limited ADT case 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 1,191,515 | 175,055 | 1,366,570 | 1,172,788 | 1,356,159 | 2,528,947 |
| Maximum | 1,191,515 | 40,471,525 | 41,663,039 | 1,172,788 | 31,987,287 | 33,160,075 |
| Mean | 1,191,515 | 11,754,776 | 12,946,291 | 1,172,788 | 10,248,350 | 11,421,138 |
| Std Dev | 0 | 5,805,077 | 5,805,077 | 0 | 4,340,689 | 4,340,689 |
| Percentile | | | | | | |
| 1% | 1,191,515 | 1,561,066 | 2,752,580 | 1,172,788 | 2,630,928 | 3,803,716 |
| 5% | 1,191,515 | 3,351,052 | 4,542,567 | 1,172,788 | 3,957,354 | 5,130,142 |
| 10% | 1,191,515 | 4,692,040 | 5,883,555 | 1,172,788 | 4,977,191 | 6,149,978 |
| 15% | 1,191,515 | 5,738,923 | 6,930,437 | 1,172,788 | 5,747,438 | 6,920,226 |
| 20% | 1,191,515 | 6,619,931 | 7,811,445 | 1,172,788 | 6,409,518 | 7,582,306 |
| 25% | 1,191,515 | 7,439,862 | 8,631,377 | 1,172,788 | 7,015,978 | 8,188,766 |
| 30% | 1,191,515 | 8,211,125 | 9,402,639 | 1,172,788 | 7,593,160 | 8,765,947 |
| 35% | 1,191,515 | 8,937,950 | 10,129,465 | 1,172,788 | 8,141,740 | 9,314,528 |
| 40% | 1,191,515 | 9,668,102 | 10,859,617 | 1,172,788 | 8,683,334 | 9,856,122 |
| 45% | 1,191,515 | 10,387,479 | 11,578,994 | 1,172,788 | 9,228,952 | 10,401,740 |
| 50% | 1,191,515 | 11,105,824 | 12,297,338 | 1,172,788 | 9,781,240 | 10,954,028 |
| 55% | 1,191,515 | 11,869,891 | 13,061,405 | 1,172,788 | 10,344,170 | 11,516,958 |
| 60% | 1,191,515 | 12,663,127 | 13,854,641 | 1,172,788 | 10,930,109 | 12,102,897 |
| 65% | 1,191,515 | 13,476,119 | 14,667,634 | 1,172,788 | 11,551,618 | 12,724,406 |
| 70% | 1,191,515 | 14,379,985 | 15,571,500 | 1,172,788 | 12,217,994 | 13,390,782 |
| 75% | 1,191,515 | 15,382,029 | 16,573,544 | 1,172,788 | 12,958,380 | 14,131,168 |
| 80% | 1,191,515 | 16,511,068 | 17,702,583 | 1,172,788 | 13,822,822 | 14,995,610 |
| 85% | 1,191,515 | 17,887,238 | 19,078,753 | 1,172,788 | 14,840,953 | 16,013,741 |
| 90% | 1,191,515 | 19,696,462 | 20,887,977 | 1,172,788 | 16,131,048 | 17,303,836 |
| 95% | 1,191,515 | 22,311,022 | 23,502,537 | 1,172,788 | 18,165,398 | 19,338,186 |
| 99% | 1,191,515 | 27,429,629 | 28,621,144 | 1,172,788 | 22,036,760 | 23,209,548 |

Table E.13-Risk profile statistics for highway bridge with limited variables limited ADT case 4 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 1,191,515 | 726,164 | 1,917,679 | 1,172,788 | 812,589 | 1,985,377 |
| Maximum | 1,191,515 | 10,356,181 | 11,547,696 | 1,172,788 | 7,889,286 | 9,062,074 |
| Mean | 1,191,515 | 3,790,812 | 4,982,327 | 1,172,788 | 3,022,707 | 4,195,495 |
| Std Dev | 0 | 1,358,784 | 1,358,784 | 0 | 986,888 | 986,888 |
| Percentile | | | | | | |
| 1% | 1,191,515 | 1,358,085 | 2,549,600 | 1,172,788 | 1,283,434 | 2,456,222 |
| 5% | 1,191,515 | 1,821,355 | 3,012,870 | 1,172,788 | 1,600,765 | 2,773,553 |
| 10% | 1,191,515 | 2,138,005 | 3,329,520 | 1,172,788 | 1,823,645 | 2,996,432 |
| 15% | 1,191,515 | 2,380,754 | 3,572,269 | 1,172,788 | 1,994,474 | 3,167,262 |
| 20% | 1,191,515 | 2,585,736 | 3,777,251 | 1,172,788 | 2,143,878 | 3,316,666 |
| 25% | 1,191,515 | 2,771,363 | 3,962,877 | 1,172,788 | 2,282,683 | 3,455,471 |
| 30% | 1,191,515 | 2,954,989 | 4,146,504 | 1,172,788 | 2,413,357 | 3,586,145 |
| 35% | 1,191,515 | 3,130,625 | 4,322,140 | 1,172,788 | 2,538,264 | 3,711,052 |
| 40% | 1,191,515 | 3,303,225 | 4,494,739 | 1,172,788 | 2,665,977 | 3,838,765 |
| 45% | 1,191,515 | 3,477,625 | 4,669,140 | 1,172,788 | 2,790,166 | 3,962,954 |
| 50% | 1,191,515 | 3,648,470 | 4,839,985 | 1,172,788 | 2,914,969 | 4,087,757 |
| 55% | 1,191,515 | 3,827,485 | 5,019,000 | 1,172,788 | 3,045,740 | 4,218,528 |
| 60% | 1,191,515 | 4,012,908 | 5,204,423 | 1,172,788 | 3,184,460 | 4,357,248 |
| 65% | 1,191,515 | 4,208,457 | 5,399,972 | 1,172,788 | 3,328,913 | 4,501,701 |
| 70% | 1,191,515 | 4,417,437 | 5,608,952 | 1,172,788 | 3,480,055 | 4,652,843 |
| 75% | 1,191,515 | 4,652,335 | 5,843,850 | 1,172,788 | 3,650,269 | 4,823,056 |
| 80% | 1,191,515 | 4,915,272 | 6,106,787 | 1,172,788 | 3,839,951 | 5,012,739 |
| 85% | 1,191,515 | 5,231,492 | 6,423,007 | 1,172,788 | 4,067,409 | 5,240,196 |
| 90% | 1,191,515 | 5,643,025 | 6,834,540 | 1,172,788 | 4,362,092 | 5,534,880 |
| 95% | 1,191,515 | 6,252,406 | 7,443,920 | 1,172,788 | 4,812,734 | 5,985,522 |
| 99% | 1,191,515 | 7,427,124 | 8,618,638 | 1,172,788 | 5,673,693 | 6,846,481 |

Table E.14-Risk profile statistics for highway bridge with limited variables limited ADT case 5 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|-----------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 1,191,515 | 773,470 | 1,964,985 | 1,172,788 | 1,126,410 | 2,299,198 |
| Maximum | 1,191,515 | 18,404,325 | 19,595,840 | 1,172,788 | 14,256,298 | 15,429,086 |
| Mean | 1,191,515 | 6,112,382 | 7,303,897 | 1,172,788 | 5,052,519 | 6,225,307 |
| Std Dev | 0 | 2,502,624 | 2,502,624 | 0 | 1,845,573 | 1,845,573 |
| Percentile | | | | | | |
| 1% | 1,191,515 | 1,726,387 | 2,917,902 | 1,172,788 | 1,838,739 | 3,011,527 |
| 5% | 1,191,515 | 2,511,094 | 3,702,609 | 1,172,788 | 2,391,797 | 3,564,584 |
| 10% | 1,191,515 | 3,084,061 | 4,275,576 | 1,172,788 | 2,812,891 | 3,985,679 |
| 15% | 1,191,515 | 3,509,859 | 4,701,374 | 1,172,788 | 3,131,071 | 4,303,859 |
| 20% | 1,191,515 | 3,891,312 | 5,082,827 | 1,172,788 | 3,409,240 | 4,582,028 |
| 25% | 1,191,515 | 4,233,857 | 5,425,372 | 1,172,788 | 3,669,116 | 4,841,904 |
| 30% | 1,191,515 | 4,564,802 | 5,756,317 | 1,172,788 | 3,912,545 | 5,085,333 |
| 35% | 1,191,515 | 4,891,326 | 6,082,841 | 1,172,788 | 4,145,316 | 5,318,103 |
| 40% | 1,191,515 | 5,203,239 | 6,394,754 | 1,172,788 | 4,379,830 | 5,552,618 |
| 45% | 1,191,515 | 5,515,812 | 6,707,327 | 1,172,788 | 4,613,353 | 5,786,141 |
| 50% | 1,191,515 | 5,838,469 | 7,029,984 | 1,172,788 | 4,847,678 | 6,020,466 |
| 55% | 1,191,515 | 6,162,360 | 7,353,874 | 1,172,788 | 5,092,138 | 6,264,926 |
| 60% | 1,191,515 | 6,506,199 | 7,697,714 | 1,172,788 | 5,347,394 | 6,520,182 |
| 65% | 1,191,515 | 6,863,217 | 8,054,732 | 1,172,788 | 5,609,658 | 6,782,446 |
| 70% | 1,191,515 | 7,254,455 | 8,445,970 | 1,172,788 | 5,896,505 | 7,069,293 |
| 75% | 1,191,515 | 7,685,217 | 8,876,732 | 1,172,788 | 6,217,986 | 7,390,774 |
| 80% | 1,191,515 | 8,172,800 | 9,364,315 | 1,172,788 | 6,575,100 | 7,747,888 |
| 85% | 1,191,515 | 8,765,507 | 9,957,022 | 1,172,788 | 7,008,203 | 8,180,991 |
| 90% | 1,191,515 | 9,538,859 | 10,730,374 | 1,172,788 | 7,559,492 | 8,732,279 |
| 95% | 1,191,515 | 10,656,167 | 11,847,682 | 1,172,788 | 8,410,348 | 9,583,136 |
| 99% | 1,191,515 | 12,857,536 | 14,049,050 | 1,172,788 | 10,046,797 | 11,219,585 |

Table E.15-Risk profile statistics for highway bridge with limited variables limited ADT case 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 1,191,515 | 868,788 | 2,060,302 | 1,172,788 | 2,034,268 | 3,207,056 |
| Maximum | 1,191,515 | 42,548,758 | 43,740,272 | 1,172,788 | 33,357,333 | 34,530,121 |
| Mean | 1,191,515 | 13,077,093 | 14,268,608 | 1,172,788 | 11,141,955 | 12,314,743 |
| Std Dev | 0 | 5,966,015 | 5,966,015 | 0 | 4,438,778 | 4,438,778 |
| Percentile | | | | | | |
| 1% | 1,191,515 | 2,670,125 | 3,861,640 | 1,172,788 | 3,417,695 | 4,590,483 |
| 5% | 1,191,515 | 4,475,235 | 5,666,750 | 1,172,788 | 4,726,569 | 5,899,357 |
| 10% | 1,191,515 | 5,842,020 | 7,033,535 | 1,172,788 | 5,755,841 | 6,928,629 |
| 15% | 1,191,515 | 6,878,046 | 8,069,561 | 1,172,788 | 6,528,011 | 7,700,799 |
| 20% | 1,191,515 | 7,795,964 | 8,987,479 | 1,172,788 | 7,209,116 | 8,381,903 |
| 25% | 1,191,515 | 8,613,794 | 9,805,308 | 1,172,788 | 7,821,386 | 8,994,174 |
| 30% | 1,191,515 | 9,411,155 | 10,602,670 | 1,172,788 | 8,406,472 | 9,579,260 |
| 35% | 1,191,515 | 10,168,164 | 11,359,679 | 1,172,788 | 8,976,957 | 10,149,744 |
| 40% | 1,191,515 | 10,920,454 | 12,111,969 | 1,172,788 | 9,530,456 | 10,703,244 |
| 45% | 1,191,515 | 11,653,470 | 12,844,985 | 1,172,788 | 10,090,824 | 11,263,612 |
| 50% | 1,191,515 | 12,415,774 | 13,607,289 | 1,172,788 | 10,657,966 | 11,830,754 |
| 55% | 1,191,515 | 13,190,705 | 14,382,220 | 1,172,788 | 11,238,229 | 12,411,017 |
| 60% | 1,191,515 | 14,008,282 | 15,199,797 | 1,172,788 | 11,839,889 | 13,012,677 |
| 65% | 1,191,515 | 14,848,134 | 16,039,649 | 1,172,788 | 12,476,761 | 13,649,549 |
| 70% | 1,191,515 | 15,782,649 | 16,974,163 | 1,172,788 | 13,160,193 | 14,332,981 |
| 75% | 1,191,515 | 16,807,591 | 17,999,106 | 1,172,788 | 13,924,297 | 15,097,085 |
| 80% | 1,191,515 | 17,970,435 | 19,161,949 | 1,172,788 | 14,797,740 | 15,970,528 |
| 85% | 1,191,515 | 19,387,940 | 20,579,455 | 1,172,788 | 15,836,817 | 17,009,604 |
| 90% | 1,191,515 | 21,241,235 | 22,432,750 | 1,172,788 | 17,175,942 | 18,348,730 |
| 95% | 1,191,515 | 23,929,326 | 25,120,841 | 1,172,788 | 19,236,486 | 20,409,274 |
| 99% | 1,191,515 | 29,189,550 | 30,381,065 | 1,172,788 | 23,180,495 | 24,353,283 |

Table E.16-Risk profile statistics for highway bridge with limited variables limited ADT case 7 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 1,191,515 | 3,373,496 | 4,565,011 | 1,172,788 | 2,694,755 | 3,867,543 |
| Maximum | 1,191,515 | 19,588,328 | 20,779,843 | 1,172,788 | 13,978,382 | 15,151,170 |
| Mean | 1,191,515 | 9,667,779 | 10,859,294 | 1,172,788 | 6,994,286 | 8,167,074 |
| Std Dev | 0 | 2,461,665 | 2,461,665 | 0 | 1,644,666 | 1,644,666 |
| Percentile | | | | | | |
| 1% | 1,191,515 | 4,731,149 | 5,922,664 | 1,172,788 | 3,733,878 | 4,906,665 |
| 5% | 1,191,515 | 5,733,299 | 6,924,814 | 1,172,788 | 4,413,269 | 5,586,057 |
| 10% | 1,191,515 | 6,467,978 | 7,659,493 | 1,172,788 | 4,879,545 | 6,052,333 |
| 15% | 1,191,515 | 7,015,998 | 8,207,513 | 1,172,788 | 5,239,891 | 6,412,678 |
| 20% | 1,191,515 | 7,487,756 | 8,679,271 | 1,172,788 | 5,535,574 | 6,708,362 |
| 25% | 1,191,515 | 7,896,591 | 9,088,105 | 1,172,788 | 5,796,275 | 6,969,063 |
| 30% | 1,191,515 | 8,271,917 | 9,463,431 | 1,172,788 | 6,046,476 | 7,219,263 |
| 35% | 1,191,515 | 8,618,133 | 9,809,647 | 1,172,788 | 6,270,223 | 7,443,011 |
| 40% | 1,191,515 | 8,948,275 | 10,139,790 | 1,172,788 | 6,491,342 | 7,664,130 |
| 45% | 1,191,515 | 9,269,422 | 10,460,937 | 1,172,788 | 6,707,213 | 7,880,000 |
| 50% | 1,191,515 | 9,589,226 | 10,780,740 | 1,172,788 | 6,919,394 | 8,092,182 |
| 55% | 1,191,515 | 9,902,402 | 11,093,916 | 1,172,788 | 7,134,320 | 8,307,108 |
| 60% | 1,191,515 | 10,228,812 | 11,420,326 | 1,172,788 | 7,354,171 | 8,526,958 |
| 65% | 1,191,515 | 10,557,640 | 11,749,154 | 1,172,788 | 7,583,200 | 8,755,988 |
| 70% | 1,191,515 | 10,923,833 | 12,115,348 | 1,172,788 | 7,826,016 | 8,998,804 |
| 75% | 1,191,515 | 11,324,993 | 12,516,508 | 1,172,788 | 8,091,285 | 9,264,073 |
| 80% | 1,191,515 | 11,770,499 | 12,962,013 | 1,172,788 | 8,393,265 | 9,566,052 |
| 85% | 1,191,515 | 12,288,647 | 13,480,162 | 1,172,788 | 8,738,895 | 9,911,682 |
| 90% | 1,191,515 | 12,935,064 | 14,126,579 | 1,172,788 | 9,181,902 | 10,354,690 |
| 95% | 1,191,515 | 13,905,755 | 15,097,269 | 1,172,788 | 9,845,735 | 11,018,522 |
| 99% | 1,191,515 | 15,636,758 | 16,828,273 | 1,172,788 | 11,049,437 | 12,222,225 |

Table E.17-Risk profile statistics for highway bridge with limited variables limited ADT case 8 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 1,191,515 | 3,488,900 | 4,680,415 | 1,172,788 | 3,060,108 | 4,232,895 |
| Maximum | 1,191,515 | 27,636,472 | 28,827,987 | 1,172,788 | 20,345,394 | 21,518,181 |
| Mean | 1,191,515 | 11,989,349 | 13,180,864 | 1,172,788 | 9,024,098 | 10,196,886 |
| Std Dev | 0 | 3,473,365 | 3,473,365 | 0 | 2,421,953 | 2,421,953 |
| Percentile | | | | | | |
| 1% | 1,191,515 | 5,384,054 | 6,575,569 | 1,172,788 | 4,486,421 | 5,659,209 |
| 5% | 1,191,515 | 6,706,593 | 7,898,108 | 1,172,788 | 5,406,352 | 6,579,140 |
| 10% | 1,191,515 | 7,652,641 | 8,844,155 | 1,172,788 | 6,025,962 | 7,198,750 |
| 15% | 1,191,515 | 8,338,803 | 9,530,318 | 1,172,788 | 6,478,906 | 7,651,694 |
| 20% | 1,191,515 | 8,919,687 | 10,111,202 | 1,172,788 | 6,881,858 | 8,054,646 |
| 25% | 1,191,515 | 9,448,204 | 10,639,718 | 1,172,788 | 7,238,945 | 8,411,733 |
| 30% | 1,191,515 | 9,931,268 | 11,122,783 | 1,172,788 | 7,562,605 | 8,735,393 |
| 35% | 1,191,515 | 10,398,922 | 11,590,436 | 1,172,788 | 7,887,019 | 9,059,807 |
| 40% | 1,191,515 | 10,855,889 | 12,047,404 | 1,172,788 | 8,206,671 | 9,379,459 |
| 45% | 1,191,515 | 11,297,276 | 12,488,790 | 1,172,788 | 8,511,519 | 9,684,307 |
| 50% | 1,191,515 | 11,740,662 | 12,932,177 | 1,172,788 | 8,816,965 | 9,989,753 |
| 55% | 1,191,515 | 12,189,214 | 13,380,729 | 1,172,788 | 9,138,664 | 10,311,452 |
| 60% | 1,191,515 | 12,646,677 | 13,838,192 | 1,172,788 | 9,468,412 | 10,641,200 |
| 65% | 1,191,515 | 13,134,232 | 14,325,747 | 1,172,788 | 9,820,868 | 10,993,656 |
| 70% | 1,191,515 | 13,654,760 | 14,846,275 | 1,172,788 | 10,194,262 | 11,367,050 |
| 75% | 1,191,515 | 14,237,127 | 15,428,642 | 1,172,788 | 10,596,077 | 11,768,865 |
| 80% | 1,191,515 | 14,908,121 | 16,099,636 | 1,172,788 | 11,053,464 | 12,226,252 |
| 85% | 1,191,515 | 15,680,733 | 16,872,248 | 1,172,788 | 11,587,226 | 12,760,014 |
| 90% | 1,191,515 | 16,644,790 | 17,836,305 | 1,172,788 | 12,281,173 | 13,453,961 |
| 95% | 1,191,515 | 18,141,488 | 19,333,002 | 1,172,788 | 13,342,370 | 14,515,158 |
| 99% | 1,191,515 | 20,905,082 | 22,096,597 | 1,172,788 | 15,310,909 | 16,483,697 |

Table E.18-Risk profile statistics for highway bridge with limited variables limited ADT case 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 1,191,515 | 3,630,819 | 4,822,334 | 1,172,788 | 4,062,945 | 5,235,732 |
| Maximum | 1,191,515 | 51,780,905 | 52,972,419 | 1,172,788 | 39,446,429 | 40,619,217 |
| Mean | 1,191,515 | 18,954,060 | 20,145,575 | 1,172,788 | 15,113,535 | 16,286,323 |
| Std Dev | 0 | 6,793,922 | 6,793,922 | 0 | 4,934,438 | 4,934,438 |
| Percentile | | | | | | |
| 1% | 1,191,515 | 6,790,427 | 7,981,942 | 1,172,788 | 6,417,171 | 7,589,959 |
| 5% | 1,191,515 | 9,106,776 | 10,298,290 | 1,172,788 | 8,003,825 | 9,176,613 |
| 10% | 1,191,515 | 10,690,025 | 11,881,540 | 1,172,788 | 9,118,223 | 10,291,010 |
| 15% | 1,191,515 | 11,903,771 | 13,095,285 | 1,172,788 | 9,972,371 | 11,145,159 |
| 20% | 1,191,515 | 12,928,679 | 14,120,193 | 1,172,788 | 10,719,392 | 11,892,180 |
| 25% | 1,191,515 | 13,856,813 | 15,048,328 | 1,172,788 | 11,413,417 | 12,586,205 |
| 30% | 1,191,515 | 14,774,944 | 15,966,459 | 1,172,788 | 12,066,786 | 13,239,573 |
| 35% | 1,191,515 | 15,653,127 | 16,844,642 | 1,172,788 | 12,691,319 | 13,864,107 |
| 40% | 1,191,515 | 16,516,123 | 17,707,637 | 1,172,788 | 13,329,887 | 14,502,675 |
| 45% | 1,191,515 | 17,388,127 | 18,579,642 | 1,172,788 | 13,950,831 | 15,123,619 |
| 50% | 1,191,515 | 18,242,351 | 19,433,866 | 1,172,788 | 14,574,847 | 15,747,635 |
| 55% | 1,191,515 | 19,137,425 | 20,328,940 | 1,172,788 | 15,228,700 | 16,401,488 |
| 60% | 1,191,515 | 20,064,542 | 21,256,057 | 1,172,788 | 15,922,301 | 17,095,089 |
| 65% | 1,191,515 | 21,042,285 | 22,233,800 | 1,172,788 | 16,644,567 | 17,817,354 |
| 70% | 1,191,515 | 22,087,186 | 23,278,701 | 1,172,788 | 17,400,277 | 18,573,064 |
| 75% | 1,191,515 | 23,261,676 | 24,453,191 | 1,172,788 | 18,251,343 | 19,424,131 |
| 80% | 1,191,515 | 24,576,359 | 25,767,874 | 1,172,788 | 19,199,757 | 20,372,545 |
| 85% | 1,191,515 | 26,157,461 | 27,348,976 | 1,172,788 | 20,337,043 | 21,509,831 |
| 90% | 1,191,515 | 28,215,126 | 29,406,641 | 1,172,788 | 21,810,461 | 22,983,249 |
| 95% | 1,191,515 | 31,262,028 | 32,453,542 | 1,172,788 | 24,063,670 | 25,236,457 |
| 99% | 1,191,515 | 37,135,618 | 38,327,133 | 1,172,788 | 28,368,467 | 29,541,255 |




Figure E.19-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 1 (Table 3.6)




Figure E.20-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 1 (Table 3.6)




Figure E.21-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 2 (Table 3.6)




Figure E.22-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 2 (Table 3.6)




Figure E.23-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 3 (Table 3.6)




Figure E.24-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 3 (Table 3.6)




Figure E.25-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 4 (Table 3.6)




Figure E.26-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 4 (Table 3.6)




Figure E.27-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 5 (Table 3.6)




Figure E.28-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 5 (Table 3.6)




Figure E.29-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 6 (Table 3.6)




Figure E.30-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 6 (Table 3.6)




Figure E.31-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 7 (Table 3.6)




Figure E.32-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 7 (Table 3.6)




Figure E.33-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 8 (Table 3.6)




Figure E.34-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 8 (Table 3.6)




Figure E.35-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 9 (Table 3.6)




Figure E.36-Ascending cumulative probability distributions for highway bridge with limited variables limited ADT case 9 (Table 3.6)

Bridge over Highway with Modified Bridge Construction Time and Cost

Table E.19-Risk profile statistics for highway bridge with modification 1a ADT case 1 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|-----------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 90,021 | 997,558 | 794,935 | 325,137 | 1,309,070 |
| Maximum | 1,900,008 | 6,169,989 | 7,458,877 | 2,117,072 | 5,257,288 | 6,584,774 |
| Mean | 1,203,146 | 1,940,574 | 3,143,720 | 1,250,889 | 1,775,886 | 3,026,776 |
| Std Dev | 156,583 | 882,656 | 896,516 | 175,993 | 685,605 | 714,611 |
| Percentile | | | | | | |
| 1% | 872,316 | 350,983 | 1,498,369 | 918,427 | 552,626 | 1,704,352 |
| 5% | 945,174 | 641,569 | 1,824,990 | 989,862 | 772,733 | 1,976,453 |
| 10% | 998,059 | 858,168 | 2,045,021 | 1,035,656 | 938,675 | 2,155,608 |
| 15% | 1,036,328 | 1,022,892 | 2,212,653 | 1,068,262 | 1,065,372 | 2,289,334 |
| 20% | 1,067,022 | 1,165,884 | 2,358,998 | 1,095,750 | 1,173,812 | 2,401,838 |
| 25% | 1,093,240 | 1,293,179 | 2,487,584 | 1,121,263 | 1,270,432 | 2,504,710 |
| 30% | 1,117,539 | 1,409,749 | 2,607,132 | 1,145,099 | 1,362,892 | 2,601,538 |
| 35% | 1,139,266 | 1,520,568 | 2,719,292 | 1,167,704 | 1,451,651 | 2,691,652 |
| 40% | 1,160,427 | 1,631,253 | 2,831,197 | 1,190,012 | 1,534,851 | 2,783,202 |
| 45% | 1,180,850 | 1,738,344 | 2,942,311 | 1,211,954 | 1,619,499 | 2,870,397 |
| 50% | 1,201,069 | 1,851,573 | 3,056,106 | 1,235,173 | 1,705,154 | 2,958,214 |
| 55% | 1,220,708 | 1,964,694 | 3,171,178 | 1,258,333 | 1,793,216 | 3,048,399 |
| 60% | 1,241,683 | 2,082,071 | 3,288,857 | 1,282,448 | 1,883,209 | 3,140,512 |
| 65% | 1,263,431 | 2,205,917 | 3,418,629 | 1,307,817 | 1,979,547 | 3,241,550 |
| 70% | 1,285,744 | 2,342,544 | 3,555,567 | 1,335,014 | 2,086,393 | 3,353,330 |
| 75% | 1,309,538 | 2,492,286 | 3,707,100 | 1,364,839 | 2,201,981 | 3,474,252 |
| 80% | 1,336,254 | 2,666,429 | 3,881,803 | 1,398,495 | 2,335,023 | 3,610,000 |
| 85% | 1,367,361 | 2,874,579 | 4,089,979 | 1,438,184 | 2,496,929 | 3,775,584 |
| 90% | 1,407,025 | 3,142,691 | 4,360,836 | 1,489,869 | 2,705,669 | 3,993,572 |
| 95% | 1,464,162 | 3,547,200 | 4,774,802 | 1,564,673 | 3,024,648 | 4,314,100 |
| 99% | 1,576,306 | 4,309,443 | 5,522,246 | 1,708,231 | 3,614,423 | 4,948,396 |

Table E.20-Risk profile statistics for highway bridge with modification 1a ADT case 2 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 118,709 | 1,068,418 | 794,935 | 601,470 | 1,629,127 |
| Maximum | 1,900,008 | 12,077,864 | 13,366,752 | 2,117,072 | 10,358,029 | 11,665,758 |
| Mean | 1,203,146 | 3,745,172 | 4,948,318 | 1,250,889 | 3,456,912 | 4,707,801 |
| Std Dev | 156,583 | 1,751,880 | 1,758,866 | 175,993 | 1,361,823 | 1,379,772 |
| Percentile | | | | | | |
| 1% | 872,316 | 583,335 | 1,756,457 | 918,427 | 1,019,224 | 2,218,221 |
| 5% | 945,174 | 1,161,993 | 2,358,478 | 989,862 | 1,462,135 | 2,684,842 |
| 10% | 998,059 | 1,594,067 | 2,791,767 | 1,035,656 | 1,793,448 | 3,024,261 |
| 15% | 1,036,328 | 1,922,247 | 3,121,867 | 1,068,262 | 2,043,752 | 3,279,425 |
| 20% | 1,067,022 | 2,209,515 | 3,407,940 | 1,095,750 | 2,262,721 | 3,497,627 |
| 25% | 1,093,240 | 2,462,157 | 3,657,462 | 1,121,263 | 2,454,289 | 3,693,355 |
| 30% | 1,117,539 | 2,692,754 | 3,893,805 | 1,145,099 | 2,637,004 | 3,879,868 |
| 35% | 1,139,266 | 2,913,494 | 4,114,834 | 1,167,704 | 2,813,109 | 4,057,590 |
| 40% | 1,160,427 | 3,133,371 | 4,333,057 | 1,190,012 | 2,979,504 | 4,228,166 |
| 45% | 1,180,850 | 3,346,793 | 4,553,143 | 1,211,954 | 3,147,257 | 4,399,607 |
| 50% | 1,201,069 | 3,568,150 | 4,772,998 | 1,235,173 | 3,317,459 | 4,570,583 |
| 55% | 1,220,708 | 3,795,731 | 5,001,939 | 1,258,333 | 3,492,652 | 4,743,925 |
| 60% | 1,241,683 | 4,025,948 | 5,231,032 | 1,282,448 | 3,671,218 | 4,922,869 |
| 65% | 1,263,431 | 4,271,779 | 5,480,888 | 1,307,817 | 3,862,799 | 5,118,084 |
| 70% | 1,285,744 | 4,543,830 | 5,753,868 | 1,335,014 | 4,074,350 | 5,334,255 |
| 75% | 1,309,538 | 4,842,393 | 6,049,714 | 1,364,839 | 4,304,160 | 5,567,692 |
| 80% | 1,336,254 | 5,185,603 | 6,396,850 | 1,398,495 | 4,566,549 | 5,830,948 |
| 85% | 1,367,361 | 5,599,326 | 6,805,875 | 1,438,184 | 4,887,850 | 6,160,430 |
| 90% | 1,407,025 | 6,131,129 | 7,336,113 | 1,489,869 | 5,303,333 | 6,575,655 |
| 95% | 1,464,162 | 6,929,193 | 8,149,573 | 1,564,673 | 5,932,972 | 7,211,992 |
| 99% | 1,576,306 | 8,448,706 | 9,629,246 | 1,708,231 | 7,112,082 | 8,424,459 |

Table E.21-Risk profile statistics for highway bridge with modification 1a ADT case 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 168,106 | 1,191,470 | 794,935 | 1,406,645 | 2,510,383 |
| Maximum | 1,900,008 | 29,801,489 | 31,090,376 | 2,117,072 | 25,660,251 | 26,967,980 |
| Mean | 1,203,146 | 9,158,966 | 10,362,112 | 1,250,889 | 8,499,989 | 9,750,878 |
| Std Dev | 156,583 | 4,360,248 | 4,363,015 | 175,993 | 3,390,877 | 3,401,917 |
| Percentile | | | | | | |
| 1% | 872,316 | 1,277,851 | 2,468,095 | 918,427 | 2,425,776 | 3,652,798 |
| 5% | 945,174 | 2,722,589 | 3,929,628 | 989,862 | 3,526,149 | 4,758,878 |
| 10% | 998,059 | 3,801,069 | 5,001,271 | 1,035,656 | 4,356,068 | 5,598,399 |
| 15% | 1,036,328 | 4,622,680 | 5,827,959 | 1,068,262 | 4,983,611 | 6,223,611 |
| 20% | 1,067,022 | 5,336,871 | 6,533,341 | 1,095,750 | 5,527,492 | 6,767,014 |
| 25% | 1,093,240 | 5,971,690 | 7,170,912 | 1,121,263 | 6,004,540 | 7,247,829 |
| 30% | 1,117,539 | 6,542,224 | 7,746,759 | 1,145,099 | 6,458,996 | 7,706,494 |
| 35% | 1,139,266 | 7,092,901 | 8,293,575 | 1,167,704 | 6,896,524 | 8,142,161 |
| 40% | 1,160,427 | 7,640,337 | 8,837,343 | 1,190,012 | 7,313,531 | 8,566,048 |
| 45% | 1,180,850 | 8,175,023 | 9,375,704 | 1,211,954 | 7,733,883 | 8,982,544 |
| 50% | 1,201,069 | 8,722,896 | 9,930,136 | 1,235,173 | 8,154,275 | 9,408,297 |
| 55% | 1,220,708 | 9,286,985 | 10,491,821 | 1,258,333 | 8,592,671 | 9,839,576 |
| 60% | 1,241,683 | 9,856,682 | 11,063,874 | 1,282,448 | 9,036,346 | 10,287,804 |
| 65% | 1,263,431 | 10,468,818 | 11,677,675 | 1,307,817 | 9,510,853 | 10,755,360 |
| 70% | 1,285,744 | 11,145,870 | 12,358,697 | 1,335,014 | 10,036,815 | 11,291,875 |
| 75% | 1,309,538 | 11,891,578 | 13,095,909 | 1,364,839 | 10,610,228 | 11,870,950 |
| 80% | 1,336,254 | 12,744,660 | 13,949,661 | 1,398,495 | 11,262,566 | 12,518,538 |
| 85% | 1,367,361 | 13,772,002 | 14,973,482 | 1,438,184 | 12,065,175 | 13,328,162 |
| 90% | 1,407,025 | 15,092,570 | 16,295,835 | 1,489,869 | 13,096,259 | 14,360,132 |
| 95% | 1,464,162 | 17,076,288 | 18,286,772 | 1,564,673 | 14,665,803 | 15,925,793 |
| 99% | 1,576,306 | 20,850,612 | 22,031,936 | 1,708,231 | 17,599,181 | 18,868,732 |

Table E.22-Risk profile statistics for highway bridge with modification 1a ADT case 4 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 642,010 | 1,771,192 | 794,935 | 717,009 | 1,775,760 |
| Maximum | 1,900,008 | 8,529,020 | 9,817,908 | 2,117,072 | 6,666,214 | 8,073,471 |
| Mean | 1,203,146 | 3,164,359 | 4,367,505 | 1,250,889 | 2,629,633 | 3,880,523 |
| Std Dev | 156,583 | 1,045,795 | 1,058,676 | 175,993 | 794,843 | 825,713 |
| Percentile | | | | | | |
| 1% | 872,316 | 1,258,634 | 2,419,910 | 918,427 | 1,205,917 | 2,358,550 |
| 5% | 945,174 | 1,640,809 | 2,819,098 | 989,862 | 1,478,195 | 2,675,969 |
| 10% | 998,059 | 1,895,584 | 3,081,438 | 1,035,656 | 1,666,617 | 2,879,974 |
| 15% | 1,036,328 | 2,083,236 | 3,275,555 | 1,068,262 | 1,812,154 | 3,033,052 |
| 20% | 1,067,022 | 2,244,368 | 3,442,253 | 1,095,750 | 1,933,629 | 3,159,281 |
| 25% | 1,093,240 | 2,391,810 | 3,589,094 | 1,121,263 | 2,043,447 | 3,278,524 |
| 30% | 1,117,539 | 2,529,702 | 3,726,621 | 1,145,099 | 2,145,312 | 3,387,241 |
| 35% | 1,139,266 | 2,662,735 | 3,862,247 | 1,167,704 | 2,249,019 | 3,491,116 |
| 40% | 1,160,427 | 2,794,292 | 3,993,504 | 1,190,012 | 2,347,291 | 3,592,615 |
| 45% | 1,180,850 | 2,921,849 | 4,123,998 | 1,211,954 | 2,446,127 | 3,696,558 |
| 50% | 1,201,069 | 3,052,076 | 4,259,276 | 1,235,173 | 2,543,022 | 3,794,775 |
| 55% | 1,220,708 | 3,193,318 | 4,398,662 | 1,258,333 | 2,644,258 | 3,901,123 |
| 60% | 1,241,683 | 3,333,619 | 4,537,359 | 1,282,448 | 2,752,254 | 4,013,061 |
| 65% | 1,263,431 | 3,481,404 | 4,690,594 | 1,307,817 | 2,866,938 | 4,129,807 |
| 70% | 1,285,744 | 3,644,032 | 4,856,531 | 1,335,014 | 2,988,436 | 4,255,846 |
| 75% | 1,309,538 | 3,819,026 | 5,037,071 | 1,364,839 | 3,123,061 | 4,395,470 |
| 80% | 1,336,254 | 4,024,042 | 5,242,987 | 1,398,495 | 3,278,814 | 4,552,408 |
| 85% | 1,367,361 | 4,274,788 | 5,487,659 | 1,438,184 | 3,465,580 | 4,748,451 |
| 90% | 1,407,025 | 4,585,916 | 5,806,514 | 1,489,869 | 3,708,530 | 4,998,910 |
| 95% | 1,464,162 | 5,066,175 | 6,283,098 | 1,564,673 | 4,074,613 | 5,367,879 |
| 99% | 1,576,306 | 5,959,638 | 7,192,815 | 1,708,231 | 4,778,293 | 6,107,046 |

Table E.23-Risk profile statistics for highway bridge with modification 1a ADT case 5 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 670,698 | 1,801,763 | 794,935 | 1,020,890 | 2,169,823 |
| Maximum | 1,900,008 | 14,436,895 | 15,725,783 | 2,117,072 | 11,766,955 | 13,074,684 |
| Mean | 1,203,146 | 4,968,957 | 6,172,103 | 1,250,889 | 4,310,659 | 5,561,548 |
| Std Dev | 156,583 | 1,892,132 | 1,899,248 | 175,993 | 1,457,543 | 1,477,515 |
| Percentile | | | | | | |
| 1% | 872,316 | 1,575,032 | 2,743,552 | 918,427 | 1,724,391 | 2,913,798 |
| 5% | 945,174 | 2,215,293 | 3,408,017 | 989,862 | 2,196,267 | 3,413,297 |
| 10% | 998,059 | 2,661,202 | 3,856,579 | 1,035,656 | 2,542,371 | 3,771,732 |
| 15% | 1,036,328 | 3,009,494 | 4,204,284 | 1,068,262 | 2,803,700 | 4,039,200 |
| 20% | 1,067,022 | 3,304,766 | 4,501,954 | 1,095,750 | 3,027,948 | 4,263,684 |
| 25% | 1,093,240 | 3,570,901 | 4,768,206 | 1,121,263 | 3,232,435 | 4,472,647 |
| 30% | 1,117,539 | 3,819,268 | 5,018,345 | 1,145,099 | 3,424,641 | 4,668,350 |
| 35% | 1,139,266 | 4,058,087 | 5,259,468 | 1,167,704 | 3,611,496 | 4,856,750 |
| 40% | 1,160,427 | 4,299,558 | 5,496,743 | 1,190,012 | 3,796,244 | 5,042,664 |
| 45% | 1,180,850 | 4,529,320 | 5,730,417 | 1,211,954 | 3,972,270 | 5,224,136 |
| 50% | 1,201,069 | 4,766,424 | 5,972,543 | 1,235,173 | 4,152,253 | 5,404,507 |
| 55% | 1,220,708 | 5,013,043 | 6,221,386 | 1,258,333 | 4,341,019 | 5,594,613 |
| 60% | 1,241,683 | 5,268,833 | 6,470,136 | 1,282,448 | 4,533,513 | 5,789,633 |
| 65% | 1,263,431 | 5,538,018 | 6,745,132 | 1,307,817 | 4,743,805 | 5,999,135 |
| 70% | 1,285,744 | 5,829,558 | 7,039,733 | 1,335,014 | 4,968,614 | 6,227,590 |
| 75% | 1,309,538 | 6,153,921 | 7,365,776 | 1,364,839 | 5,216,906 | 6,478,907 |
| 80% | 1,336,254 | 6,526,298 | 7,736,039 | 1,398,495 | 5,498,219 | 6,762,812 |
| 85% | 1,367,361 | 6,973,195 | 8,186,452 | 1,438,184 | 5,847,661 | 7,115,695 |
| 90% | 1,407,025 | 7,554,707 | 8,760,929 | 1,489,869 | 6,292,134 | 7,567,834 |
| 95% | 1,464,162 | 8,415,690 | 9,632,605 | 1,564,673 | 6,966,491 | 8,241,989 |
| 99% | 1,576,306 | 10,042,927 | 11,272,776 | 1,708,231 | 8,237,043 | 9,545,733 |

Table E.24-Risk profile statistics for highway bridge with modification 1a ADT case 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 756,764 | 1,878,062 | 794,935 | 1,869,712 | 3,094,899 |
| Maximum | 1,900,008 | 32,160,520 | 33,449,407 | 2,117,072 | 27,069,177 | 28,376,906 |
| Mean | 1,203,146 | 10,382,751 | 11,585,897 | 1,250,889 | 9,353,736 | 10,604,625 |
| Std Dev | 156,583 | 4,484,671 | 4,487,634 | 175,993 | 3,477,407 | 3,489,522 |
| Percentile | | | | | | |
| 1% | 872,316 | 2,332,655 | 3,532,769 | 918,427 | 3,170,503 | 4,388,169 |
| 5% | 945,174 | 3,809,736 | 5,004,451 | 989,862 | 4,279,339 | 5,519,735 |
| 10% | 998,059 | 4,890,918 | 6,096,907 | 1,035,656 | 5,117,681 | 6,355,594 |
| 15% | 1,036,328 | 5,718,814 | 6,919,969 | 1,068,262 | 5,756,658 | 6,993,299 |
| 20% | 1,067,022 | 6,441,654 | 7,647,795 | 1,095,750 | 6,298,123 | 7,535,326 |
| 25% | 1,093,240 | 7,088,499 | 8,282,768 | 1,121,263 | 6,788,551 | 8,027,523 |
| 30% | 1,117,539 | 7,672,997 | 8,876,055 | 1,145,099 | 7,255,803 | 8,498,880 |
| 35% | 1,139,266 | 8,238,469 | 9,441,882 | 1,167,704 | 7,696,878 | 8,946,118 |
| 40% | 1,160,427 | 8,801,078 | 10,000,055 | 1,190,012 | 8,128,977 | 9,378,029 |
| 45% | 1,180,850 | 9,347,148 | 10,553,182 | 1,211,954 | 8,556,178 | 9,806,382 |
| 50% | 1,201,069 | 9,924,011 | 11,129,998 | 1,235,173 | 8,986,386 | 10,241,860 |
| 55% | 1,220,708 | 10,503,668 | 11,709,480 | 1,258,333 | 9,435,293 | 10,684,449 |
| 60% | 1,241,683 | 11,098,011 | 12,300,194 | 1,282,448 | 9,891,651 | 11,145,651 |
| 65% | 1,263,431 | 11,732,557 | 12,934,898 | 1,307,817 | 10,387,019 | 11,630,014 |
| 70% | 1,285,744 | 12,419,411 | 13,631,429 | 1,335,014 | 10,928,777 | 12,183,379 |
| 75% | 1,309,538 | 13,193,320 | 14,395,870 | 1,364,839 | 11,515,149 | 12,772,000 |
| 80% | 1,336,254 | 14,072,070 | 15,279,160 | 1,398,495 | 12,189,775 | 13,451,938 |
| 85% | 1,367,361 | 15,127,400 | 16,338,058 | 1,438,184 | 13,008,667 | 14,271,654 |
| 90% | 1,407,025 | 16,492,394 | 17,692,526 | 1,489,869 | 14,073,898 | 15,344,131 |
| 95% | 1,464,162 | 18,549,604 | 19,762,810 | 1,564,673 | 15,693,767 | 16,957,775 |
| 99% | 1,576,306 | 22,423,928 | 23,645,323 | 1,708,231 | 18,693,984 | 19,981,028 |

Table E.25-Risk profile statistics for highway bridge with modification 1a ADT case 7 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 2,956,087 | 4,012,547 | 794,935 | 2,369,518 | 3,443,181 |
| Maximum | 1,900,008 | 20,074,314 | 21,438,445 | 2,117,072 | 15,347,922 | 16,496,884 |
| Mean | 1,203,146 | 8,603,403 | 9,806,549 | 1,250,889 | 6,424,063 | 7,674,953 |
| Std Dev | 156,583 | 2,197,875 | 2,206,502 | 175,993 | 1,552,791 | 1,582,094 |
| Percentile | | | | | | |
| 1% | 872,316 | 4,465,754 | 5,644,656 | 918,427 | 3,528,004 | 4,696,844 |
| 5% | 945,174 | 5,325,220 | 6,517,269 | 989,862 | 4,141,612 | 5,341,159 |
| 10% | 998,059 | 5,903,678 | 7,089,596 | 1,035,656 | 4,532,428 | 5,755,112 |
| 15% | 1,036,328 | 6,320,163 | 7,519,347 | 1,068,262 | 4,833,873 | 6,056,036 |
| 20% | 1,067,022 | 6,674,350 | 7,873,262 | 1,095,750 | 5,077,816 | 6,303,979 |
| 25% | 1,093,240 | 7,000,415 | 8,198,952 | 1,121,263 | 5,297,420 | 6,527,704 |
| 30% | 1,117,539 | 7,301,874 | 8,500,382 | 1,145,099 | 5,495,509 | 6,734,208 |
| 35% | 1,139,266 | 7,583,302 | 8,783,267 | 1,167,704 | 5,689,813 | 6,931,764 |
| 40% | 1,160,427 | 7,860,236 | 9,062,461 | 1,190,012 | 5,886,554 | 7,124,974 |
| 45% | 1,180,850 | 8,141,292 | 9,344,022 | 1,211,954 | 6,083,077 | 7,325,691 |
| 50% | 1,201,069 | 8,414,048 | 9,617,236 | 1,235,173 | 6,276,841 | 7,527,360 |
| 55% | 1,220,708 | 8,692,930 | 9,900,772 | 1,258,333 | 6,472,007 | 7,730,012 |
| 60% | 1,241,683 | 8,990,510 | 10,193,211 | 1,282,448 | 6,678,784 | 7,940,918 |
| 65% | 1,263,431 | 9,306,283 | 10,508,589 | 1,307,817 | 6,901,675 | 8,161,561 |
| 70% | 1,285,744 | 9,636,301 | 10,849,126 | 1,335,014 | 7,138,812 | 8,403,624 |
| 75% | 1,309,538 | 10,001,446 | 11,207,134 | 1,364,839 | 7,398,173 | 8,668,785 |
| 80% | 1,336,254 | 10,420,380 | 11,630,980 | 1,398,495 | 7,693,722 | 8,967,514 |
| 85% | 1,367,361 | 10,914,810 | 12,128,048 | 1,438,184 | 8,054,170 | 9,331,975 |
| 90% | 1,407,025 | 11,557,559 | 12,770,846 | 1,489,869 | 8,514,851 | 9,795,780 |
| 95% | 1,464,162 | 12,528,913 | 13,744,229 | 1,564,673 | 9,203,966 | 10,509,761 |
| 99% | 1,576,306 | 14,400,405 | 15,625,073 | 1,708,231 | 10,595,308 | 11,928,909 |

Table E.26-Risk profile statistics for highway bridge with modification 1a ADT case 8 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 3,076,646 | 4,160,174 | 794,935 | 2,673,399 | 3,841,428 |
| Maximum | 1,900,008 | 24,921,478 | 26,210,365 | 2,117,072 | 18,878,028 | 20,288,470 |
| Mean | 1,203,146 | 10,408,001 | 11,611,147 | 1,250,889 | 8,105,089 | 9,355,978 |
| Std Dev | 156,583 | 2,861,880 | 2,868,488 | 175,993 | 2,093,914 | 2,117,765 |
| Percentile | | | | | | |
| 1% | 872,316 | 5,066,257 | 6,242,360 | 918,427 | 4,243,157 | 5,422,548 |
| 5% | 945,174 | 6,182,493 | 7,372,902 | 989,862 | 5,044,770 | 6,258,382 |
| 10% | 998,059 | 6,901,578 | 8,099,713 | 1,035,656 | 5,569,733 | 6,793,244 |
| 15% | 1,036,328 | 7,444,228 | 8,645,607 | 1,068,262 | 5,950,411 | 7,176,311 |
| 20% | 1,067,022 | 7,897,230 | 9,093,226 | 1,095,750 | 6,276,663 | 7,507,743 |
| 25% | 1,093,240 | 8,309,691 | 9,510,777 | 1,121,263 | 6,569,581 | 7,806,266 |
| 30% | 1,117,539 | 8,695,026 | 9,892,703 | 1,145,099 | 6,848,010 | 8,087,304 |
| 35% | 1,139,266 | 9,063,264 | 10,265,840 | 1,167,704 | 7,113,727 | 8,356,416 |
| 40% | 1,160,427 | 9,419,228 | 10,618,942 | 1,190,012 | 7,372,759 | 8,619,827 |
| 45% | 1,180,850 | 9,784,031 | 10,988,206 | 1,211,954 | 7,630,150 | 8,879,099 |
| 50% | 1,201,069 | 10,148,137 | 11,350,609 | 1,235,173 | 7,897,302 | 9,141,470 |
| 55% | 1,220,708 | 10,518,290 | 11,720,536 | 1,258,333 | 8,167,842 | 9,422,124 |
| 60% | 1,241,683 | 10,902,672 | 12,102,207 | 1,282,448 | 8,448,227 | 9,704,457 |
| 65% | 1,263,431 | 11,308,308 | 12,513,996 | 1,307,817 | 8,741,642 | 10,002,771 |
| 70% | 1,285,744 | 11,749,359 | 12,955,900 | 1,335,014 | 9,058,735 | 10,319,762 |
| 75% | 1,309,538 | 12,233,301 | 13,441,958 | 1,364,839 | 9,413,700 | 10,676,581 |
| 80% | 1,336,254 | 12,772,219 | 13,985,034 | 1,398,495 | 9,819,331 | 11,085,661 |
| 85% | 1,367,361 | 13,427,567 | 14,638,717 | 1,438,184 | 10,306,708 | 11,580,532 |
| 90% | 1,407,025 | 14,262,808 | 15,474,093 | 1,489,869 | 10,935,629 | 12,214,854 |
| 95% | 1,464,162 | 15,543,452 | 16,760,078 | 1,564,673 | 11,871,299 | 13,148,019 |
| 99% | 1,576,306 | 17,958,254 | 19,165,358 | 1,708,231 | 13,746,767 | 15,059,833 |

Table E.27-Risk profile statistics for highway bridge with modification 1a ADT case 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 3,210,049 | 4,463,100 | 794,935 | 3,585,043 | 4,777,869 |
| Maximum | 1,900,008 | 42,645,102 | 43,933,990 | 2,117,072 | 33,331,071 | 34,638,800 |
| Mean | 1,203,146 | 15,821,795 | 17,024,941 | 1,250,889 | 13,148,166 | 14,399,055 |
| Std Dev | 156,583 | 5,228,973 | 5,232,555 | 175,993 | 3,974,215 | 3,990,066 |
| Percentile | | | | | | |
| 1% | 872,316 | 6,293,168 | 7,507,595 | 918,427 | 6,029,587 | 7,234,775 |
| 5% | 945,174 | 8,204,045 | 9,401,734 | 989,862 | 7,390,977 | 8,616,700 |
| 10% | 998,059 | 9,477,921 | 10,674,422 | 1,035,656 | 8,333,083 | 9,570,171 |
| 15% | 1,036,328 | 10,416,179 | 11,621,841 | 1,068,262 | 9,060,772 | 10,297,799 |
| 20% | 1,067,022 | 11,221,838 | 12,429,409 | 1,095,750 | 9,668,144 | 10,908,457 |
| 25% | 1,093,240 | 11,959,051 | 13,161,047 | 1,121,263 | 10,217,237 | 11,449,992 |
| 30% | 1,117,539 | 12,648,508 | 13,842,045 | 1,145,099 | 10,726,561 | 11,971,849 |
| 35% | 1,139,266 | 13,313,676 | 14,518,855 | 1,167,704 | 11,245,093 | 12,493,007 |
| 40% | 1,160,427 | 13,971,462 | 15,174,979 | 1,190,012 | 11,736,454 | 12,984,129 |
| 45% | 1,180,850 | 14,609,245 | 15,814,882 | 1,211,954 | 12,230,633 | 13,480,860 |
| 50% | 1,201,069 | 15,260,379 | 16,474,302 | 1,235,173 | 12,715,112 | 13,964,203 |
| 55% | 1,220,708 | 15,966,588 | 17,161,367 | 1,258,333 | 13,221,292 | 14,475,638 |
| 60% | 1,241,683 | 16,668,096 | 17,863,934 | 1,282,448 | 13,761,268 | 15,015,849 |
| 65% | 1,263,431 | 17,407,021 | 18,613,495 | 1,307,817 | 14,334,688 | 15,588,001 |
| 70% | 1,285,744 | 18,220,159 | 19,429,094 | 1,335,014 | 14,942,179 | 16,199,912 |
| 75% | 1,309,538 | 19,095,131 | 20,315,728 | 1,364,839 | 15,615,304 | 16,874,316 |
| 80% | 1,336,254 | 20,120,211 | 21,326,163 | 1,398,495 | 16,394,069 | 17,650,827 |
| 85% | 1,367,361 | 21,373,942 | 22,579,698 | 1,438,184 | 17,327,900 | 18,603,276 |
| 90% | 1,407,025 | 22,929,578 | 24,132,666 | 1,489,869 | 18,542,650 | 19,809,358 |
| 95% | 1,464,162 | 25,330,877 | 26,527,996 | 1,564,673 | 20,373,063 | 21,643,298 |
| 99% | 1,576,306 | 29,798,190 | 31,028,078 | 1,708,231 | 23,891,464 | 25,162,864 |

Table E.28-Risk profile statistics for highway bridge with modification 1b ADT case 1 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 792,740 | 90,021 | 1,027,298 | 808,309 | 325,137 | 1,327,996 |
| Maximum | 1,944,452 | 6,169,989 | 7,503,321 | 2,146,195 | 5,257,288 | 6,611,554 |
| Mean | 1,247,249 | 1,940,574 | 3,187,823 | 1,272,986 | 1,775,886 | 3,048,873 |
| Std Dev | 157,243 | 882,656 | 896,632 | 177,405 | 685,605 | 715,229 |
| Percentile | | | | | | |
| 1% | 909,437 | 350,983 | 1,542,613 | 936,836 | 552,626 | 1,724,515 |
| 5% | 987,669 | 641,569 | 1,868,950 | 1,009,296 | 772,733 | 1,998,067 |
| 10% | 1,042,125 | 858,168 | 2,089,047 | 1,055,715 | 938,675 | 2,176,296 |
| 15% | 1,080,624 | 1,022,892 | 2,256,740 | 1,089,072 | 1,065,372 | 2,310,547 |
| 20% | 1,111,453 | 1,165,884 | 2,402,901 | 1,116,431 | 1,173,812 | 2,423,929 |
| 25% | 1,137,683 | 1,293,179 | 2,531,709 | 1,142,526 | 1,270,432 | 2,526,670 |
| 30% | 1,161,984 | 1,409,749 | 2,651,148 | 1,166,589 | 1,362,892 | 2,623,376 |
| 35% | 1,183,711 | 1,520,568 | 2,763,153 | 1,189,459 | 1,451,651 | 2,713,262 |
| 40% | 1,204,872 | 1,631,253 | 2,875,041 | 1,211,881 | 1,534,851 | 2,805,375 |
| 45% | 1,225,295 | 1,738,344 | 2,986,307 | 1,234,111 | 1,619,499 | 2,892,470 |
| 50% | 1,245,513 | 1,851,573 | 3,100,183 | 1,257,297 | 1,705,154 | 2,980,107 |
| 55% | 1,265,153 | 1,964,694 | 3,215,442 | 1,280,642 | 1,793,216 | 3,070,626 |
| 60% | 1,286,127 | 2,082,071 | 3,333,154 | 1,304,810 | 1,883,209 | 3,162,718 |
| 65% | 1,307,875 | 2,205,917 | 3,462,756 | 1,330,303 | 1,979,547 | 3,263,939 |
| 70% | 1,330,189 | 2,342,544 | 3,599,787 | 1,357,949 | 2,086,393 | 3,375,736 |
| 75% | 1,353,983 | 2,492,286 | 3,751,284 | 1,387,921 | 2,201,981 | 3,496,441 |
| 80% | 1,380,699 | 2,666,429 | 3,926,162 | 1,421,829 | 2,335,023 | 3,632,643 |
| 85% | 1,411,806 | 2,874,579 | 4,134,195 | 1,461,708 | 2,496,929 | 3,798,429 |
| 90% | 1,451,469 | 3,142,691 | 4,404,918 | 1,513,580 | 2,705,669 | 4,016,266 |
| 95% | 1,508,607 | 3,547,200 | 4,819,204 | 1,589,424 | 3,024,648 | 4,337,728 |
| 99% | 1,620,750 | 4,309,443 | 5,566,691 | 1,733,931 | 3,614,423 | 4,973,817 |

Table E.29-Risk profile statistics for highway bridge with modification 1b ADT case 2 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 792,740 | 118,709 | 1,098,158 | 808,309 | 601,470 | 1,647,654 |
| Maximum | 1,944,452 | 12,077,864 | 13,411,196 | 2,146,195 | 10,358,029 | 11,695,896 |
| Mean | 1,247,249 | 3,745,172 | 4,992,421 | 1,272,986 | 3,456,912 | 4,729,898 |
| Std Dev | 157,243 | 1,751,880 | 1,758,926 | 177,405 | 1,361,823 | 1,380,218 |
| Percentile | | | | | | |
| 1% | 909,437 | 583,335 | 1,800,325 | 936,836 | 1,019,224 | 2,239,490 |
| 5% | 987,669 | 1,161,993 | 2,402,316 | 1,009,296 | 1,462,135 | 2,706,265 |
| 10% | 1,042,125 | 1,594,067 | 2,835,769 | 1,055,715 | 1,793,448 | 3,045,345 |
| 15% | 1,080,624 | 1,922,247 | 3,166,062 | 1,089,072 | 2,043,752 | 3,300,793 |
| 20% | 1,111,453 | 2,209,515 | 3,452,184 | 1,116,431 | 2,262,721 | 3,520,034 |
| 25% | 1,137,683 | 2,462,157 | 3,701,251 | 1,142,526 | 2,454,289 | 3,715,374 |
| 30% | 1,161,984 | 2,692,754 | 3,938,109 | 1,166,589 | 2,637,004 | 3,901,400 |
| 35% | 1,183,711 | 2,913,494 | 4,158,958 | 1,189,459 | 2,813,109 | 4,079,700 |
| 40% | 1,204,872 | 3,133,371 | 4,376,839 | 1,211,881 | 2,979,504 | 4,250,507 |
| 45% | 1,225,295 | 3,346,793 | 4,597,366 | 1,234,111 | 3,147,257 | 4,421,319 |
| 50% | 1,245,513 | 3,568,150 | 4,816,827 | 1,257,297 | 3,317,459 | 4,592,720 |
| 55% | 1,265,153 | 3,795,731 | 5,046,169 | 1,280,642 | 3,492,652 | 4,766,220 |
| 60% | 1,286,127 | 4,025,948 | 5,274,931 | 1,304,810 | 3,671,218 | 4,945,272 |
| 65% | 1,307,875 | 4,271,779 | 5,524,808 | 1,330,303 | 3,862,799 | 5,140,729 |
| 70% | 1,330,189 | 4,543,830 | 5,798,034 | 1,357,949 | 4,074,350 | 5,356,842 |
| 75% | 1,353,983 | 4,842,393 | 6,093,998 | 1,387,921 | 4,304,160 | 5,589,340 |
| 80% | 1,380,699 | 5,185,603 | 6,441,133 | 1,421,829 | 4,566,549 | 5,853,548 |
| 85% | 1,411,806 | 5,599,326 | 6,850,029 | 1,461,708 | 4,887,850 | 6,183,198 |
| 90% | 1,451,469 | 6,131,129 | 7,380,430 | 1,513,580 | 5,303,333 | 6,598,026 |
| 95% | 1,508,607 | 6,929,193 | 8,193,805 | 1,589,424 | 5,932,972 | 7,235,192 |
| 99% | 1,620,750 | 8,448,706 | 9,672,596 | 1,733,931 | 7,112,082 | 8,447,405 |

Table E.30-Risk profile statistics for highway bridge with modification 1b ADT case 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 792,740 | 168,106 | 1,235,915 | 808,309 | 1,406,645 | 2,531,366 |
| Maximum | 1,944,452 | 29,801,489 | 31,134,821 | 2,146,195 | 25,660,251 | 26,998,118 |
| Mean | 1,247,249 | 9,158,966 | 10,406,214 | 1,272,986 | 8,499,989 | 9,772,975 |
| Std Dev | 157,243 | 4,360,248 | 4,363,039 | 177,405 | 3,390,877 | 3,402,251 |
| Percentile | | | | | | |
| 1% | 909,437 | 1,277,851 | 2,512,540 | 936,836 | 2,425,776 | 3,673,196 |
| 5% | 987,669 | 2,722,589 | 3,973,555 | 1,009,296 | 3,526,149 | 4,780,419 |
| 10% | 1,042,125 | 3,801,069 | 5,045,716 | 1,055,715 | 4,356,068 | 5,619,889 |
| 15% | 1,080,624 | 4,622,680 | 5,872,142 | 1,089,072 | 4,983,611 | 6,244,742 |
| 20% | 1,111,453 | 5,336,871 | 6,577,596 | 1,116,431 | 5,527,492 | 6,789,275 |
| 25% | 1,137,683 | 5,971,690 | 7,215,241 | 1,142,526 | 6,004,540 | 7,269,772 |
| 30% | 1,161,984 | 6,542,224 | 7,789,990 | 1,166,589 | 6,458,996 | 7,727,454 |
| 35% | 1,183,711 | 7,092,901 | 8,337,722 | 1,189,459 | 6,896,524 | 8,163,191 |
| 40% | 1,204,872 | 7,640,337 | 8,881,592 | 1,211,881 | 7,313,531 | 8,586,967 |
| 45% | 1,225,295 | 8,175,023 | 9,419,962 | 1,234,111 | 7,733,883 | 9,004,201 |
| 50% | 1,245,513 | 8,722,896 | 9,974,581 | 1,257,297 | 8,154,275 | 9,429,955 |
| 55% | 1,265,153 | 9,286,985 | 10,536,100 | 1,280,642 | 8,592,671 | 9,861,931 |
| 60% | 1,286,127 | 9,856,682 | 11,108,088 | 1,304,810 | 9,036,346 | 10,309,819 |
| 65% | 1,307,875 | 10,468,818 | 11,721,793 | 1,330,303 | 9,510,853 | 10,778,112 |
| 70% | 1,330,189 | 11,145,870 | 12,402,487 | 1,357,949 | 10,036,815 | 11,314,651 |
| 75% | 1,353,983 | 11,891,578 | 13,140,354 | 1,387,921 | 10,610,228 | 11,892,448 |
| 80% | 1,380,699 | 12,744,660 | 13,994,106 | 1,421,829 | 11,262,566 | 12,540,607 |
| 85% | 1,411,806 | 13,772,002 | 15,017,927 | 1,461,708 | 12,065,175 | 13,350,542 |
| 90% | 1,451,469 | 15,092,570 | 16,339,853 | 1,513,580 | 13,096,259 | 14,383,696 |
| 95% | 1,508,607 | 17,076,288 | 18,329,580 | 1,589,424 | 14,665,803 | 15,952,314 |
| 99% | 1,620,750 | 20,850,612 | 22,076,381 | 1,733,931 | 17,599,181 | 18,894,407 |

Table E.31-Risk profile statistics for highway bridge with modification 1b ADT case 4 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 792,740 | 642,010 | 1,815,637 | 808,309 | 717,009 | 1,789,808 |
| Maximum | 1,944,452 | 8,529,020 | 9,862,352 | 2,146,195 | 6,666,214 | 8,100,251 |
| Mean | 1,247,249 | 3,164,359 | 4,411,608 | 1,272,986 | 2,629,633 | 3,902,619 |
| Std Dev | 157,243 | 1,045,795 | 1,058,776 | 177,405 | 794,843 | 826,455 |
| Percentile | | | | | | |
| 1% | 909,437 | 1,258,634 | 2,463,450 | 936,836 | 1,205,917 | 2,377,572 |
| 5% | 987,669 | 1,640,809 | 2,863,018 | 1,009,296 | 1,478,195 | 2,696,613 |
| 10% | 1,042,125 | 1,895,584 | 3,125,760 | 1,055,715 | 1,666,617 | 2,901,171 |
| 15% | 1,080,624 | 2,083,236 | 3,319,584 | 1,089,072 | 1,812,154 | 3,054,425 |
| 20% | 1,111,453 | 2,244,368 | 3,486,222 | 1,116,431 | 1,933,629 | 3,180,512 |
| 25% | 1,137,683 | 2,391,810 | 3,633,105 | 1,142,526 | 2,043,447 | 3,300,842 |
| 30% | 1,161,984 | 2,529,702 | 3,770,395 | 1,166,589 | 2,145,312 | 3,409,131 |
| 35% | 1,183,711 | 2,662,735 | 3,906,336 | 1,189,459 | 2,249,019 | 3,513,336 |
| 40% | 1,204,872 | 2,794,292 | 4,037,721 | 1,211,881 | 2,347,291 | 3,614,703 |
| 45% | 1,225,295 | 2,921,849 | 4,168,336 | 1,234,111 | 2,446,127 | 3,718,450 |
| 50% | 1,245,513 | 3,052,076 | 4,303,478 | 1,257,297 | 2,543,022 | 3,817,188 |
| 55% | 1,265,153 | 3,193,318 | 4,442,638 | 1,280,642 | 2,644,258 | 3,923,034 |
| 60% | 1,286,127 | 3,333,619 | 4,581,448 | 1,304,810 | 2,752,254 | 4,035,454 |
| 65% | 1,307,875 | 3,481,404 | 4,734,713 | 1,330,303 | 2,866,938 | 4,152,032 |
| 70% | 1,330,189 | 3,644,032 | 4,900,877 | 1,357,949 | 2,988,436 | 4,277,958 |
| 75% | 1,353,983 | 3,819,026 | 5,081,215 | 1,387,921 | 3,123,061 | 4,418,273 |
| 80% | 1,380,699 | 4,024,042 | 5,286,941 | 1,421,829 | 3,278,814 | 4,574,997 |
| 85% | 1,411,806 | 4,274,788 | 5,531,505 | 1,461,708 | 3,465,580 | 4,770,915 |
| 90% | 1,451,469 | 4,585,916 | 5,850,747 | 1,513,580 | 3,708,530 | 5,022,203 |
| 95% | 1,508,607 | 5,066,175 | 6,327,521 | 1,589,424 | 4,074,613 | 5,391,735 |
| 99% | 1,620,750 | 5,959,638 | 7,237,259 | 1,733,931 | 4,778,293 | 6,130,148 |

Table E.32-Risk profile statistics for highway bridge with modification 1b ADT case 5 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 792,740 | 670,698 | 1,846,207 | 808,309 | 1,020,890 | 2,188,054 |
| Maximum | 1,944,452 | 14,436,895 | 15,770,227 | 2,146,195 | 11,766,955 | 13,104,822 |
| Mean | 1,247,249 | 4,968,957 | 6,216,206 | 1,272,986 | 4,310,659 | 5,583,645 |
| Std Dev | 157,243 | 1,892,132 | 1,899,304 | 177,405 | 1,457,543 | 1,478,048 |
| Percentile | | | | | | |
| 1% | 909,437 | 1,575,032 | 2,787,996 | 936,836 | 1,724,391 | 2,934,139 |
| 5% | 987,669 | 2,215,293 | 3,452,060 | 1,009,296 | 2,196,267 | 3,434,892 |
| 10% | 1,042,125 | 2,661,202 | 3,900,457 | 1,055,715 | 2,542,371 | 3,793,302 |
| 15% | 1,080,624 | 3,009,494 | 4,248,094 | 1,089,072 | 2,803,700 | 4,060,825 |
| 20% | 1,111,453 | 3,304,766 | 4,546,198 | 1,116,431 | 3,027,948 | 4,285,685 |
| 25% | 1,137,683 | 3,570,901 | 4,812,392 | 1,142,526 | 3,232,435 | 4,494,366 |
| 30% | 1,161,984 | 3,819,268 | 5,062,552 | 1,166,589 | 3,424,641 | 4,689,853 |
| 35% | 1,183,711 | 4,058,087 | 5,303,625 | 1,189,459 | 3,611,496 | 4,878,929 |
| 40% | 1,204,872 | 4,299,558 | 5,540,877 | 1,211,881 | 3,796,244 | 5,064,965 |
| 45% | 1,225,295 | 4,529,320 | 5,774,559 | 1,234,111 | 3,972,270 | 5,245,814 |
| 50% | 1,245,513 | 4,766,424 | 6,016,546 | 1,257,297 | 4,152,253 | 5,426,838 |
| 55% | 1,265,153 | 5,013,043 | 6,265,475 | 1,280,642 | 4,341,019 | 5,616,453 |
| 60% | 1,286,127 | 5,268,833 | 6,514,365 | 1,304,810 | 4,533,513 | 5,811,249 |
| 65% | 1,307,875 | 5,538,018 | 6,789,417 | 1,330,303 | 4,743,805 | 6,021,282 |
| 70% | 1,330,189 | 5,829,558 | 7,083,921 | 1,357,949 | 4,968,614 | 6,249,763 |
| 75% | 1,353,983 | 6,153,921 | 7,409,864 | 1,387,921 | 5,216,906 | 6,501,222 |
| 80% | 1,380,699 | 6,526,298 | 7,780,179 | 1,421,829 | 5,498,219 | 6,784,903 |
| 85% | 1,411,806 | 6,973,195 | 8,230,571 | 1,461,708 | 5,847,661 | 7,138,972 |
| 90% | 1,451,469 | 7,554,707 | 8,805,369 | 1,513,580 | 6,292,134 | 7,590,386 |
| 95% | 1,508,607 | 8,415,690 | 9,677,050 | 1,589,424 | 6,966,491 | 8,263,839 |
| 99% | 1,620,750 | 10,042,927 | 11,317,221 | 1,733,931 | 8,237,043 | 9,568,238 |

Table E.33-Risk profile statistics for highway bridge with modification 1b ADT case 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 792,740 | 756,764 | 1,922,507 | 808,309 | 1,869,712 | 3,120,798 |
| Maximum | 1,944,452 | 32,160,520 | 33,493,852 | 2,146,195 | 27,069,177 | 28,407,044 |
| Mean | 1,247,249 | 10,382,751 | 11,629,999 | 1,272,986 | 9,353,736 | 10,626,722 |
| Std Dev | 157,243 | 4,484,671 | 4,487,658 | 177,405 | 3,477,407 | 3,489,897 |
| Percentile | | | | | | |
| 1% | 909,437 | 2,332,655 | 3,576,925 | 936,836 | 3,170,503 | 4,409,842 |
| 5% | 987,669 | 3,809,736 | 5,047,962 | 1,009,296 | 4,279,339 | 5,542,346 |
| 10% | 1,042,125 | 4,890,918 | 6,141,088 | 1,055,715 | 5,117,681 | 6,377,337 |
| 15% | 1,080,624 | 5,718,814 | 6,963,648 | 1,089,072 | 5,756,658 | 7,015,326 |
| 20% | 1,111,453 | 6,441,654 | 7,691,619 | 1,116,431 | 6,298,123 | 7,556,706 |
| 25% | 1,137,683 | 7,088,499 | 8,327,125 | 1,142,526 | 6,788,551 | 8,049,385 |
| 30% | 1,161,984 | 7,672,997 | 8,920,399 | 1,166,589 | 7,255,803 | 8,520,795 |
| 35% | 1,183,711 | 8,238,469 | 9,485,868 | 1,189,459 | 7,696,878 | 8,968,457 |
| 40% | 1,204,872 | 8,801,078 | 10,044,357 | 1,211,881 | 8,128,977 | 9,399,801 |
| 45% | 1,225,295 | 9,347,148 | 10,597,140 | 1,234,111 | 8,556,178 | 9,828,770 |
| 50% | 1,245,513 | 9,924,011 | 11,173,945 | 1,257,297 | 8,986,386 | 10,264,287 |
| 55% | 1,265,153 | 10,503,668 | 11,753,239 | 1,280,642 | 9,435,293 | 10,706,111 |
| 60% | 1,286,127 | 11,098,011 | 12,344,287 | 1,304,810 | 9,891,651 | 11,167,673 |
| 65% | 1,307,875 | 11,732,557 | 12,978,326 | 1,330,303 | 10,387,019 | 11,651,786 |
| 70% | 1,330,189 | 12,419,411 | 13,675,633 | 1,357,949 | 10,928,777 | 12,206,215 |
| 75% | 1,353,983 | 13,193,320 | 14,440,189 | 1,387,921 | 11,515,149 | 12,795,270 |
| 80% | 1,380,699 | 14,072,070 | 15,322,313 | 1,421,829 | 12,189,775 | 13,475,177 |
| 85% | 1,411,806 | 15,127,400 | 16,382,341 | 1,461,708 | 13,008,667 | 14,294,526 |
| 90% | 1,451,469 | 16,492,394 | 17,736,971 | 1,513,580 | 14,073,898 | 15,366,126 |
| 95% | 1,508,607 | 18,549,604 | 19,807,254 | 1,589,424 | 15,693,767 | 16,981,518 |
| 99% | 1,620,750 | 22,423,928 | 23,689,441 | 1,733,931 | 18,693,984 | 20,004,580 |

Table E.34-Risk profile statistics for highway bridge with modification 1b ADT case 7 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 792,740 | 2,956,087 | 4,056,992 | 808,309 | 2,369,518 | 3,457,229 |
| Maximum | 1,944,452 | 20,074,314 | 21,482,889 | 2,146,195 | 15,347,922 | 16,522,568 |
| Mean | 1,247,249 | 8,603,403 | 9,850,652 | 1,272,986 | 6,424,063 | 7,697,050 |
| Std Dev | 157,243 | 2,197,875 | 2,206,554 | 177,405 | 1,552,791 | 1,582,961 |
| Percentile | | | | | | |
| 1% | 909,437 | 4,465,754 | 5,688,280 | 936,836 | 3,528,004 | 4,718,047 |
| 5% | 987,669 | 5,325,220 | 6,561,403 | 1,009,296 | 4,141,612 | 5,361,785 |
| 10% | 1,042,125 | 5,903,678 | 7,133,710 | 1,055,715 | 4,532,428 | 5,775,661 |
| 15% | 1,080,624 | 6,320,163 | 7,562,988 | 1,089,072 | 4,833,873 | 6,077,302 |
| 20% | 1,111,453 | 6,674,350 | 7,917,585 | 1,116,431 | 5,077,816 | 6,325,406 |
| 25% | 1,137,683 | 7,000,415 | 8,243,200 | 1,142,526 | 5,297,420 | 6,549,117 |
| 30% | 1,161,984 | 7,301,874 | 8,544,355 | 1,166,589 | 5,495,509 | 6,755,573 |
| 35% | 1,183,711 | 7,583,302 | 8,827,404 | 1,189,459 | 5,689,813 | 6,953,574 |
| 40% | 1,204,872 | 7,860,236 | 9,106,642 | 1,211,881 | 5,886,554 | 7,147,287 |
| 45% | 1,225,295 | 8,141,292 | 9,388,161 | 1,234,111 | 6,083,077 | 7,347,974 |
| 50% | 1,245,513 | 8,414,048 | 9,661,366 | 1,257,297 | 6,276,841 | 7,548,467 |
| 55% | 1,265,153 | 8,692,930 | 9,944,880 | 1,280,642 | 6,472,007 | 7,752,317 |
| 60% | 1,286,127 | 8,990,510 | 10,237,146 | 1,304,810 | 6,678,784 | 7,962,711 |
| 65% | 1,307,875 | 9,306,283 | 10,552,908 | 1,330,303 | 6,901,675 | 8,183,808 |
| 70% | 1,330,189 | 9,636,301 | 10,893,225 | 1,357,949 | 7,138,812 | 8,426,128 |
| 75% | 1,353,983 | 10,001,446 | 11,251,306 | 1,387,921 | 7,398,173 | 8,691,476 |
| 80% | 1,380,699 | 10,420,380 | 11,675,233 | 1,421,829 | 7,693,722 | 8,990,889 |
| 85% | 1,411,806 | 10,914,810 | 12,171,993 | 1,461,708 | 8,054,170 | 9,355,328 |
| 90% | 1,451,469 | 11,557,559 | 12,815,032 | 1,513,580 | 8,514,851 | 9,817,797 |
| 95% | 1,508,607 | 12,528,913 | 13,788,656 | 1,589,424 | 9,203,966 | 10,533,982 |
| 99% | 1,620,750 | 14,400,405 | 15,669,517 | 1,733,931 | 10,595,308 | 11,953,431 |

Table E.35-Risk profile statistics for highway bridge with modification 1b ADT case 8 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 792,740 | 3,076,646 | 4,204,618 | 808,309 | 2,673,399 | 3,855,475 |
| Maximum | 1,944,452 | 24,921,478 | 26,254,810 | 2,146,195 | 18,878,028 | 20,315,155 |
| Mean | 1,247,249 | 10,408,001 | 11,655,250 | 1,272,986 | 8,105,089 | 9,378,075 |
| Std Dev | 157,243 | 2,861,880 | 2,868,528 | 177,405 | 2,093,914 | 2,118,495 |
| Percentile | | | | | | |
| 1% | 909,437 | 5,066,257 | 6,286,805 | 936,836 | 4,243,157 | 5,442,619 |
| 5% | 987,669 | 6,182,493 | 7,417,120 | 1,009,296 | 5,044,770 | 6,279,707 |
| 10% | 1,042,125 | 6,901,578 | 8,144,157 | 1,055,715 | 5,569,733 | 6,814,998 |
| 15% | 1,080,624 | 7,444,228 | 8,690,011 | 1,089,072 | 5,950,411 | 7,197,490 |
| 20% | 1,111,453 | 7,897,230 | 9,137,170 | 1,116,431 | 6,276,663 | 7,529,030 |
| 25% | 1,137,683 | 8,309,691 | 9,554,974 | 1,142,526 | 6,569,581 | 7,828,390 |
| 30% | 1,161,984 | 8,695,026 | 9,936,792 | 1,166,589 | 6,848,010 | 8,109,006 |
| 35% | 1,183,711 | 9,063,264 | 10,309,881 | 1,189,459 | 7,113,727 | 8,378,178 |
| 40% | 1,204,872 | 9,419,228 | 10,663,242 | 1,211,881 | 7,372,759 | 8,641,049 |
| 45% | 1,225,295 | 9,784,031 | 11,031,918 | 1,234,111 | 7,630,150 | 8,901,114 |
| 50% | 1,245,513 | 10,148,137 | 11,394,754 | 1,257,297 | 7,897,302 | 9,163,765 |
| 55% | 1,265,153 | 10,518,290 | 11,764,884 | 1,280,642 | 8,167,842 | 9,443,952 |
| 60% | 1,286,127 | 10,902,672 | 12,145,930 | 1,304,810 | 8,448,227 | 9,726,794 |
| 65% | 1,307,875 | 11,308,308 | 12,558,050 | 1,330,303 | 8,741,642 | 10,025,717 |
| 70% | 1,330,189 | 11,749,359 | 13,000,320 | 1,357,949 | 9,058,735 | 10,342,546 |
| 75% | 1,353,983 | 12,233,301 | 13,486,198 | 1,387,921 | 9,413,700 | 10,699,374 |
| 80% | 1,380,699 | 12,772,219 | 14,029,134 | 1,421,829 | 9,819,331 | 11,108,128 |
| 85% | 1,411,806 | 13,427,567 | 14,682,771 | 1,461,708 | 10,306,708 | 11,602,551 |
| 90% | 1,451,469 | 14,262,808 | 15,518,198 | 1,513,580 | 10,935,629 | 12,238,260 |
| 95% | 1,508,607 | 15,543,452 | 16,804,522 | 1,589,424 | 11,871,299 | 13,172,074 |
| 99% | 1,620,750 | 17,958,254 | 19,205,114 | 1,733,931 | 13,746,767 | 15,085,145 |

Table E.36-Risk profile statistics for highway bridge with modification 1b ADT case 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 792,740 | 3,210,049 | 4,507,544 | 808,309 | 3,585,043 | 4,802,214 |
| Maximum | 1,944,452 | 42,645,102 | 43,978,434 | 2,146,195 | 33,331,071 | 34,668,938 |
| Mean | 1,247,249 | 15,821,795 | 17,069,044 | 1,272,986 | 13,148,166 | 14,421,152 |
| Std Dev | 157,243 | 5,228,973 | 5,232,577 | 177,405 | 3,974,215 | 3,990,584 |
| Percentile | | | | | | |
| 1% | 909,437 | 6,293,168 | 7,552,040 | 936,836 | 6,029,587 | 7,255,645 |
| 5% | 987,669 | 8,204,045 | 9,446,080 | 1,009,296 | 7,390,977 | 8,638,237 |
| 10% | 1,042,125 | 9,477,921 | 10,718,004 | 1,055,715 | 8,333,083 | 9,592,514 |
| 15% | 1,080,624 | 10,416,179 | 11,665,935 | 1,089,072 | 9,060,772 | 10,319,403 |
| 20% | 1,111,453 | 11,221,838 | 12,473,484 | 1,116,431 | 9,668,144 | 10,929,665 |
| 25% | 1,137,683 | 11,959,051 | 13,204,602 | 1,142,526 | 10,217,237 | 11,471,954 |
| 30% | 1,161,984 | 12,648,508 | 13,886,443 | 1,166,589 | 10,726,561 | 11,993,732 |
| 35% | 1,183,711 | 13,313,676 | 14,563,274 | 1,189,459 | 11,245,093 | 12,514,817 |
| 40% | 1,204,872 | 13,971,462 | 15,219,325 | 1,211,881 | 11,736,454 | 13,005,845 |
| 45% | 1,225,295 | 14,609,245 | 15,858,556 | 1,234,111 | 12,230,633 | 13,503,464 |
| 50% | 1,245,513 | 15,260,379 | 16,518,588 | 1,257,297 | 12,715,112 | 13,986,044 |
| 55% | 1,265,153 | 15,966,588 | 17,205,375 | 1,280,642 | 13,221,292 | 14,498,797 |
| 60% | 1,286,127 | 16,668,096 | 17,907,900 | 1,304,810 | 13,761,268 | 15,038,077 |
| 65% | 1,307,875 | 17,407,021 | 18,657,745 | 1,330,303 | 14,334,688 | 15,610,458 |
| 70% | 1,330,189 | 18,220,159 | 19,472,739 | 1,357,949 | 14,942,179 | 16,221,982 |
| 75% | 1,353,983 | 19,095,131 | 20,360,172 | 1,387,921 | 15,615,304 | 16,896,433 |
| 80% | 1,380,699 | 20,120,211 | 21,370,567 | 1,421,829 | 16,394,069 | 17,673,878 |
| 85% | 1,411,806 | 21,373,942 | 22,624,142 | 1,461,708 | 17,327,900 | 18,625,620 |
| 90% | 1,451,469 | 22,929,578 | 24,176,660 | 1,513,580 | 18,542,650 | 19,832,542 |
| 95% | 1,508,607 | 25,330,877 | 26,572,121 | 1,589,424 | 20,373,063 | 21,663,393 |
| 99% | 1,620,750 | 29,798,190 | 31,072,523 | 1,733,931 | 23,891,464 | 25,186,747 |

Table E.37-Risk profile statistics for highway bridge with modification 1c ADT case 1 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 90,021 | 1,057,038 | 820,832 | 325,137 | 1,346,887 |
| Maximum | 1,988,814 | 6,169,989 | 7,547,683 | 2,175,264 | 5,257,288 | 6,638,284 |
| Mean | 1,291,342 | 1,940,574 | 3,231,916 | 1,295,078 | 1,775,886 | 3,070,965 |
| Std Dev | 157,783 | 882,656 | 896,727 | 178,823 | 685,605 | 715,852 |
| Percentile | | | | | | |
| 1% | 946,742 | 350,983 | 1,585,684 | 954,917 | 552,626 | 1,745,801 |
| 5% | 1,030,871 | 641,569 | 1,912,979 | 1,029,034 | 772,733 | 2,018,866 |
| 10% | 1,086,197 | 858,168 | 2,132,721 | 1,075,676 | 938,675 | 2,197,421 |
| 15% | 1,124,870 | 1,022,892 | 2,300,815 | 1,109,911 | 1,065,372 | 2,332,322 |
| 20% | 1,155,805 | 1,165,884 | 2,447,112 | 1,137,403 | 1,173,812 | 2,445,790 |
| 25% | 1,182,038 | 1,293,179 | 2,575,751 | 1,163,647 | 1,270,432 | 2,548,447 |
| 30% | 1,206,346 | 1,409,749 | 2,695,035 | 1,188,233 | 1,362,892 | 2,645,096 |
| 35% | 1,228,071 | 1,520,568 | 2,807,344 | 1,211,133 | 1,451,651 | 2,734,997 |
| 40% | 1,249,234 | 1,631,253 | 2,919,021 | 1,233,824 | 1,534,851 | 2,827,337 |
| 45% | 1,269,657 | 1,738,344 | 3,030,411 | 1,256,285 | 1,619,499 | 2,914,519 |
| 50% | 1,289,875 | 1,851,573 | 3,144,289 | 1,279,594 | 1,705,154 | 3,002,168 |
| 55% | 1,309,515 | 1,964,694 | 3,259,534 | 1,302,895 | 1,793,216 | 3,092,654 |
| 60% | 1,330,489 | 2,082,071 | 3,377,163 | 1,327,225 | 1,883,209 | 3,184,976 |
| 65% | 1,352,237 | 2,205,917 | 3,506,818 | 1,352,962 | 1,979,547 | 3,286,203 |
| 70% | 1,374,551 | 2,342,544 | 3,644,110 | 1,380,727 | 2,086,393 | 3,398,030 |
| 75% | 1,398,345 | 2,492,286 | 3,795,477 | 1,410,791 | 2,201,981 | 3,518,405 |
| 80% | 1,425,061 | 2,666,429 | 3,970,430 | 1,445,178 | 2,335,023 | 3,655,060 |
| 85% | 1,456,167 | 2,874,579 | 4,178,526 | 1,485,037 | 2,496,929 | 3,821,233 |
| 90% | 1,495,831 | 3,142,691 | 4,449,280 | 1,537,367 | 2,705,669 | 4,039,021 |
| 95% | 1,552,969 | 3,547,200 | 4,863,566 | 1,613,720 | 3,024,648 | 4,360,704 |
| 99% | 1,665,112 | 4,309,443 | 5,610,983 | 1,759,239 | 3,614,423 | 4,996,673 |

Table E.38-Risk profile statistics for highway bridge with modification 1c ADT case 2 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 118,709 | 1,127,898 | 820,832 | 601,470 | 1,666,146 |
| Maximum | 1,988,814 | 12,077,864 | 13,455,558 | 2,175,264 | 10,358,029 | 11,725,978 |
| Mean | 1,291,342 | 3,745,172 | 5,036,514 | 1,295,078 | 3,456,912 | 4,751,990 |
| Std Dev | 157,783 | 1,751,880 | 1,758,975 | 178,823 | 1,361,823 | 1,380,667 |
| Percentile | | | | | | |
| 1% | 946,742 | 583,335 | 1,844,264 | 954,917 | 1,019,224 | 2,260,567 |
| 5% | 1,030,871 | 1,161,993 | 2,446,458 | 1,029,034 | 1,462,135 | 2,727,541 |
| 10% | 1,086,197 | 1,594,067 | 2,879,857 | 1,075,676 | 1,793,448 | 3,067,002 |
| 15% | 1,124,870 | 1,922,247 | 3,210,124 | 1,109,911 | 2,043,752 | 3,322,516 |
| 20% | 1,155,805 | 2,209,515 | 3,496,253 | 1,137,403 | 2,262,721 | 3,541,623 |
| 25% | 1,182,038 | 2,462,157 | 3,745,203 | 1,163,647 | 2,454,289 | 3,737,500 |
| 30% | 1,206,346 | 2,692,754 | 3,982,303 | 1,188,233 | 2,637,004 | 3,923,405 |
| 35% | 1,228,071 | 2,913,494 | 4,202,924 | 1,211,133 | 2,813,109 | 4,101,526 |
| 40% | 1,249,234 | 3,133,371 | 4,421,071 | 1,233,824 | 2,979,504 | 4,272,305 |
| 45% | 1,269,657 | 3,346,793 | 4,641,179 | 1,256,285 | 3,147,257 | 4,443,327 |
| 50% | 1,289,875 | 3,568,150 | 4,860,869 | 1,279,594 | 3,317,459 | 4,614,960 |
| 55% | 1,309,515 | 3,795,731 | 5,090,302 | 1,302,895 | 3,492,652 | 4,788,367 |
| 60% | 1,330,489 | 4,025,948 | 5,318,799 | 1,327,225 | 3,671,218 | 4,967,648 |
| 65% | 1,352,237 | 4,271,779 | 5,568,928 | 1,352,962 | 3,862,799 | 5,162,386 |
| 70% | 1,374,551 | 4,543,830 | 5,842,269 | 1,380,727 | 4,074,350 | 5,379,720 |
| 75% | 1,398,345 | 4,842,393 | 6,138,209 | 1,410,791 | 4,304,160 | 5,612,465 |
| 80% | 1,425,061 | 5,185,603 | 6,485,439 | 1,445,178 | 4,566,549 | 5,875,496 |
| 85% | 1,456,167 | 5,599,326 | 6,894,365 | 1,485,037 | 4,887,850 | 6,205,620 |
| 90% | 1,495,831 | 6,131,129 | 7,423,839 | 1,537,367 | 5,303,333 | 6,621,603 |
| 95% | 1,552,969 | 6,929,193 | 8,238,167 | 1,613,720 | 5,932,972 | 7,258,412 |
| 99% | 1,665,112 | 8,448,706 | 9,716,957 | 1,759,239 | 7,112,082 | 8,469,506 |

Table E.39-Risk profile statistics for highway bridge with modification 1c ADT case 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 168,106 | 1,280,277 | 820,832 | 1,406,645 | 2,551,759 |
| Maximum | 1,988,814 | 29,801,489 | 31,179,182 | 2,175,264 | 25,660,251 | 27,028,200 |
| Mean | 1,291,342 | 9,158,966 | 10,450,307 | 1,295,078 | 8,499,989 | 9,795,067 |
| Std Dev | 157,783 | 4,360,248 | 4,363,059 | 178,823 | 3,390,877 | 3,402,587 |
| Percentile | | | | | | |
| 1% | 946,742 | 1,277,851 | 2,556,902 | 954,917 | 2,425,776 | 3,692,704 |
| 5% | 1,030,871 | 2,722,589 | 4,017,917 | 1,029,034 | 3,526,149 | 4,803,446 |
| 10% | 1,086,197 | 3,801,069 | 5,089,534 | 1,075,676 | 4,356,068 | 5,641,623 |
| 15% | 1,124,870 | 4,622,680 | 5,916,341 | 1,109,911 | 4,983,611 | 6,266,690 |
| 20% | 1,155,805 | 5,336,871 | 6,621,733 | 1,137,403 | 5,527,492 | 6,810,291 |
| 25% | 1,182,038 | 5,971,690 | 7,259,569 | 1,163,647 | 6,004,540 | 7,292,072 |
| 30% | 1,206,346 | 6,542,224 | 7,833,543 | 1,188,233 | 6,458,996 | 7,749,927 |
| 35% | 1,228,071 | 7,092,901 | 8,381,338 | 1,211,133 | 6,896,524 | 8,184,663 |
| 40% | 1,249,234 | 7,640,337 | 8,925,499 | 1,233,824 | 7,313,531 | 8,609,767 |
| 45% | 1,269,657 | 8,175,023 | 9,463,882 | 1,256,285 | 7,733,883 | 9,026,088 |
| 50% | 1,289,875 | 8,722,896 | 10,018,926 | 1,279,594 | 8,154,275 | 9,451,970 |
| 55% | 1,309,515 | 9,286,985 | 10,579,824 | 1,302,895 | 8,592,671 | 9,883,424 |
| 60% | 1,330,489 | 9,856,682 | 11,152,287 | 1,327,225 | 9,036,346 | 10,331,755 |
| 65% | 1,352,237 | 10,468,818 | 11,765,907 | 1,352,962 | 9,510,853 | 10,800,847 |
| 70% | 1,374,551 | 11,145,870 | 12,446,830 | 1,380,727 | 10,036,815 | 11,337,430 |
| 75% | 1,398,345 | 11,891,578 | 13,184,488 | 1,410,791 | 10,610,228 | 11,915,070 |
| 80% | 1,425,061 | 12,744,660 | 14,038,468 | 1,445,178 | 11,262,566 | 12,562,123 |
| 85% | 1,456,167 | 13,772,002 | 15,062,112 | 1,485,037 | 12,065,175 | 13,372,390 |
| 90% | 1,495,831 | 15,092,570 | 16,384,215 | 1,537,367 | 13,096,259 | 14,406,561 |
| 95% | 1,552,969 | 17,076,288 | 18,373,942 | 1,613,720 | 14,665,803 | 15,976,713 |
| 99% | 1,665,112 | 20,850,612 | 22,120,743 | 1,759,239 | 17,599,181 | 18,917,288 |

Table E.40-Risk profile statistics for highway bridge with modification 1c ADT case 4 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 642,010 | 1,859,999 | 820,832 | 717,009 | 1,803,855 |
| Maximum | 1,988,814 | 8,529,020 | 9,906,714 | 2,175,264 | 6,666,214 | 8,126,982 |
| Mean | 1,291,342 | 3,164,359 | 4,455,701 | 1,295,078 | 2,629,633 | 3,924,711 |
| Std Dev | 157,783 | 1,045,795 | 1,058,860 | 178,823 | 794,843 | 827,201 |
| Percentile | | | | | | |
| 1% | 946,742 | 1,258,634 | 2,507,562 | 954,917 | 1,205,917 | 2,398,216 |
| 5% | 1,030,871 | 1,640,809 | 2,907,369 | 1,029,034 | 1,478,195 | 2,716,902 |
| 10% | 1,086,197 | 1,895,584 | 3,169,983 | 1,075,676 | 1,666,617 | 2,923,058 |
| 15% | 1,124,870 | 2,083,236 | 3,363,757 | 1,109,911 | 1,812,154 | 3,075,791 |
| 20% | 1,155,805 | 2,244,368 | 3,530,098 | 1,137,403 | 1,933,629 | 3,201,837 |
| 25% | 1,182,038 | 2,391,810 | 3,677,419 | 1,163,647 | 2,043,447 | 3,322,534 |
| 30% | 1,206,346 | 2,529,702 | 3,814,634 | 1,188,233 | 2,145,312 | 3,430,741 |
| 35% | 1,228,071 | 2,662,735 | 3,950,409 | 1,211,133 | 2,249,019 | 3,534,794 |
| 40% | 1,249,234 | 2,794,292 | 4,081,824 | 1,233,824 | 2,347,291 | 3,636,882 |
| 45% | 1,269,657 | 2,921,849 | 4,212,503 | 1,256,285 | 2,446,127 | 3,740,225 |
| 50% | 1,289,875 | 3,052,076 | 4,347,345 | 1,279,594 | 2,543,022 | 3,839,435 |
| 55% | 1,309,515 | 3,193,318 | 4,486,837 | 1,302,895 | 2,644,258 | 3,944,798 |
| 60% | 1,330,489 | 3,333,619 | 4,625,464 | 1,327,225 | 2,752,254 | 4,057,328 |
| 65% | 1,352,237 | 3,481,404 | 4,778,885 | 1,352,962 | 2,866,938 | 4,174,030 |
| 70% | 1,374,551 | 3,644,032 | 4,944,769 | 1,380,727 | 2,988,436 | 4,300,239 |
| 75% | 1,398,345 | 3,819,026 | 5,125,306 | 1,410,791 | 3,123,061 | 4,440,633 |
| 80% | 1,425,061 | 4,024,042 | 5,331,266 | 1,445,178 | 3,278,814 | 4,597,684 |
| 85% | 1,456,167 | 4,274,788 | 5,575,650 | 1,485,037 | 3,465,580 | 4,793,863 |
| 90% | 1,495,831 | 4,585,916 | 5,894,908 | 1,537,367 | 3,708,530 | 5,044,774 |
| 95% | 1,552,969 | 5,066,175 | 6,371,813 | 1,613,720 | 4,074,613 | 5,413,902 |
| 99% | 1,665,112 | 5,959,638 | 7,281,621 | 1,759,239 | 4,778,293 | 6,151,815 |

Table E.41-Risk profile statistics for highway bridge with modification 1c ADT case 5 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 670,698 | 1,890,569 | 820,832 | 1,020,890 | 2,202,102 |
| Maximum | 1,988,814 | 14,436,895 | 15,814,589 | 2,175,264 | 11,766,955 | 13,134,904 |
| Mean | 1,291,342 | 4,968,957 | 6,260,299 | 1,295,078 | 4,310,659 | 5,605,737 |
| Std Dev | 157,783 | 1,892,132 | 1,899,350 | 178,823 | 1,457,543 | 1,478,583 |
| Percentile | | | | | | |
| 1% | 946,742 | 1,575,032 | 2,831,220 | 954,917 | 1,724,391 | 2,954,293 |
| 5% | 1,030,871 | 2,215,293 | 3,496,239 | 1,029,034 | 2,196,267 | 3,456,757 |
| 10% | 1,086,197 | 2,661,202 | 3,944,335 | 1,075,676 | 2,542,371 | 3,814,910 |
| 15% | 1,124,870 | 3,009,494 | 4,292,279 | 1,109,911 | 2,803,700 | 4,082,602 |
| 20% | 1,155,805 | 3,304,766 | 4,590,224 | 1,137,403 | 3,027,948 | 4,308,008 |
| 25% | 1,182,038 | 3,570,901 | 4,856,534 | 1,163,647 | 3,232,435 | 4,515,833 |
| 30% | 1,206,346 | 3,819,268 | 5,106,629 | 1,188,233 | 3,424,641 | 4,711,487 |
| 35% | 1,228,071 | 4,058,087 | 5,347,666 | 1,211,133 | 3,611,496 | 4,901,307 |
| 40% | 1,249,234 | 4,299,558 | 5,585,050 | 1,233,824 | 3,796,244 | 5,086,737 |
| 45% | 1,269,657 | 4,529,320 | 5,818,309 | 1,256,285 | 3,972,270 | 5,267,416 |
| 50% | 1,289,875 | 4,766,424 | 6,060,767 | 1,279,594 | 4,152,253 | 5,448,911 |
| 55% | 1,309,515 | 5,013,043 | 6,309,406 | 1,302,895 | 4,341,019 | 5,638,243 |
| 60% | 1,330,489 | 5,268,833 | 6,558,167 | 1,327,225 | 4,533,513 | 5,833,585 |
| 65% | 1,352,237 | 5,538,018 | 6,833,638 | 1,352,962 | 4,743,805 | 6,042,890 |
| 70% | 1,374,551 | 5,829,558 | 7,128,046 | 1,380,727 | 4,968,614 | 6,272,104 |
| 75% | 1,398,345 | 6,153,921 | 7,454,203 | 1,410,791 | 5,216,906 | 6,523,581 |
| 80% | 1,425,061 | 6,526,298 | 7,824,306 | 1,445,178 | 5,498,219 | 6,807,238 |
| 85% | 1,456,167 | 6,973,195 | 8,274,240 | 1,485,037 | 5,847,661 | 7,162,081 |
| 90% | 1,495,831 | 7,554,707 | 8,849,665 | 1,537,367 | 6,292,134 | 7,613,500 |
| 95% | 1,552,969 | 8,415,690 | 9,721,412 | 1,613,720 | 6,966,491 | 8,286,659 |
| 99% | 1,665,112 | 10,042,927 | 11,361,583 | 1,759,239 | 8,237,043 | 9,593,199 |

Table E.42-Risk profile statistics for highway bridge with modification 1c ADT case 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 756,764 | 1,966,869 | 820,832 | 1,869,712 | 3,146,649 |
| Maximum | 1,988,814 | 32,160,520 | 33,538,214 | 2,175,264 | 27,069,177 | 28,437,126 |
| Mean | 1,291,342 | 10,382,751 | 11,674,092 | 1,295,078 | 9,353,736 | 10,648,814 |
| Std Dev | 157,783 | 4,484,671 | 4,487,678 | 178,823 | 3,477,407 | 3,490,273 |
| Percentile | | | | | | |
| 1% | 946,742 | 2,332,655 | 3,621,285 | 954,917 | 3,170,503 | 4,430,248 |
| 5% | 1,030,871 | 3,809,736 | 5,092,324 | 1,029,034 | 4,279,339 | 5,563,711 |
| 10% | 1,086,197 | 4,890,918 | 6,184,438 | 1,075,676 | 5,117,681 | 6,399,857 |
| 15% | 1,124,870 | 5,718,814 | 7,007,855 | 1,109,911 | 5,756,658 | 7,037,210 |
| 20% | 1,155,805 | 6,441,654 | 7,735,778 | 1,137,403 | 6,298,123 | 7,578,745 |
| 25% | 1,182,038 | 7,088,499 | 8,371,487 | 1,163,647 | 6,788,551 | 8,071,874 |
| 30% | 1,206,346 | 7,672,997 | 8,963,807 | 1,188,233 | 7,255,803 | 8,542,870 |
| 35% | 1,228,071 | 8,238,469 | 9,530,010 | 1,211,133 | 7,696,878 | 8,990,566 |
| 40% | 1,249,234 | 8,801,078 | 10,088,478 | 1,233,824 | 8,128,977 | 9,421,400 |
| 45% | 1,269,657 | 9,347,148 | 10,641,280 | 1,256,285 | 8,556,178 | 9,850,512 |
| 50% | 1,289,875 | 9,924,011 | 11,217,999 | 1,279,594 | 8,986,386 | 10,286,124 |
| 55% | 1,309,515 | 10,503,668 | 11,797,323 | 1,302,895 | 9,435,293 | 10,727,480 |
| 60% | 1,330,489 | 11,098,011 | 12,388,287 | 1,327,225 | 9,891,651 | 11,189,932 |
| 65% | 1,352,237 | 11,732,557 | 13,022,281 | 1,352,962 | 10,387,019 | 11,674,745 |
| 70% | 1,374,551 | 12,419,411 | 13,719,943 | 1,380,727 | 10,928,777 | 12,227,600 |
| 75% | 1,398,345 | 13,193,320 | 14,484,309 | 1,410,791 | 11,515,149 | 12,818,244 |
| 80% | 1,425,061 | 14,072,070 | 15,366,352 | 1,445,178 | 12,189,775 | 13,498,272 |
| 85% | 1,456,167 | 15,127,400 | 16,426,703 | 1,485,037 | 13,008,667 | 14,316,935 |
| 90% | 1,495,831 | 16,492,394 | 17,781,333 | 1,537,367 | 14,073,898 | 15,389,437 |
| 95% | 1,552,969 | 18,549,604 | 19,850,531 | 1,613,720 | 15,693,767 | 17,004,943 |
| 99% | 1,665,112 | 22,423,928 | 23,733,803 | 1,759,239 | 18,693,984 | 20,028,870 |

Table E.43-Risk profile statistics for highway bridge with modification 1c ADT case 7 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 2,956,087 | 4,101,354 | 820,832 | 2,369,518 | 3,471,277 |
| Maximum | 1,988,814 | 20,074,314 | 21,527,251 | 2,175,264 | 15,347,922 | 16,548,204 |
| Mean | 1,291,342 | 8,603,403 | 9,894,745 | 1,295,078 | 6,424,063 | 7,719,142 |
| Std Dev | 157,783 | 2,197,875 | 2,206,598 | 178,823 | 1,552,791 | 1,583,830 |
| Percentile | | | | | | |
| 1% | 946,742 | 4,465,754 | 5,732,012 | 954,917 | 3,528,004 | 4,737,391 |
| 5% | 1,030,871 | 5,325,220 | 6,605,574 | 1,029,034 | 4,141,612 | 5,382,376 |
| 10% | 1,086,197 | 5,903,678 | 7,178,037 | 1,075,676 | 4,532,428 | 5,796,507 |
| 15% | 1,124,870 | 6,320,163 | 7,607,186 | 1,109,911 | 4,833,873 | 6,097,980 |
| 20% | 1,155,805 | 6,674,350 | 7,961,542 | 1,137,403 | 5,077,816 | 6,347,469 |
| 25% | 1,182,038 | 7,000,415 | 8,287,333 | 1,163,647 | 5,297,420 | 6,570,583 |
| 30% | 1,206,346 | 7,301,874 | 8,588,303 | 1,188,233 | 5,495,509 | 6,777,137 |
| 35% | 1,228,071 | 7,583,302 | 8,871,460 | 1,211,133 | 5,689,813 | 6,975,470 |
| 40% | 1,249,234 | 7,860,236 | 9,150,814 | 1,233,824 | 5,886,554 | 7,168,897 |
| 45% | 1,269,657 | 8,141,292 | 9,432,269 | 1,256,285 | 6,083,077 | 7,370,406 |
| 50% | 1,289,875 | 8,414,048 | 9,705,333 | 1,279,594 | 6,276,841 | 7,570,280 |
| 55% | 1,309,515 | 8,692,930 | 9,988,915 | 1,302,895 | 6,472,007 | 7,774,778 |
| 60% | 1,330,489 | 8,990,510 | 10,281,413 | 1,327,225 | 6,678,784 | 7,985,217 |
| 65% | 1,352,237 | 9,306,283 | 10,597,250 | 1,352,962 | 6,901,675 | 8,206,133 |
| 70% | 1,374,551 | 9,636,301 | 10,937,451 | 1,380,727 | 7,138,812 | 8,448,637 |
| 75% | 1,398,345 | 10,001,446 | 11,295,590 | 1,410,791 | 7,398,173 | 8,713,562 |
| 80% | 1,425,061 | 10,420,380 | 11,719,341 | 1,445,178 | 7,693,722 | 9,014,007 |
| 85% | 1,456,167 | 10,914,810 | 12,215,967 | 1,485,037 | 8,054,170 | 9,377,907 |
| 90% | 1,495,831 | 11,557,559 | 12,859,332 | 1,537,367 | 8,514,851 | 9,840,899 |
| 95% | 1,552,969 | 12,528,913 | 13,833,018 | 1,613,720 | 9,203,966 | 10,558,396 |
| 99% | 1,665,112 | 14,400,405 | 15,713,879 | 1,759,239 | 10,595,308 | 11,976,158 |

Table E.44-Risk profile statistics for highway bridge with modification 1c ADT case 8 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 3,076,646 | 4,248,980 | 820,832 | 2,673,399 | 3,869,523 |
| Maximum | 1,988,814 | 24,921,478 | 26,299,172 | 2,175,264 | 18,878,028 | 20,341,791 |
| Mean | 1,291,342 | 10,408,001 | 11,699,343 | 1,295,078 | 8,105,089 | 9,400,167 |
| Std Dev | 157,783 | 2,861,880 | 2,868,563 | 178,823 | 2,093,914 | 2,119,227 |
| Percentile | | | | | | |
| 1% | 946,742 | 5,066,257 | 6,331,167 | 954,917 | 4,243,157 | 5,462,112 |
| 5% | 1,030,871 | 6,182,493 | 7,461,353 | 1,029,034 | 5,044,770 | 6,301,477 |
| 10% | 1,086,197 | 6,901,578 | 8,188,123 | 1,075,676 | 5,569,733 | 6,836,353 |
| 15% | 1,124,870 | 7,444,228 | 8,734,291 | 1,109,911 | 5,950,411 | 7,218,665 |
| 20% | 1,155,805 | 7,897,230 | 9,181,436 | 1,137,403 | 6,276,663 | 7,550,531 |
| 25% | 1,182,038 | 8,309,691 | 9,599,241 | 1,163,647 | 6,569,581 | 7,849,555 |
| 30% | 1,206,346 | 8,695,026 | 9,980,860 | 1,188,233 | 6,848,010 | 8,130,528 |
| 35% | 1,228,071 | 9,063,264 | 10,353,981 | 1,211,133 | 7,113,727 | 8,400,270 |
| 40% | 1,249,234 | 9,419,228 | 10,707,014 | 1,233,824 | 7,372,759 | 8,662,728 |
| 45% | 1,269,657 | 9,784,031 | 11,076,060 | 1,256,285 | 7,630,150 | 8,922,738 |
| 50% | 1,289,875 | 10,148,137 | 11,438,789 | 1,279,594 | 7,897,302 | 9,185,496 |
| 55% | 1,309,515 | 10,518,290 | 11,808,915 | 1,302,895 | 8,167,842 | 9,466,429 |
| 60% | 1,330,489 | 10,902,672 | 12,190,087 | 1,327,225 | 8,448,227 | 9,748,765 |
| 65% | 1,352,237 | 11,308,308 | 12,602,174 | 1,352,962 | 8,741,642 | 10,048,131 |
| 70% | 1,374,551 | 11,749,359 | 13,044,642 | 1,380,727 | 9,058,735 | 10,365,269 |
| 75% | 1,398,345 | 12,233,301 | 13,530,347 | 1,410,791 | 9,413,700 | 10,721,869 |
| 80% | 1,425,061 | 12,772,219 | 14,073,130 | 1,445,178 | 9,819,331 | 11,130,095 |
| 85% | 1,456,167 | 13,427,567 | 14,726,770 | 1,485,037 | 10,306,708 | 11,625,800 |
| 90% | 1,495,831 | 14,262,808 | 15,562,413 | 1,537,367 | 10,935,629 | 12,261,350 |
| 95% | 1,552,969 | 15,543,452 | 16,848,884 | 1,613,720 | 11,871,299 | 13,196,738 |
| 99% | 1,665,112 | 17,958,254 | 19,249,476 | 1,759,239 | 13,746,767 | 15,110,538 |

Table E.45-Risk profile statistics for highway bridge with modification 1c ADT case 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 3,210,049 | 4,551,906 | 820,832 | 3,585,043 | 4,826,513 |
| Maximum | 1,988,814 | 42,645,102 | 44,022,796 | 2,175,264 | 33,331,071 | 34,699,020 |
| Mean | 1,291,342 | 15,821,795 | 17,113,137 | 1,295,078 | 13,148,166 | 14,443,244 |
| Std Dev | 157,783 | 5,228,973 | 5,232,596 | 178,823 | 3,974,215 | 3,991,103 |
| Percentile | | | | | | |
| 1% | 946,742 | 6,293,168 | 7,596,402 | 954,917 | 6,029,587 | 7,275,770 |
| 5% | 1,030,871 | 8,204,045 | 9,490,363 | 1,029,034 | 7,390,977 | 8,660,948 |
| 10% | 1,086,197 | 9,477,921 | 10,761,943 | 1,075,676 | 8,333,083 | 9,614,395 |
| 15% | 1,124,870 | 10,416,179 | 11,710,083 | 1,109,911 | 9,060,772 | 10,341,102 |
| 20% | 1,155,805 | 11,221,838 | 12,517,810 | 1,137,403 | 9,668,144 | 10,951,397 |
| 25% | 1,182,038 | 11,959,051 | 13,248,875 | 1,163,647 | 10,217,237 | 11,493,244 |
| 30% | 1,206,346 | 12,648,508 | 13,930,734 | 1,188,233 | 10,726,561 | 12,016,120 |
| 35% | 1,228,071 | 13,313,676 | 14,607,583 | 1,211,133 | 11,245,093 | 12,536,832 |
| 40% | 1,249,234 | 13,971,462 | 15,263,454 | 1,233,824 | 11,736,454 | 13,028,016 |
| 45% | 1,269,657 | 14,609,245 | 15,902,713 | 1,256,285 | 12,230,633 | 13,525,430 |
| 50% | 1,289,875 | 15,260,379 | 16,562,773 | 1,279,594 | 12,715,112 | 14,008,419 |
| 55% | 1,309,515 | 15,966,588 | 17,249,557 | 1,302,895 | 13,221,292 | 14,521,019 |
| 60% | 1,330,489 | 16,668,096 | 17,952,135 | 1,327,225 | 13,761,268 | 15,060,416 |
| 65% | 1,352,237 | 17,407,021 | 18,701,019 | 1,352,962 | 14,334,688 | 15,632,730 |
| 70% | 1,374,551 | 18,220,159 | 19,516,179 | 1,380,727 | 14,942,179 | 16,244,051 |
| 75% | 1,398,345 | 19,095,131 | 20,404,441 | 1,410,791 | 15,615,304 | 16,918,755 |
| 80% | 1,425,061 | 20,120,211 | 21,414,903 | 1,445,178 | 16,394,069 | 17,696,684 |
| 85% | 1,456,167 | 21,373,942 | 22,668,504 | 1,485,037 | 17,327,900 | 18,648,662 |
| 90% | 1,495,831 | 22,929,578 | 24,221,022 | 1,537,367 | 18,542,650 | 19,855,043 |
| 95% | 1,552,969 | 25,330,877 | 26,616,483 | 1,613,720 | 20,373,063 | 21,688,611 |
| 99% | 1,665,112 | 29,798,190 | 31,116,885 | 1,759,239 | 23,891,464 | 25,211,166 |

Table E.46-Risk profile statistics for highway bridge with modification 2a ADT case 1 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 78,929 | 947,298 | 794,935 | 308,443 | 1,266,557 |
| Maximum | 1,900,008 | 4,013,285 | 5,302,172 | 2,117,072 | 3,548,792 | 5,036,640 |
| Mean | 1,203,146 | 1,358,661 | 2,561,807 | 1,250,889 | 1,334,318 | 2,585,208 |
| Std Dev | 156,583 | 577,938 | 598,904 | 175,993 | 452,048 | 492,168 |
| Percentile | | | | | | |
| 1% | 872,316 | 261,977 | 1,392,932 | 918,427 | 485,859 | 1,618,019 |
| 5% | 945,174 | 472,674 | 1,645,864 | 989,862 | 648,989 | 1,837,408 |
| 10% | 998,059 | 629,667 | 1,809,847 | 1,035,656 | 768,321 | 1,972,804 |
| 15% | 1,036,328 | 748,818 | 1,932,876 | 1,068,262 | 860,266 | 2,073,249 |
| 20% | 1,067,022 | 852,220 | 2,037,376 | 1,095,750 | 936,865 | 2,156,322 |
| 25% | 1,093,240 | 941,210 | 2,131,090 | 1,121,263 | 1,005,739 | 2,231,343 |
| 30% | 1,117,539 | 1,022,089 | 2,216,285 | 1,145,099 | 1,069,283 | 2,299,095 |
| 35% | 1,139,266 | 1,098,332 | 2,293,653 | 1,167,704 | 1,128,227 | 2,364,896 |
| 40% | 1,160,427 | 1,171,362 | 2,370,300 | 1,190,012 | 1,187,023 | 2,428,110 |
| 45% | 1,180,850 | 1,244,661 | 2,446,054 | 1,211,954 | 1,243,136 | 2,489,544 |
| 50% | 1,201,069 | 1,317,547 | 2,520,764 | 1,235,173 | 1,300,025 | 2,551,265 |
| 55% | 1,220,708 | 1,392,337 | 2,598,577 | 1,258,333 | 1,357,844 | 2,612,884 |
| 60% | 1,241,683 | 1,467,604 | 2,678,055 | 1,282,448 | 1,417,563 | 2,677,571 |
| 65% | 1,263,431 | 1,548,091 | 2,763,264 | 1,307,817 | 1,479,832 | 2,745,756 |
| 70% | 1,285,744 | 1,633,231 | 2,850,811 | 1,335,014 | 1,548,391 | 2,821,069 |
| 75% | 1,309,538 | 1,729,559 | 2,948,178 | 1,364,839 | 1,622,169 | 2,901,393 |
| 80% | 1,336,254 | 1,838,976 | 3,059,368 | 1,398,495 | 1,706,325 | 2,991,553 |
| 85% | 1,367,361 | 1,970,768 | 3,191,833 | 1,438,184 | 1,808,990 | 3,101,294 |
| 90% | 1,407,025 | 2,136,337 | 3,363,370 | 1,489,869 | 1,941,792 | 3,242,103 |
| 95% | 1,464,162 | 2,384,873 | 3,622,426 | 1,564,673 | 2,138,970 | 3,454,572 |
| 99% | 1,576,306 | 2,853,280 | 4,091,705 | 1,708,231 | 2,511,545 | 3,861,963 |

Table E.47-Risk profile statistics for highway bridge with modification 2a ADT case 2 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 93,699 | 996,612 | 794,935 | 574,198 | 1,580,217 |
| Maximum | 1,900,008 | 7,850,761 | 9,139,649 | 2,117,072 | 6,987,992 | 8,295,721 |
| Mean | 1,203,146 | 2,617,010 | 3,820,155 | 1,250,889 | 2,596,623 | 3,847,513 |
| Std Dev | 156,583 | 1,149,925 | 1,160,561 | 175,993 | 899,595 | 923,728 |
| Percentile | | | | | | |
| 1% | 872,316 | 428,422 | 1,595,336 | 918,427 | 904,490 | 2,083,492 |
| 5% | 945,174 | 851,953 | 2,039,030 | 989,862 | 1,228,602 | 2,448,758 |
| 10% | 998,059 | 1,165,065 | 2,356,813 | 1,035,656 | 1,469,091 | 2,694,551 |
| 15% | 1,036,328 | 1,403,188 | 2,597,595 | 1,068,262 | 1,651,544 | 2,880,138 |
| 20% | 1,067,022 | 1,608,701 | 2,802,715 | 1,095,750 | 1,806,441 | 3,037,396 |
| 25% | 1,093,240 | 1,786,369 | 2,979,540 | 1,121,263 | 1,943,131 | 3,176,100 |
| 30% | 1,117,539 | 1,947,864 | 3,145,646 | 1,145,099 | 2,070,158 | 3,306,736 |
| 35% | 1,139,266 | 2,099,051 | 3,297,193 | 1,167,704 | 2,187,387 | 3,431,290 |
| 40% | 1,160,427 | 2,245,376 | 3,446,931 | 1,190,012 | 2,304,252 | 3,549,244 |
| 45% | 1,180,850 | 2,391,613 | 3,592,530 | 1,211,954 | 2,415,714 | 3,665,446 |
| 50% | 1,201,069 | 2,535,767 | 3,742,340 | 1,235,173 | 2,529,916 | 3,780,947 |
| 55% | 1,220,708 | 2,685,491 | 3,889,029 | 1,258,333 | 2,644,545 | 3,896,948 |
| 60% | 1,241,683 | 2,834,506 | 4,041,828 | 1,282,448 | 2,763,770 | 4,016,765 |
| 65% | 1,263,431 | 2,995,066 | 4,204,204 | 1,307,817 | 2,887,609 | 4,145,702 |
| 70% | 1,285,744 | 3,164,060 | 4,377,165 | 1,335,014 | 3,023,509 | 4,286,017 |
| 75% | 1,309,538 | 3,356,654 | 4,565,553 | 1,364,839 | 3,170,657 | 4,436,727 |
| 80% | 1,336,254 | 3,573,650 | 4,785,636 | 1,398,495 | 3,338,024 | 4,610,565 |
| 85% | 1,367,361 | 3,835,396 | 5,043,901 | 1,438,184 | 3,541,683 | 4,817,411 |
| 90% | 1,407,025 | 4,164,547 | 5,377,835 | 1,489,869 | 3,804,843 | 5,084,132 |
| 95% | 1,464,162 | 4,657,696 | 5,885,563 | 1,564,673 | 4,195,282 | 5,483,292 |
| 99% | 1,576,306 | 5,588,238 | 6,797,995 | 1,708,231 | 4,937,064 | 6,257,491 |

Table E.48-Risk profile statistics for highway bridge with modification 2a ADT case 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 127,832 | 1,106,136 | 794,935 | 1,362,788 | 2,423,998 |
| Maximum | 1,900,008 | 19,363,191 | 20,652,078 | 2,117,072 | 17,305,593 | 18,613,322 |
| Mean | 1,203,146 | 6,392,055 | 7,595,201 | 1,250,889 | 6,383,538 | 7,634,428 |
| Std Dev | 156,583 | 2,866,321 | 2,870,551 | 175,993 | 2,242,491 | 2,256,353 |
| Percentile | | | | | | |
| 1% | 872,316 | 931,314 | 2,121,850 | 918,427 | 2,156,779 | 3,372,918 |
| 5% | 945,174 | 1,987,056 | 3,183,571 | 989,862 | 2,970,341 | 4,209,945 |
| 10% | 998,059 | 2,770,779 | 3,968,177 | 1,035,656 | 3,570,107 | 4,811,132 |
| 15% | 1,036,328 | 3,364,531 | 4,561,987 | 1,068,262 | 4,026,508 | 5,261,986 |
| 20% | 1,067,022 | 3,878,149 | 5,079,627 | 1,095,750 | 4,415,080 | 5,654,378 |
| 25% | 1,093,240 | 4,322,657 | 5,521,978 | 1,121,263 | 4,755,257 | 5,995,492 |
| 30% | 1,117,539 | 4,727,902 | 5,927,093 | 1,145,099 | 5,072,593 | 6,313,335 |
| 35% | 1,139,266 | 5,102,957 | 6,305,448 | 1,167,704 | 5,365,653 | 6,612,681 |
| 40% | 1,160,427 | 5,469,052 | 6,671,127 | 1,190,012 | 5,655,828 | 6,900,945 |
| 45% | 1,180,850 | 5,831,555 | 7,029,583 | 1,211,954 | 5,932,879 | 7,185,343 |
| 50% | 1,201,069 | 6,192,154 | 7,399,711 | 1,235,173 | 6,218,148 | 7,466,519 |
| 55% | 1,220,708 | 6,562,405 | 7,767,329 | 1,258,333 | 6,503,052 | 7,756,319 |
| 60% | 1,241,683 | 6,938,132 | 8,144,058 | 1,282,448 | 6,803,099 | 8,053,670 |
| 65% | 1,263,431 | 7,336,844 | 8,542,293 | 1,307,817 | 7,109,635 | 8,361,248 |
| 70% | 1,285,744 | 7,758,321 | 8,966,373 | 1,335,014 | 7,450,525 | 8,703,402 |
| 75% | 1,309,538 | 8,234,989 | 9,440,388 | 1,364,839 | 7,817,292 | 9,075,595 |
| 80% | 1,336,254 | 8,776,426 | 9,977,918 | 1,398,495 | 8,233,411 | 9,497,210 |
| 85% | 1,367,361 | 9,427,539 | 10,631,162 | 1,438,184 | 8,742,049 | 10,009,568 |
| 90% | 1,407,025 | 10,247,078 | 11,451,055 | 1,489,869 | 9,395,896 | 10,662,232 |
| 95% | 1,464,162 | 11,474,267 | 12,686,019 | 1,564,673 | 10,368,572 | 11,645,882 |
| 99% | 1,576,306 | 13,796,289 | 14,980,815 | 1,708,231 | 12,210,960 | 13,494,017 |

Table E.49-Risk profile statistics for highway bridge with modification 2a ADT case 4 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 591,932 | 1,645,830 | 794,935 | 680,311 | 1,691,693 |
| Maximum | 1,900,008 | 5,595,559 | 6,884,446 | 2,117,072 | 4,535,112 | 6,082,972 |
| Mean | 1,203,146 | 2,261,471 | 3,464,617 | 1,250,889 | 1,982,437 | 3,233,326 |
| Std Dev | 156,583 | 658,796 | 678,975 | 175,993 | 508,788 | 551,225 |
| Percentile | | | | | | |
| 1% | 872,316 | 1,011,792 | 2,145,779 | 918,427 | 1,031,280 | 2,160,910 |
| 5% | 945,174 | 1,275,507 | 2,444,803 | 989,862 | 1,225,076 | 2,404,449 |
| 10% | 998,059 | 1,449,534 | 2,626,876 | 1,035,656 | 1,356,587 | 2,555,311 |
| 15% | 1,036,328 | 1,579,467 | 2,763,187 | 1,068,262 | 1,456,067 | 2,665,687 |
| 20% | 1,067,022 | 1,685,442 | 2,874,459 | 1,095,750 | 1,538,574 | 2,756,919 |
| 25% | 1,093,240 | 1,783,393 | 2,974,682 | 1,121,263 | 1,612,976 | 2,837,548 |
| 30% | 1,117,539 | 1,872,561 | 3,067,339 | 1,145,099 | 1,682,479 | 2,912,694 |
| 35% | 1,139,266 | 1,957,845 | 3,155,712 | 1,167,704 | 1,747,383 | 2,984,257 |
| 40% | 1,160,427 | 2,040,489 | 3,240,682 | 1,190,012 | 1,810,594 | 3,053,171 |
| 45% | 1,180,850 | 2,122,831 | 3,323,459 | 1,211,954 | 1,873,931 | 3,120,595 |
| 50% | 1,201,069 | 2,205,228 | 3,407,754 | 1,235,173 | 1,937,428 | 3,189,360 |
| 55% | 1,220,708 | 2,289,561 | 3,495,902 | 1,258,333 | 2,002,135 | 3,258,603 |
| 60% | 1,241,683 | 2,376,193 | 3,587,877 | 1,282,448 | 2,069,687 | 3,332,473 |
| 65% | 1,263,431 | 2,467,183 | 3,680,150 | 1,307,817 | 2,141,025 | 3,409,548 |
| 70% | 1,285,744 | 2,568,752 | 3,782,320 | 1,335,014 | 2,217,962 | 3,491,612 |
| 75% | 1,309,538 | 2,678,705 | 3,898,536 | 1,364,839 | 2,300,897 | 3,582,814 |
| 80% | 1,336,254 | 2,803,672 | 4,026,034 | 1,398,495 | 2,398,717 | 3,685,089 |
| 85% | 1,367,361 | 2,956,200 | 4,180,645 | 1,438,184 | 2,515,533 | 3,806,113 |
| 90% | 1,407,025 | 3,150,282 | 4,375,524 | 1,489,869 | 2,665,896 | 3,970,574 |
| 95% | 1,464,162 | 3,444,807 | 4,675,107 | 1,564,673 | 2,893,255 | 4,209,203 |
| 99% | 1,576,306 | 3,997,146 | 5,230,090 | 1,708,231 | 3,336,851 | 4,690,465 |

Table E.50-Risk profile statistics for highway bridge with modification 2a ADT case 5 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|------------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 617,723 | 1,667,198 | 794,935 | 958,389 | 2,038,505 |
| Maximum | 1,900,008 | 9,433,035 | 10,721,923 | 2,117,072 | 7,974,312 | 9,282,041 |
| Mean | 1,203,146 | 3,519,820 | 4,722,966 | 1,250,889 | 3,244,742 | 4,495,631 |
| Std Dev | 156,583 | 1,215,739 | 1,226,750 | 175,993 | 947,355 | 973,953 |
| Percentile | | | | | | |
| 1% | 872,316 | 1,227,084 | 2,388,647 | 918,427 | 1,481,922 | 2,647,706 |
| 5% | 945,174 | 1,681,946 | 2,869,886 | 989,862 | 1,822,530 | 3,032,949 |
| 10% | 998,059 | 2,003,840 | 3,194,434 | 1,035,656 | 2,068,448 | 3,292,334 |
| 15% | 1,036,328 | 2,247,618 | 3,440,470 | 1,068,262 | 2,257,300 | 3,483,757 |
| 20% | 1,067,022 | 2,455,670 | 3,650,015 | 1,095,750 | 2,413,619 | 3,644,902 |
| 25% | 1,093,240 | 2,638,628 | 3,833,175 | 1,121,263 | 2,554,964 | 3,788,890 |
| 30% | 1,117,539 | 2,803,918 | 4,000,930 | 1,145,099 | 2,686,522 | 3,923,743 |
| 35% | 1,139,266 | 2,966,042 | 4,164,299 | 1,167,704 | 2,810,571 | 4,051,062 |
| 40% | 1,160,427 | 3,117,576 | 4,317,359 | 1,190,012 | 2,929,765 | 4,175,782 |
| 45% | 1,180,850 | 3,269,144 | 4,471,299 | 1,211,954 | 3,046,115 | 4,296,112 |
| 50% | 1,201,069 | 3,423,759 | 4,628,057 | 1,235,173 | 3,166,428 | 4,418,473 |
| 55% | 1,220,708 | 3,580,718 | 4,785,604 | 1,258,333 | 3,285,900 | 4,540,559 |
| 60% | 1,241,683 | 3,740,491 | 4,948,581 | 1,282,448 | 3,414,276 | 4,667,961 |
| 65% | 1,263,431 | 3,905,221 | 5,114,652 | 1,307,817 | 3,545,498 | 4,801,995 |
| 70% | 1,285,744 | 4,089,894 | 5,301,693 | 1,335,014 | 3,688,401 | 4,951,699 |
| 75% | 1,309,538 | 4,293,857 | 5,504,046 | 1,364,839 | 3,845,388 | 5,112,124 |
| 80% | 1,336,254 | 4,526,845 | 5,737,546 | 1,398,495 | 4,021,378 | 5,295,278 |
| 85% | 1,367,361 | 4,806,389 | 6,016,458 | 1,438,184 | 4,238,889 | 5,515,474 |
| 90% | 1,407,025 | 5,159,980 | 6,375,001 | 1,489,869 | 4,517,643 | 5,802,530 |
| 95% | 1,464,162 | 5,691,958 | 6,917,776 | 1,564,673 | 4,937,199 | 6,225,451 |
| 99% | 1,576,306 | 6,697,402 | 7,913,117 | 1,708,231 | 5,735,306 | 7,053,316 |

Table E.51-Risk profile statistics for highway bridge with modification 2a ADT case 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 689,015 | 1,727,365 | 794,935 | 1,755,654 | 2,914,370 |
| Maximum | 1,900,008 | 20,945,465 | 22,234,352 | 2,117,072 | 18,291,914 | 19,599,643 |
| Mean | 1,203,146 | 7,294,866 | 8,498,011 | 1,250,889 | 7,031,657 | 8,282,546 |
| Std Dev | 156,583 | 2,922,082 | 2,926,628 | 175,993 | 2,284,306 | 2,299,460 |
| Percentile | | | | | | |
| 1% | 872,316 | 1,774,381 | 2,960,301 | 918,427 | 2,760,500 | 3,975,836 |
| 5% | 945,174 | 2,830,968 | 4,031,496 | 989,862 | 3,577,956 | 4,806,718 |
| 10% | 998,059 | 3,616,066 | 4,814,580 | 1,035,656 | 4,176,818 | 5,419,030 |
| 15% | 1,036,328 | 4,213,265 | 5,417,741 | 1,068,262 | 4,640,209 | 5,872,341 |
| 20% | 1,067,022 | 4,733,439 | 5,933,829 | 1,095,750 | 5,023,088 | 6,264,472 |
| 25% | 1,093,240 | 5,182,274 | 6,381,843 | 1,121,263 | 5,372,103 | 6,612,031 |
| 30% | 1,117,539 | 5,589,822 | 6,787,648 | 1,145,099 | 5,691,357 | 6,934,756 |
| 35% | 1,139,266 | 5,969,555 | 7,168,779 | 1,167,704 | 5,986,215 | 7,235,869 |
| 40% | 1,160,427 | 6,340,356 | 7,542,375 | 1,190,012 | 6,281,710 | 7,530,557 |
| 45% | 1,180,850 | 6,706,647 | 7,910,595 | 1,211,954 | 6,564,454 | 7,817,174 |
| 50% | 1,201,069 | 7,080,610 | 8,285,787 | 1,235,173 | 6,850,362 | 8,103,062 |
| 55% | 1,220,708 | 7,456,941 | 8,664,908 | 1,258,333 | 7,145,440 | 8,397,260 |
| 60% | 1,241,683 | 7,840,403 | 9,044,836 | 1,282,448 | 7,448,397 | 8,700,039 |
| 65% | 1,263,431 | 8,243,085 | 9,448,031 | 1,307,817 | 7,763,326 | 9,018,111 |
| 70% | 1,285,744 | 8,675,817 | 9,886,925 | 1,335,014 | 8,107,913 | 9,365,331 |
| 75% | 1,309,538 | 9,160,396 | 10,371,135 | 1,364,839 | 8,486,121 | 9,741,198 |
| 80% | 1,336,254 | 9,722,103 | 10,927,413 | 1,398,495 | 8,912,855 | 10,176,400 |
| 85% | 1,367,361 | 10,388,192 | 11,592,602 | 1,438,184 | 9,428,254 | 10,699,207 |
| 90% | 1,407,025 | 11,227,889 | 12,433,323 | 1,489,869 | 10,097,358 | 11,364,721 |
| 95% | 1,464,162 | 12,497,744 | 13,717,234 | 1,564,673 | 11,103,441 | 12,379,651 |
| 99% | 1,576,306 | 14,883,292 | 16,084,446 | 1,708,231 | 12,997,375 | 14,289,184 |

Table E.52-Risk profile statistics for highway bridge with modification 2a ADT case 7 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 2,683,260 | 3,641,301 | 794,935 | 2,215,176 | 3,187,943 |
| Maximum | 1,900,008 | 13,297,485 | 14,661,615 | 2,117,072 | 10,527,202 | 11,676,164 |
| Mean | 1,203,146 | 6,273,960 | 7,477,106 | 1,250,889 | 4,862,963 | 6,113,852 |
| Std Dev | 156,583 | 1,325,011 | 1,339,015 | 175,993 | 955,762 | 995,000 |
| Percentile | | | | | | |
| 1% | 872,316 | 3,772,649 | 4,937,529 | 918,427 | 3,067,367 | 4,210,830 |
| 5% | 945,174 | 4,325,386 | 5,503,095 | 989,862 | 3,468,170 | 4,651,042 |
| 10% | 998,059 | 4,670,818 | 5,849,353 | 1,035,656 | 3,714,345 | 4,917,004 |
| 15% | 1,036,328 | 4,914,601 | 6,106,747 | 1,068,262 | 3,888,640 | 5,104,559 |
| 20% | 1,067,022 | 5,126,754 | 6,319,045 | 1,095,750 | 4,040,107 | 5,259,300 |
| 25% | 1,093,240 | 5,312,452 | 6,509,507 | 1,121,263 | 4,171,958 | 5,395,225 |
| 30% | 1,117,539 | 5,490,793 | 6,685,807 | 1,145,099 | 4,295,208 | 5,525,402 |
| 35% | 1,139,266 | 5,655,838 | 6,853,213 | 1,167,704 | 4,415,210 | 5,651,208 |
| 40% | 1,160,427 | 5,817,094 | 7,020,279 | 1,190,012 | 4,531,751 | 5,774,476 |
| 45% | 1,180,850 | 5,981,392 | 7,182,528 | 1,211,954 | 4,648,460 | 5,895,958 |
| 50% | 1,201,069 | 6,143,859 | 7,349,778 | 1,235,173 | 4,765,756 | 6,019,770 |
| 55% | 1,220,708 | 6,313,024 | 7,521,566 | 1,258,333 | 4,888,622 | 6,143,513 |
| 60% | 1,241,683 | 6,490,961 | 7,697,628 | 1,282,448 | 5,015,442 | 6,278,535 |
| 65% | 1,263,431 | 6,676,561 | 7,885,659 | 1,307,817 | 5,146,277 | 6,416,444 |
| 70% | 1,285,744 | 6,883,594 | 8,090,756 | 1,335,014 | 5,295,229 | 6,568,445 |
| 75% | 1,309,538 | 7,106,324 | 8,319,817 | 1,364,839 | 5,455,335 | 6,731,643 |
| 80% | 1,336,254 | 7,360,158 | 8,578,569 | 1,398,495 | 5,639,248 | 6,920,051 |
| 85% | 1,367,361 | 7,660,263 | 8,877,871 | 1,438,184 | 5,854,938 | 7,147,491 |
| 90% | 1,407,025 | 8,052,656 | 9,271,903 | 1,489,869 | 6,148,712 | 7,440,558 |
| 95% | 1,464,162 | 8,654,708 | 9,887,205 | 1,564,673 | 6,580,837 | 7,899,457 |
| 99% | 1,576,306 | 9,821,619 | 11,059,651 | 1,708,231 | 7,469,647 | 8,820,397 |

Table E.53-Risk profile statistics for highway bridge with modification 2a ADT case 8 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 2,882,282 | 3,981,174 | 794,935 | 2,511,771 | 3,561,870 |
| Maximum | 1,900,008 | 16,465,364 | 17,754,251 | 2,117,072 | 12,919,265 | 14,224,469 |
| Mean | 1,203,146 | 7,532,309 | 8,735,455 | 1,250,889 | 6,125,268 | 7,376,157 |
| Std Dev | 156,583 | 1,745,619 | 1,756,244 | 175,993 | 1,304,546 | 1,335,853 |
| Percentile | | | | | | |
| 1% | 872,316 | 4,211,796 | 5,376,057 | 918,427 | 3,661,849 | 4,826,061 |
| 5% | 945,174 | 4,945,512 | 6,132,513 | 989,862 | 4,206,371 | 5,403,833 |
| 10% | 998,059 | 5,410,309 | 6,598,361 | 1,035,656 | 4,543,188 | 5,755,155 |
| 15% | 1,036,328 | 5,740,546 | 6,934,480 | 1,068,262 | 4,789,982 | 6,005,385 |
| 20% | 1,067,022 | 6,018,517 | 7,216,084 | 1,095,750 | 4,996,143 | 6,224,894 |
| 25% | 1,093,240 | 6,271,119 | 7,467,426 | 1,121,263 | 5,184,207 | 6,416,447 |
| 30% | 1,117,539 | 6,500,630 | 7,700,067 | 1,145,099 | 5,356,898 | 6,591,748 |
| 35% | 1,139,266 | 6,723,971 | 7,922,764 | 1,167,704 | 5,517,149 | 6,760,363 |
| 40% | 1,160,427 | 6,941,171 | 8,140,033 | 1,190,012 | 5,679,853 | 6,925,475 |
| 45% | 1,180,850 | 7,154,030 | 8,357,918 | 1,211,954 | 5,840,125 | 7,089,758 |
| 50% | 1,201,069 | 7,368,758 | 8,571,434 | 1,235,173 | 6,003,326 | 7,253,950 |
| 55% | 1,220,708 | 7,592,289 | 8,798,434 | 1,258,333 | 6,170,856 | 7,421,067 |
| 60% | 1,241,683 | 7,825,854 | 9,029,353 | 1,282,448 | 6,337,773 | 7,599,175 |
| 65% | 1,263,431 | 8,073,028 | 9,278,372 | 1,307,817 | 6,518,057 | 7,785,477 |
| 70% | 1,285,744 | 8,340,592 | 9,553,873 | 1,335,014 | 6,715,764 | 7,986,207 |
| 75% | 1,309,538 | 8,637,039 | 9,847,477 | 1,364,839 | 6,937,390 | 8,207,361 |
| 80% | 1,336,254 | 8,963,984 | 10,175,960 | 1,398,495 | 7,186,157 | 8,459,705 |
| 85% | 1,367,361 | 9,367,750 | 10,580,217 | 1,438,184 | 7,487,156 | 8,768,431 |
| 90% | 1,407,025 | 9,871,275 | 11,091,890 | 1,489,869 | 7,877,563 | 9,165,014 |
| 95% | 1,464,162 | 10,666,711 | 11,878,283 | 1,564,673 | 8,460,748 | 9,763,995 |
| 99% | 1,576,306 | 12,156,586 | 13,384,190 | 1,708,231 | 9,639,339 | 10,967,749 |

Table E.54-Risk profile statistics for highway bridge with modification 2a ADT case 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 760,300 | 2,959,658 | 4,082,313 | 794,935 | 3,401,555 | 4,594,381 |
| Maximum | 1,900,008 | 27,977,793 | 29,266,681 | 2,117,072 | 22,675,560 | 23,983,289 |
| Mean | 1,203,146 | 11,307,355 | 12,510,501 | 1,250,889 | 9,912,183 | 11,163,072 |
| Std Dev | 156,583 | 3,293,978 | 3,299,575 | 175,993 | 2,543,942 | 2,563,720 |
| Percentile | | | | | | |
| 1% | 872,316 | 5,058,960 | 6,244,660 | 918,427 | 5,156,399 | 6,362,468 |
| 5% | 945,174 | 6,377,537 | 7,572,868 | 989,862 | 6,125,381 | 7,345,824 |
| 10% | 998,059 | 7,247,668 | 8,441,689 | 1,035,656 | 6,782,936 | 8,015,469 |
| 15% | 1,036,328 | 7,897,333 | 9,097,458 | 1,068,262 | 7,280,337 | 8,519,744 |
| 20% | 1,067,022 | 8,427,211 | 9,627,570 | 1,095,750 | 7,692,870 | 8,924,156 |
| 25% | 1,093,240 | 8,916,963 | 10,114,409 | 1,121,263 | 8,064,880 | 9,301,287 |
| 30% | 1,117,539 | 9,362,805 | 10,563,822 | 1,145,099 | 8,412,394 | 9,655,007 |
| 35% | 1,139,266 | 9,789,223 | 10,989,508 | 1,167,704 | 8,736,917 | 9,983,418 |
| 40% | 1,160,427 | 10,202,445 | 11,404,427 | 1,190,012 | 9,052,970 | 10,300,428 |
| 45% | 1,180,850 | 10,614,153 | 11,812,708 | 1,211,954 | 9,369,656 | 10,621,712 |
| 50% | 1,201,069 | 11,026,138 | 12,230,818 | 1,235,173 | 9,687,138 | 10,937,159 |
| 55% | 1,220,708 | 11,447,806 | 12,649,734 | 1,258,333 | 10,010,676 | 11,261,102 |
| 60% | 1,241,683 | 11,880,965 | 13,083,196 | 1,282,448 | 10,348,433 | 11,600,693 |
| 65% | 1,263,431 | 12,335,916 | 13,546,206 | 1,307,817 | 10,705,127 | 11,962,501 |
| 70% | 1,285,744 | 12,843,762 | 14,048,296 | 1,335,014 | 11,089,808 | 12,345,853 |
| 75% | 1,309,538 | 13,393,523 | 14,602,078 | 1,364,839 | 11,504,486 | 12,766,224 |
| 80% | 1,336,254 | 14,018,362 | 15,225,794 | 1,398,495 | 11,993,586 | 13,259,262 |
| 85% | 1,367,361 | 14,780,998 | 15,992,097 | 1,438,184 | 12,577,667 | 13,852,193 |
| 90% | 1,407,025 | 15,751,410 | 16,957,693 | 1,489,869 | 13,329,478 | 14,611,444 |
| 95% | 1,464,162 | 17,224,035 | 18,431,115 | 1,564,673 | 14,466,273 | 15,750,409 |
| 99% | 1,576,306 | 19,985,728 | 21,191,987 | 1,708,231 | 16,684,256 | 17,981,111 |

Table E.55-Risk profile statistics for highway bridge with modification 2b ADT case 1 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 78,929 | 1,006,778 | 820,832 | 308,443 | 1,304,375 |
| Maximum | 1,988,814 | 4,013,285 | 5,390,979 | 2,175,264 | 3,548,792 | 5,090,150 |
| Mean | 1,291,342 | 1,358,661 | 2,650,003 | 1,295,078 | 1,334,318 | 2,629,396 |
| Std Dev | 157,783 | 577,938 | 599,220 | 178,823 | 452,048 | 493,737 |
| Percentile | | | | | | |
| 1% | 946,742 | 261,977 | 1,480,251 | 954,917 | 485,859 | 1,659,104 |
| 5% | 1,030,871 | 472,674 | 1,734,077 | 1,029,034 | 648,989 | 1,879,650 |
| 10% | 1,086,197 | 629,667 | 1,897,259 | 1,075,676 | 768,321 | 2,014,829 |
| 15% | 1,124,870 | 748,818 | 2,020,490 | 1,109,911 | 860,266 | 2,116,166 |
| 20% | 1,155,805 | 852,220 | 2,124,864 | 1,137,403 | 936,865 | 2,199,096 |
| 25% | 1,182,038 | 941,210 | 2,219,124 | 1,163,647 | 1,005,739 | 2,273,980 |
| 30% | 1,206,346 | 1,022,089 | 2,304,308 | 1,188,233 | 1,069,283 | 2,342,785 |
| 35% | 1,228,071 | 1,098,332 | 2,381,633 | 1,211,133 | 1,128,227 | 2,408,267 |
| 40% | 1,249,234 | 1,171,362 | 2,458,678 | 1,233,824 | 1,187,023 | 2,472,232 |
| 45% | 1,269,657 | 1,244,661 | 2,534,421 | 1,256,285 | 1,243,136 | 2,533,317 |
| 50% | 1,289,875 | 1,317,547 | 2,609,038 | 1,279,594 | 1,300,025 | 2,595,083 |
| 55% | 1,309,515 | 1,392,337 | 2,686,967 | 1,302,895 | 1,357,844 | 2,657,262 |
| 60% | 1,330,489 | 1,467,604 | 2,766,416 | 1,327,225 | 1,417,563 | 2,722,263 |
| 65% | 1,352,237 | 1,548,091 | 2,851,658 | 1,352,962 | 1,479,832 | 2,790,443 |
| 70% | 1,374,551 | 1,633,231 | 2,939,208 | 1,380,727 | 1,548,391 | 2,866,231 |
| 75% | 1,398,345 | 1,729,559 | 3,036,565 | 1,410,791 | 1,622,169 | 2,946,801 |
| 80% | 1,425,061 | 1,838,976 | 3,147,852 | 1,445,178 | 1,706,325 | 3,037,319 |
| 85% | 1,456,167 | 1,970,768 | 3,280,335 | 1,485,037 | 1,808,990 | 3,146,876 |
| 90% | 1,495,831 | 2,136,337 | 3,451,735 | 1,537,367 | 1,941,792 | 3,288,024 |
| 95% | 1,552,969 | 2,384,873 | 3,711,120 | 1,613,720 | 2,138,970 | 3,501,098 |
| 99% | 1,665,112 | 2,853,280 | 4,180,110 | 1,759,239 | 2,511,545 | 3,910,086 |

Table E.56-Risk profile statistics for highway bridge with modification 2b ADT case 2 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 93,699 | 1,056,091 | 820,832 | 574,198 | 1,617,236 |
| Maximum | 1,988,814 | 7,850,761 | 9,228,455 | 2,175,264 | 6,987,992 | 8,355,941 |
| Mean | 1,291,342 | 2,617,010 | 3,908,351 | 1,295,078 | 2,596,623 | 3,891,702 |
| Std Dev | 157,783 | 1,149,925 | 1,160,724 | 178,823 | 899,595 | 924,828 |
| Percentile | | | | | | |
| 1% | 946,742 | 428,422 | 1,681,405 | 954,917 | 904,490 | 2,125,147 |
| 5% | 1,030,871 | 851,953 | 2,126,640 | 1,029,034 | 1,228,602 | 2,491,943 |
| 10% | 1,086,197 | 1,165,065 | 2,445,215 | 1,075,676 | 1,469,091 | 2,737,549 |
| 15% | 1,124,870 | 1,403,188 | 2,685,287 | 1,109,911 | 1,651,544 | 2,923,093 |
| 20% | 1,155,805 | 1,608,701 | 2,890,882 | 1,137,403 | 1,806,441 | 3,081,022 |
| 25% | 1,182,038 | 1,786,369 | 3,067,803 | 1,163,647 | 1,943,131 | 3,220,307 |
| 30% | 1,206,346 | 1,947,864 | 3,233,704 | 1,188,233 | 2,070,158 | 3,351,062 |
| 35% | 1,228,071 | 2,099,051 | 3,385,547 | 1,211,133 | 2,187,387 | 3,474,832 |
| 40% | 1,249,234 | 2,245,376 | 3,535,161 | 1,233,824 | 2,304,252 | 3,592,711 |
| 45% | 1,269,657 | 2,391,613 | 3,680,879 | 1,256,285 | 2,415,714 | 3,709,249 |
| 50% | 1,289,875 | 2,535,767 | 3,830,252 | 1,279,594 | 2,529,916 | 3,825,259 |
| 55% | 1,309,515 | 2,685,491 | 3,977,124 | 1,302,895 | 2,644,545 | 3,941,045 |
| 60% | 1,330,489 | 2,834,506 | 4,130,224 | 1,327,225 | 2,763,770 | 4,061,325 |
| 65% | 1,352,237 | 2,995,066 | 4,292,303 | 1,352,962 | 2,887,609 | 4,190,360 |
| 70% | 1,374,551 | 3,164,060 | 4,465,248 | 1,380,727 | 3,023,509 | 4,330,741 |
| 75% | 1,398,345 | 3,356,654 | 4,654,010 | 1,410,791 | 3,170,657 | 4,482,067 |
| 80% | 1,425,061 | 3,573,650 | 4,874,059 | 1,445,178 | 3,338,024 | 4,655,617 |
| 85% | 1,456,167 | 3,835,396 | 5,132,442 | 1,485,037 | 3,541,683 | 4,862,468 |
| 90% | 1,495,831 | 4,164,547 | 5,466,494 | 1,537,367 | 3,804,843 | 5,130,008 |
| 95% | 1,552,969 | 4,657,696 | 5,973,421 | 1,613,720 | 4,195,282 | 5,528,634 |
| 99% | 1,665,112 | 5,588,238 | 6,884,423 | 1,759,239 | 4,937,064 | 6,305,326 |

Table E.57-Risk profile statistics for highway bridge with modification 2b ADT case 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 127,832 | 1,194,942 | 820,832 | 1,362,788 | 2,461,017 |
| Maximum | 1,988,814 | 19,363,191 | 20,740,885 | 2,175,264 | 17,305,593 | 18,673,543 |
| Mean | 1,291,342 | 6,392,055 | 7,683,397 | 1,295,078 | 6,383,538 | 7,678,617 |
| Std Dev | 157,783 | 2,866,321 | 2,870,617 | 178,823 | 2,242,491 | 2,257,126 |
| Percentile | | | | | | |
| 1% | 946,742 | 931,314 | 2,209,903 | 954,917 | 2,156,779 | 3,415,726 |
| 5% | 1,030,871 | 1,987,056 | 3,272,209 | 1,029,034 | 2,970,341 | 4,253,673 |
| 10% | 1,086,197 | 2,770,779 | 4,055,480 | 1,075,676 | 3,570,107 | 4,853,269 |
| 15% | 1,124,870 | 3,364,531 | 4,649,997 | 1,109,911 | 4,026,508 | 5,306,098 |
| 20% | 1,155,805 | 3,878,149 | 5,167,240 | 1,137,403 | 4,415,080 | 5,698,154 |
| 25% | 1,182,038 | 4,322,657 | 5,610,427 | 1,163,647 | 4,755,257 | 6,039,679 |
| 30% | 1,206,346 | 4,727,902 | 6,015,291 | 1,188,233 | 5,072,593 | 6,356,686 |
| 35% | 1,228,071 | 5,102,957 | 6,393,754 | 1,211,133 | 5,365,653 | 6,656,275 |
| 40% | 1,249,234 | 5,469,052 | 6,758,760 | 1,233,824 | 5,655,828 | 6,944,466 |
| 45% | 1,269,657 | 5,831,555 | 7,118,025 | 1,256,285 | 5,932,879 | 7,228,926 |
| 50% | 1,289,875 | 6,192,154 | 7,488,168 | 1,279,594 | 6,218,148 | 7,509,824 |
| 55% | 1,309,515 | 6,562,405 | 7,855,472 | 1,302,895 | 6,503,052 | 7,800,169 |
| 60% | 1,330,489 | 6,938,132 | 8,232,242 | 1,327,225 | 6,803,099 | 8,098,011 |
| 65% | 1,352,237 | 7,336,844 | 8,630,632 | 1,352,962 | 7,109,635 | 8,405,065 |
| 70% | 1,374,551 | 7,758,321 | 9,054,950 | 1,380,727 | 7,450,525 | 8,747,693 |
| 75% | 1,398,345 | 8,234,989 | 9,528,224 | 1,410,791 | 7,817,292 | 9,119,556 |
| 80% | 1,425,061 | 8,776,426 | 10,066,209 | 1,445,178 | 8,233,411 | 9,541,882 |
| 85% | 1,456,167 | 9,427,539 | 10,719,235 | 1,485,037 | 8,742,049 | 10,052,911 |
| 90% | 1,495,831 | 10,247,078 | 11,539,095 | 1,537,367 | 9,395,896 | 10,706,288 |
| 95% | 1,552,969 | 11,474,267 | 12,773,547 | 1,613,720 | 10,368,572 | 11,689,639 |
| 99% | 1,665,112 | 13,796,289 | 15,069,164 | 1,759,239 | 12,210,960 | 13,538,619 |

Table E.58-Risk profile statistics for highway bridge with modification 2b ADT case 4 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 591,932 | 1,705,310 | 820,832 | 680,311 | 1,715,843 |
| Maximum | 1,988,814 | 5,595,559 | 6,973,253 | 2,175,264 | 4,535,112 | 6,136,483 |
| Mean | 1,291,342 | 2,261,471 | 3,552,813 | 1,295,078 | 1,982,437 | 3,277,515 |
| Std Dev | 157,783 | 658,796 | 679,258 | 178,823 | 508,788 | 553,082 |
| Percentile | | | | | | |
| 1% | 946,742 | 1,011,792 | 2,232,565 | 954,917 | 1,031,280 | 2,200,550 |
| 5% | 1,030,871 | 1,275,507 | 2,532,461 | 1,029,034 | 1,225,076 | 2,445,697 |
| 10% | 1,086,197 | 1,449,534 | 2,714,992 | 1,075,676 | 1,356,587 | 2,597,120 |
| 15% | 1,124,870 | 1,579,467 | 2,851,579 | 1,109,911 | 1,456,067 | 2,707,821 |
| 20% | 1,155,805 | 1,685,442 | 2,962,662 | 1,137,403 | 1,538,574 | 2,799,562 |
| 25% | 1,182,038 | 1,783,393 | 3,062,537 | 1,163,647 | 1,612,976 | 2,880,766 |
| 30% | 1,206,346 | 1,872,561 | 3,155,299 | 1,188,233 | 1,682,479 | 2,955,902 |
| 35% | 1,228,071 | 1,957,845 | 3,243,944 | 1,211,133 | 1,747,383 | 3,027,658 |
| 40% | 1,249,234 | 2,040,489 | 3,328,680 | 1,233,824 | 1,810,594 | 3,096,615 |
| 45% | 1,269,657 | 2,122,831 | 3,411,978 | 1,256,285 | 1,873,931 | 3,165,003 |
| 50% | 1,289,875 | 2,205,228 | 3,496,107 | 1,279,594 | 1,937,428 | 3,233,400 |
| 55% | 1,309,515 | 2,289,561 | 3,584,255 | 1,302,895 | 2,002,135 | 3,303,160 |
| 60% | 1,330,489 | 2,376,193 | 3,676,204 | 1,327,225 | 2,069,687 | 3,377,392 |
| 65% | 1,352,237 | 2,467,183 | 3,768,314 | 1,352,962 | 2,141,025 | 3,454,224 |
| 70% | 1,374,551 | 2,568,752 | 3,870,856 | 1,380,727 | 2,217,962 | 3,536,281 |
| 75% | 1,398,345 | 2,678,705 | 3,986,669 | 1,410,791 | 2,300,897 | 3,627,606 |
| 80% | 1,425,061 | 2,803,672 | 4,114,362 | 1,445,178 | 2,398,717 | 3,730,342 |
| 85% | 1,456,167 | 2,956,200 | 4,269,222 | 1,485,037 | 2,515,533 | 3,851,765 |
| 90% | 1,495,831 | 3,150,282 | 4,463,867 | 1,537,367 | 2,665,896 | 4,016,924 |
| 95% | 1,552,969 | 3,444,807 | 4,763,607 | 1,613,720 | 2,893,255 | 4,256,401 |
| 99% | 1,665,112 | 3,997,146 | 5,318,849 | 1,759,239 | 3,336,851 | 4,738,842 |

Table E.59-Risk profile statistics for highway bridge with modification 2b ADT case 5 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|------------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 617,723 | 1,754,624 | 820,832 | 958,389 | 2,077,641 |
| Maximum | 1,988,814 | 9,433,035 | 10,810,729 | 2,175,264 | 7,974,312 | 9,342,262 |
| Mean | 1,291,342 | 3,519,820 | 4,811,161 | 1,295,078 | 3,244,742 | 4,539,820 |
| Std Dev | 157,783 | 1,215,739 | 1,226,906 | 178,823 | 947,355 | 975,255 |
| Percentile | | | | | | |
| 1% | 946,742 | 1,227,084 | 2,475,973 | 954,917 | 1,481,922 | 2,689,300 |
| 5% | 1,030,871 | 1,681,946 | 2,958,138 | 1,029,034 | 1,822,530 | 3,075,318 |
| 10% | 1,086,197 | 2,003,840 | 3,282,582 | 1,075,676 | 2,068,448 | 3,334,707 |
| 15% | 1,124,870 | 2,247,618 | 3,528,666 | 1,109,911 | 2,257,300 | 3,526,850 |
| 20% | 1,155,805 | 2,455,670 | 3,738,055 | 1,137,403 | 2,413,619 | 3,688,879 |
| 25% | 1,182,038 | 2,638,628 | 3,921,650 | 1,163,647 | 2,554,964 | 3,832,125 |
| 30% | 1,206,346 | 2,803,918 | 4,089,002 | 1,188,233 | 2,686,522 | 3,966,959 |
| 35% | 1,228,071 | 2,966,042 | 4,252,506 | 1,211,133 | 2,810,571 | 4,094,112 |
| 40% | 1,249,234 | 3,117,576 | 4,405,747 | 1,233,824 | 2,929,765 | 4,219,364 |
| 45% | 1,269,657 | 3,269,144 | 4,559,442 | 1,256,285 | 3,046,115 | 4,340,577 |
| 50% | 1,289,875 | 3,423,759 | 4,716,088 | 1,279,594 | 3,166,428 | 4,462,768 |
| 55% | 1,309,515 | 3,580,718 | 4,873,596 | 1,302,895 | 3,285,900 | 4,585,144 |
| 60% | 1,330,489 | 3,740,491 | 5,036,896 | 1,327,225 | 3,414,276 | 4,711,977 |
| 65% | 1,352,237 | 3,905,221 | 5,202,973 | 1,352,962 | 3,545,498 | 4,847,165 |
| 70% | 1,374,551 | 4,089,894 | 5,390,014 | 1,380,727 | 3,688,401 | 4,996,736 |
| 75% | 1,398,345 | 4,293,857 | 5,592,382 | 1,410,791 | 3,845,388 | 5,156,789 |
| 80% | 1,425,061 | 4,526,845 | 5,825,779 | 1,445,178 | 4,021,378 | 5,340,934 |
| 85% | 1,456,167 | 4,806,389 | 6,104,894 | 1,485,037 | 4,238,889 | 5,560,633 |
| 90% | 1,495,831 | 5,159,980 | 6,463,373 | 1,537,367 | 4,517,643 | 5,848,849 |
| 95% | 1,552,969 | 5,691,958 | 7,006,257 | 1,613,720 | 4,937,199 | 6,271,969 |
| 99% | 1,665,112 | 6,697,402 | 8,001,047 | 1,759,239 | 5,735,306 | 7,100,787 |

Table E.60-Risk profile statistics for highway bridge with modification 2b ADT case 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 689,015 | 1,816,171 | 820,832 | 1,755,654 | 2,953,506 |
| Maximum | 1,988,814 | 20,945,465 | 22,323,159 | 2,175,264 | 18,291,914 | 19,659,863 |
| Mean | 1,291,342 | 7,294,866 | 8,586,207 | 1,295,078 | 7,031,657 | 8,326,735 |
| Std Dev | 157,783 | 2,922,082 | 2,926,694 | 178,823 | 2,284,306 | 2,300,328 |
| Percentile | | | | | | |
| 1% | 946,742 | 1,774,381 | 3,049,107 | 954,917 | 2,760,500 | 4,019,057 |
| 5% | 1,030,871 | 2,830,968 | 4,120,302 | 1,029,034 | 3,577,956 | 4,849,066 |
| 10% | 1,086,197 | 3,616,066 | 4,902,223 | 1,075,676 | 4,176,818 | 5,461,945 |
| 15% | 1,124,870 | 4,213,265 | 5,505,687 | 1,109,911 | 4,640,209 | 5,915,652 |
| 20% | 1,155,805 | 4,733,439 | 6,021,791 | 1,137,403 | 5,023,088 | 6,308,214 |
| 25% | 1,182,038 | 5,182,274 | 6,470,270 | 1,163,647 | 5,372,103 | 6,655,986 |
| 30% | 1,206,346 | 5,589,822 | 6,875,907 | 1,188,233 | 5,691,357 | 6,977,435 |
| 35% | 1,228,071 | 5,969,555 | 7,256,547 | 1,211,133 | 5,986,215 | 7,278,868 |
| 40% | 1,249,234 | 6,340,356 | 7,630,681 | 1,233,824 | 6,281,710 | 7,574,554 |
| 45% | 1,269,657 | 6,706,647 | 7,998,797 | 1,256,285 | 6,564,454 | 7,861,027 |
| 50% | 1,289,875 | 7,080,610 | 8,373,957 | 1,279,594 | 6,850,362 | 8,146,048 |
| 55% | 1,309,515 | 7,456,941 | 8,753,208 | 1,302,895 | 7,145,440 | 8,441,070 |
| 60% | 1,330,489 | 7,840,403 | 9,133,060 | 1,327,225 | 7,448,397 | 8,743,853 |
| 65% | 1,352,237 | 8,243,085 | 9,535,960 | 1,352,962 | 7,763,326 | 9,063,648 |
| 70% | 1,374,551 | 8,675,817 | 9,975,082 | 1,380,727 | 8,107,913 | 9,409,177 |
| 75% | 1,398,345 | 9,160,396 | 10,459,148 | 1,410,791 | 8,486,121 | 9,786,503 |
| 80% | 1,425,061 | 9,722,103 | 11,015,905 | 1,445,178 | 8,912,855 | 10,222,446 |
| 85% | 1,456,167 | 10,388,192 | 11,680,998 | 1,485,037 | 9,428,254 | 10,744,816 |
| 90% | 1,495,831 | 11,227,889 | 12,521,397 | 1,537,367 | 10,097,358 | 11,411,419 |
| 95% | 1,552,969 | 12,497,744 | 13,806,040 | 1,613,720 | 11,103,441 | 12,425,060 |
| 99% | 1,665,112 | 14,883,292 | 16,173,252 | 1,759,239 | 12,997,375 | 14,335,179 |

Table E.61-Risk profile statistics for highway bridge with modification 2b ADT case 7 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 2,683,260 | 3,730,108 | 820,832 | 2,215,176 | 3,216,038 |
| Maximum | 1,988,814 | 13,297,485 | 14,750,422 | 2,175,264 | 10,527,202 | 11,727,483 |
| Mean | 1,291,342 | 6,273,960 | 7,565,302 | 1,295,078 | 4,862,963 | 6,158,041 |
| Std Dev | 157,783 | 1,325,011 | 1,339,169 | 178,823 | 955,762 | 997,154 |
| Percentile | | | | | | |
| 1% | 946,742 | 3,772,649 | 5,025,300 | 954,917 | 3,067,367 | 4,251,380 |
| 5% | 1,030,871 | 4,325,386 | 5,590,951 | 1,029,034 | 3,468,170 | 4,691,742 |
| 10% | 1,086,197 | 4,670,818 | 5,936,722 | 1,075,676 | 3,714,345 | 4,958,175 |
| 15% | 1,124,870 | 4,914,601 | 6,194,503 | 1,109,911 | 3,888,640 | 5,146,428 |
| 20% | 1,155,805 | 5,126,754 | 6,407,529 | 1,137,403 | 4,040,107 | 5,301,646 |
| 25% | 1,182,038 | 5,312,452 | 6,597,742 | 1,163,647 | 4,171,958 | 5,437,871 |
| 30% | 1,206,346 | 5,490,793 | 6,773,904 | 1,188,233 | 4,295,208 | 5,568,206 |
| 35% | 1,228,071 | 5,655,838 | 6,941,598 | 1,211,133 | 4,415,210 | 5,694,584 |
| 40% | 1,249,234 | 5,817,094 | 7,108,251 | 1,233,824 | 4,531,751 | 5,818,052 |
| 45% | 1,269,657 | 5,981,392 | 7,270,496 | 1,256,285 | 4,648,460 | 5,939,879 |
| 50% | 1,289,875 | 6,143,859 | 7,438,243 | 1,279,594 | 4,765,756 | 6,063,655 |
| 55% | 1,309,515 | 6,313,024 | 7,609,809 | 1,302,895 | 4,888,622 | 6,187,948 |
| 60% | 1,330,489 | 6,490,961 | 7,786,275 | 1,327,225 | 5,015,442 | 6,323,275 |
| 65% | 1,352,237 | 6,676,561 | 7,974,105 | 1,352,962 | 5,146,277 | 6,461,124 |
| 70% | 1,374,551 | 6,883,594 | 8,179,147 | 1,380,727 | 5,295,229 | 6,613,383 |
| 75% | 1,398,345 | 7,106,324 | 8,408,173 | 1,410,791 | 5,455,335 | 6,777,442 |
| 80% | 1,425,061 | 7,360,158 | 8,666,901 | 1,445,178 | 5,639,248 | 6,965,378 |
| 85% | 1,456,167 | 7,660,263 | 8,966,530 | 1,485,037 | 5,854,938 | 7,193,726 |
| 90% | 1,495,831 | 8,052,656 | 9,360,407 | 1,537,367 | 6,148,712 | 7,487,592 |
| 95% | 1,552,969 | 8,654,708 | 9,975,275 | 1,613,720 | 6,580,837 | 7,947,348 |
| 99% | 1,665,112 | 9,821,619 | 11,146,639 | 1,759,239 | 7,469,647 | 8,866,926 |

Table E.62-Risk profile statistics for highway bridge with modification 2b ADT case 8 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 2,882,282 | 4,069,981 | 820,832 | 2,511,771 | 3,589,965 |
| Maximum | 1,988,814 | 16,465,364 | 17,843,058 | 2,175,264 | 12,919,265 | 14,280,074 |
| Mean | 1,291,342 | 7,532,309 | 8,823,651 | 1,295,078 | 6,125,268 | 7,420,346 |
| Std Dev | 157,783 | 1,745,619 | 1,756,361 | 178,823 | 1,304,546 | 1,337,640 |
| Percentile | | | | | | |
| 1% | 946,742 | 4,211,796 | 5,463,587 | 954,917 | 3,661,849 | 4,865,255 |
| 5% | 1,030,871 | 4,945,512 | 6,220,629 | 1,029,034 | 4,206,371 | 5,445,611 |
| 10% | 1,086,197 | 5,410,309 | 6,686,067 | 1,075,676 | 4,543,188 | 5,796,992 |
| 15% | 1,124,870 | 5,740,546 | 7,022,927 | 1,109,911 | 4,789,982 | 6,046,867 |
| 20% | 1,155,805 | 6,018,517 | 7,303,989 | 1,137,403 | 4,996,143 | 6,267,422 |
| 25% | 1,182,038 | 6,271,119 | 7,555,739 | 1,163,647 | 5,184,207 | 6,458,999 |
| 30% | 1,206,346 | 6,500,630 | 7,788,228 | 1,188,233 | 5,356,898 | 6,634,332 |
| 35% | 1,228,071 | 6,723,971 | 8,011,173 | 1,211,133 | 5,517,149 | 6,803,598 |
| 40% | 1,249,234 | 6,941,171 | 8,228,126 | 1,233,824 | 5,679,853 | 6,968,419 |
| 45% | 1,269,657 | 7,154,030 | 8,446,259 | 1,256,285 | 5,840,125 | 7,133,376 |
| 50% | 1,289,875 | 7,368,758 | 8,660,028 | 1,279,594 | 6,003,326 | 7,298,514 |
| 55% | 1,309,515 | 7,592,289 | 8,886,490 | 1,302,895 | 6,170,856 | 7,464,808 |
| 60% | 1,330,489 | 7,825,854 | 9,117,247 | 1,327,225 | 6,337,773 | 7,643,249 |
| 65% | 1,352,237 | 8,073,028 | 9,366,996 | 1,352,962 | 6,518,057 | 7,830,464 |
| 70% | 1,374,551 | 8,340,592 | 9,642,370 | 1,380,727 | 6,715,764 | 8,031,420 |
| 75% | 1,398,345 | 8,637,039 | 9,935,690 | 1,410,791 | 6,937,390 | 8,252,516 |
| 80% | 1,425,061 | 8,963,984 | 10,264,263 | 1,445,178 | 7,186,157 | 8,505,080 |
| 85% | 1,456,167 | 9,367,750 | 10,668,087 | 1,485,037 | 7,487,156 | 8,815,168 |
| 90% | 1,495,831 | 9,871,275 | 11,180,609 | 1,537,367 | 7,877,563 | 9,211,521 |
| 95% | 1,552,969 | 10,666,711 | 11,967,089 | 1,613,720 | 8,460,748 | 9,811,332 |
| 99% | 1,665,112 | 12,156,586 | 13,472,997 | 1,759,239 | 9,639,339 | 11,017,298 |

Table E.63-Risk profile statistics for highway bridge with modification 2b ADT case 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 836,262 | 2,959,658 | 4,171,120 | 820,832 | 3,401,555 | 4,643,025 |
| Maximum | 1,988,814 | 27,977,793 | 29,355,487 | 2,175,264 | 22,675,560 | 24,043,509 |
| Mean | 1,291,342 | 11,307,355 | 12,598,697 | 1,295,078 | 9,912,183 | 11,207,261 |
| Std Dev | 157,783 | 3,293,978 | 3,299,637 | 178,823 | 2,543,942 | 2,564,936 |
| Percentile | | | | | | |
| 1% | 946,742 | 5,058,960 | 6,332,306 | 954,917 | 5,156,399 | 6,405,547 |
| 5% | 1,030,871 | 6,377,537 | 7,661,280 | 1,029,034 | 6,125,381 | 7,388,363 |
| 10% | 1,086,197 | 7,247,668 | 8,529,494 | 1,075,676 | 6,782,936 | 8,057,794 |
| 15% | 1,124,870 | 7,897,333 | 9,185,818 | 1,109,911 | 7,280,337 | 8,563,368 |
| 20% | 1,155,805 | 8,427,211 | 9,715,638 | 1,137,403 | 7,692,870 | 8,966,782 |
| 25% | 1,182,038 | 8,916,963 | 10,202,394 | 1,163,647 | 8,064,880 | 9,342,854 |
| 30% | 1,206,346 | 9,362,805 | 10,651,819 | 1,188,233 | 8,412,394 | 9,698,071 |
| 35% | 1,228,071 | 9,789,223 | 11,077,774 | 1,211,133 | 8,736,917 | 10,026,462 |
| 40% | 1,249,234 | 10,202,445 | 11,493,052 | 1,233,824 | 9,052,970 | 10,344,584 |
| 45% | 1,269,657 | 10,614,153 | 11,901,208 | 1,256,285 | 9,369,656 | 10,665,313 |
| 50% | 1,289,875 | 11,026,138 | 12,319,100 | 1,279,594 | 9,687,138 | 10,981,325 |
| 55% | 1,309,515 | 11,447,806 | 12,737,774 | 1,302,895 | 10,010,676 | 11,306,661 |
| 60% | 1,330,489 | 11,880,965 | 13,171,043 | 1,327,225 | 10,348,433 | 11,644,756 |
| 65% | 1,352,237 | 12,335,916 | 13,634,888 | 1,352,962 | 10,705,127 | 12,005,992 |
| 70% | 1,374,551 | 12,843,762 | 14,135,978 | 1,380,727 | 11,089,808 | 12,389,436 |
| 75% | 1,398,345 | 13,393,523 | 14,690,246 | 1,410,791 | 11,504,486 | 12,810,296 |
| 80% | 1,425,061 | 14,018,362 | 15,313,696 | 1,445,178 | 11,993,586 | 13,302,778 |
| 85% | 1,456,167 | 14,780,998 | 16,080,614 | 1,485,037 | 12,577,667 | 13,896,796 |
| 90% | 1,495,831 | 15,751,410 | 17,045,823 | 1,537,367 | 13,329,478 | 14,656,238 |
| 95% | 1,552,969 | 17,224,035 | 18,519,761 | 1,613,720 | 14,466,273 | 15,799,103 |
| 99% | 1,665,112 | 19,985,728 | 21,280,793 | 1,759,239 | 16,684,256 | 18,034,818 |

Table E.64-Risk profile statistics for highway bridge with modification 2c ADT case 1 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 895,742 | 78,929 | 1,080,092 | 855,949 | 308,443 | 1,342,192 |
| Maximum | 2,077,621 | 4,013,285 | 5,479,785 | 2,233,456 | 3,548,792 | 5,143,661 |
| Mean | 1,379,772 | 1,358,661 | 2,738,433 | 1,339,385 | 1,334,318 | 2,673,703 |
| Std Dev | 158,586 | 577,938 | 599,438 | 181,707 | 452,048 | 495,337 |
| Percentile | | | | | | |
| 1% | 1,023,311 | 261,977 | 1,567,573 | 992,687 | 485,859 | 1,699,901 |
| 5% | 1,118,700 | 472,674 | 1,822,511 | 1,068,506 | 648,989 | 1,921,664 |
| 10% | 1,174,741 | 629,667 | 1,985,722 | 1,115,965 | 768,321 | 2,057,621 |
| 15% | 1,213,633 | 748,818 | 2,108,777 | 1,151,129 | 860,266 | 2,159,103 |
| 20% | 1,244,593 | 852,220 | 2,213,145 | 1,179,273 | 936,865 | 2,241,864 |
| 25% | 1,270,845 | 941,210 | 2,307,615 | 1,206,152 | 1,005,739 | 2,317,231 |
| 30% | 1,295,152 | 1,022,089 | 2,392,593 | 1,231,097 | 1,069,283 | 2,386,506 |
| 35% | 1,316,877 | 1,098,332 | 2,470,179 | 1,254,380 | 1,128,227 | 2,452,106 |
| 40% | 1,338,040 | 1,171,362 | 2,547,328 | 1,277,439 | 1,187,023 | 2,515,816 |
| 45% | 1,358,464 | 1,244,661 | 2,622,842 | 1,300,664 | 1,243,136 | 2,577,400 |
| 50% | 1,378,682 | 1,317,547 | 2,697,578 | 1,323,942 | 1,300,025 | 2,639,161 |
| 55% | 1,398,321 | 1,392,337 | 2,775,570 | 1,347,627 | 1,357,844 | 2,701,889 |
| 60% | 1,419,296 | 1,467,604 | 2,854,881 | 1,372,330 | 1,417,563 | 2,766,948 |
| 65% | 1,441,044 | 1,548,091 | 2,940,220 | 1,398,661 | 1,479,832 | 2,835,238 |
| 70% | 1,463,357 | 1,633,231 | 3,027,858 | 1,426,376 | 1,548,391 | 2,911,182 |
| 75% | 1,487,151 | 1,729,559 | 3,125,261 | 1,456,844 | 1,622,169 | 2,992,285 |
| 80% | 1,513,867 | 1,838,976 | 3,236,567 | 1,491,904 | 1,706,325 | 3,082,713 |
| 85% | 1,544,974 | 1,970,768 | 3,369,003 | 1,532,274 | 1,808,990 | 3,192,462 |
| 90% | 1,584,638 | 2,136,337 | 3,540,423 | 1,585,572 | 1,941,792 | 3,333,684 |
| 95% | 1,641,775 | 2,384,873 | 3,799,920 | 1,662,394 | 2,138,970 | 3,547,917 |
| 99% | 1,753,919 | 2,853,280 | 4,268,917 | 1,809,276 | 2,511,545 | 3,959,382 |

Table E.65-Risk profile statistics for highway bridge with modification 2c ADT case 2 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 895,742 | 93,699 | 1,129,405 | 855,949 | 574,198 | 1,654,255 |
| Maximum | 2,077,621 | 7,850,761 | 9,317,262 | 2,233,456 | 6,987,992 | 8,416,162 |
| Mean | 1,379,772 | 2,617,010 | 3,996,781 | 1,339,385 | 2,596,623 | 3,936,008 |
| Std Dev | 158,586 | 1,149,925 | 1,160,839 | 181,707 | 899,595 | 925,946 |
| Percentile | | | | | | |
| 1% | 1,023,311 | 428,422 | 1,769,944 | 992,687 | 904,490 | 2,166,398 |
| 5% | 1,118,700 | 851,953 | 2,214,532 | 1,068,506 | 1,228,602 | 2,534,379 |
| 10% | 1,174,741 | 1,165,065 | 2,533,514 | 1,115,965 | 1,469,091 | 2,780,187 |
| 15% | 1,213,633 | 1,403,188 | 2,773,525 | 1,151,129 | 1,651,544 | 2,966,768 |
| 20% | 1,244,593 | 1,608,701 | 2,979,154 | 1,179,273 | 1,806,441 | 3,124,475 |
| 25% | 1,270,845 | 1,786,369 | 3,156,301 | 1,206,152 | 1,943,131 | 3,263,744 |
| 30% | 1,295,152 | 1,947,864 | 3,321,682 | 1,231,097 | 2,070,158 | 3,394,790 |
| 35% | 1,316,877 | 2,099,051 | 3,474,114 | 1,254,380 | 2,187,387 | 3,518,143 |
| 40% | 1,338,040 | 2,245,376 | 3,623,276 | 1,277,439 | 2,304,252 | 3,636,933 |
| 45% | 1,358,464 | 2,391,613 | 3,769,305 | 1,300,664 | 2,415,714 | 3,752,941 |
| 50% | 1,378,682 | 2,535,767 | 3,918,606 | 1,323,942 | 2,529,916 | 3,869,703 |
| 55% | 1,398,321 | 2,685,491 | 4,065,719 | 1,347,627 | 2,644,545 | 3,985,357 |
| 60% | 1,419,296 | 2,834,506 | 4,218,763 | 1,372,330 | 2,763,770 | 4,105,598 |
| 65% | 1,441,044 | 2,995,066 | 4,380,615 | 1,398,661 | 2,887,609 | 4,235,043 |
| 70% | 1,463,357 | 3,164,060 | 4,553,722 | 1,426,376 | 3,023,509 | 4,375,718 |
| 75% | 1,487,151 | 3,356,654 | 4,742,766 | 1,456,844 | 3,170,657 | 4,526,762 |
| 80% | 1,513,867 | 3,573,650 | 4,962,622 | 1,491,904 | 3,338,024 | 4,700,323 |
| 85% | 1,544,974 | 3,835,396 | 5,220,688 | 1,532,274 | 3,541,683 | 4,907,177 |
| 90% | 1,584,638 | 4,164,547 | 5,555,234 | 1,585,572 | 3,804,843 | 5,176,126 |
| 95% | 1,641,775 | 4,657,696 | 6,062,228 | 1,662,394 | 4,195,282 | 5,574,736 |
| 99% | 1,753,919 | 5,588,238 | 6,973,230 | 1,809,276 | 4,937,064 | 6,353,627 |

Table E.66-Risk profile statistics for highway bridge with modification 2c ADT case 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 895,742 | 127,832 | 1,277,346 | 855,949 | 1,362,788 | 2,498,036 |
| Maximum | 2,077,621 | 19,363,191 | 20,829,691 | 2,233,456 | 17,305,593 | 18,733,763 |
| Mean | 1,379,772 | 6,392,055 | 7,771,827 | 1,339,385 | 6,383,538 | 7,722,923 |
| Std Dev | 158,586 | 2,866,321 | 2,870,667 | 181,707 | 2,242,491 | 2,257,909 |
| Percentile | | | | | | |
| 1% | 1,023,311 | 931,314 | 2,297,242 | 992,687 | 2,156,779 | 3,459,426 |
| 5% | 1,118,700 | 1,987,056 | 3,360,980 | 1,068,506 | 2,970,341 | 4,297,195 |
| 10% | 1,174,741 | 2,770,779 | 4,143,779 | 1,115,965 | 3,570,107 | 4,896,784 |
| 15% | 1,213,633 | 3,364,531 | 4,738,612 | 1,151,129 | 4,026,508 | 5,350,388 |
| 20% | 1,244,593 | 3,878,149 | 5,255,523 | 1,179,273 | 4,415,080 | 5,741,965 |
| 25% | 1,270,845 | 4,322,657 | 5,699,004 | 1,206,152 | 4,755,257 | 6,083,655 |
| 30% | 1,295,152 | 4,727,902 | 6,103,848 | 1,231,097 | 5,072,593 | 6,400,588 |
| 35% | 1,316,877 | 5,102,957 | 6,482,032 | 1,254,380 | 5,365,653 | 6,700,349 |
| 40% | 1,338,040 | 5,469,052 | 6,847,291 | 1,277,439 | 5,655,828 | 6,989,037 |
| 45% | 1,358,464 | 5,831,555 | 7,206,586 | 1,300,664 | 5,932,879 | 7,273,022 |
| 50% | 1,378,682 | 6,192,154 | 7,576,734 | 1,323,942 | 6,218,148 | 7,553,978 |
| 55% | 1,398,321 | 6,562,405 | 7,943,812 | 1,347,627 | 6,503,052 | 7,844,089 |
| 60% | 1,419,296 | 6,938,132 | 8,320,895 | 1,372,330 | 6,803,099 | 8,142,722 |
| 65% | 1,441,044 | 7,336,844 | 8,719,007 | 1,398,661 | 7,109,635 | 8,450,057 |
| 70% | 1,463,357 | 7,758,321 | 9,143,694 | 1,426,376 | 7,450,525 | 8,792,085 |
| 75% | 1,487,151 | 8,234,989 | 9,616,937 | 1,456,844 | 7,817,292 | 9,163,162 |
| 80% | 1,513,867 | 8,776,426 | 10,154,994 | 1,491,904 | 8,233,411 | 9,586,527 |
| 85% | 1,544,974 | 9,427,539 | 10,807,296 | 1,532,274 | 8,742,049 | 10,097,793 |
| 90% | 1,584,638 | 10,247,078 | 11,627,902 | 1,585,572 | 9,395,896 | 10,751,556 |
| 95% | 1,641,775 | 11,474,267 | 12,862,026 | 1,662,394 | 10,368,572 | 11,735,758 |
| 99% | 1,753,919 | 13,796,289 | 15,157,535 | 1,809,276 | 12,210,960 | 13,587,977 |

Table E.67-Risk profile statistics for highway bridge with modification 2c ADT case 4 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 895,742 | 591,932 | 1,778,624 | 855,949 | 680,311 | 1,751,672 |
| Maximum | 2,077,621 | 5,595,559 | 7,062,059 | 2,233,456 | 4,535,112 | 6,189,993 |
| Mean | 1,379,772 | 2,261,471 | 3,641,243 | 1,339,385 | 1,982,437 | 3,321,821 |
| Std Dev | 158,586 | 658,796 | 679,454 | 181,707 | 508,788 | 554,965 |
| Percentile | | | | | | |
| 1% | 1,023,311 | 1,011,792 | 2,319,289 | 992,687 | 1,031,280 | 2,239,312 |
| 5% | 1,118,700 | 1,275,507 | 2,620,126 | 1,068,506 | 1,225,076 | 2,486,517 |
| 10% | 1,174,741 | 1,449,534 | 2,803,198 | 1,115,965 | 1,356,587 | 2,639,101 |
| 15% | 1,213,633 | 1,579,467 | 2,939,824 | 1,151,129 | 1,456,067 | 2,750,458 |
| 20% | 1,244,593 | 1,685,442 | 3,050,903 | 1,179,273 | 1,538,574 | 2,842,154 |
| 25% | 1,270,845 | 1,783,393 | 3,150,921 | 1,206,152 | 1,612,976 | 2,923,882 |
| 30% | 1,295,152 | 1,872,561 | 3,243,527 | 1,231,097 | 1,682,479 | 2,999,557 |
| 35% | 1,316,877 | 1,957,845 | 3,332,358 | 1,254,380 | 1,747,383 | 3,071,494 |
| 40% | 1,338,040 | 2,040,489 | 3,417,119 | 1,277,439 | 1,810,594 | 3,140,087 |
| 45% | 1,358,464 | 2,122,831 | 3,500,388 | 1,300,664 | 1,873,931 | 3,208,833 |
| 50% | 1,378,682 | 2,205,228 | 3,584,486 | 1,323,942 | 1,937,428 | 3,277,453 |
| 55% | 1,398,321 | 2,289,561 | 3,672,889 | 1,347,627 | 2,002,135 | 3,347,690 |
| 60% | 1,419,296 | 2,376,193 | 3,764,825 | 1,372,330 | 2,069,687 | 3,421,667 |
| 65% | 1,441,044 | 2,467,183 | 3,856,871 | 1,398,661 | 2,141,025 | 3,499,568 |
| 70% | 1,463,357 | 2,568,752 | 3,959,343 | 1,426,376 | 2,217,962 | 3,581,600 |
| 75% | 1,487,151 | 2,678,705 | 4,075,299 | 1,456,844 | 2,300,897 | 3,673,567 |
| 80% | 1,513,867 | 2,803,672 | 4,203,020 | 1,491,904 | 2,398,717 | 3,776,515 |
| 85% | 1,544,974 | 2,956,200 | 4,357,598 | 1,532,274 | 2,515,533 | 3,897,877 |
| 90% | 1,584,638 | 3,150,282 | 4,552,408 | 1,585,572 | 2,665,896 | 4,064,043 |
| 95% | 1,641,775 | 3,444,807 | 4,852,284 | 1,662,394 | 2,893,255 | 4,302,807 |
| 99% | 1,753,919 | 3,997,146 | 5,407,656 | 1,809,276 | 3,336,851 | 4,786,479 |

Table E.68-Risk profile statistics for highway bridge with modification 2c ADT case 5 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|------------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 895,742 | 617,723 | 1,827,937 | 855,949 | 958,389 | 2,116,777 |
| Maximum | 2,077,621 | 9,433,035 | 10,899,536 | 2,233,456 | 7,974,312 | 9,402,482 |
| Mean | 1,379,772 | 3,519,820 | 4,899,591 | 1,339,385 | 3,244,742 | 4,584,126 |
| Std Dev | 158,586 | 1,215,739 | 1,227,018 | 181,707 | 947,355 | 976,573 |
| Percentile | | | | | | |
| 1% | 1,023,311 | 1,227,084 | 2,563,241 | 992,687 | 1,481,922 | 2,729,448 |
| 5% | 1,118,700 | 1,681,946 | 3,045,848 | 1,068,506 | 1,822,530 | 3,117,297 |
| 10% | 1,174,741 | 2,003,840 | 3,370,921 | 1,115,965 | 2,068,448 | 3,376,965 |
| 15% | 1,213,633 | 2,247,618 | 3,616,965 | 1,151,129 | 2,257,300 | 3,569,922 |
| 20% | 1,244,593 | 2,455,670 | 3,826,128 | 1,179,273 | 2,413,619 | 3,732,250 |
| 25% | 1,270,845 | 2,638,628 | 4,010,006 | 1,206,152 | 2,554,964 | 3,875,710 |
| 30% | 1,295,152 | 2,803,918 | 4,177,474 | 1,231,097 | 2,686,522 | 4,010,551 |
| 35% | 1,316,877 | 2,966,042 | 4,340,965 | 1,254,380 | 2,810,571 | 4,137,713 |
| 40% | 1,338,040 | 3,117,576 | 4,494,219 | 1,277,439 | 2,929,765 | 4,263,604 |
| 45% | 1,358,464 | 3,269,144 | 4,647,826 | 1,300,664 | 3,046,115 | 4,384,463 |
| 50% | 1,378,682 | 3,423,759 | 4,804,086 | 1,323,942 | 3,166,428 | 4,506,871 |
| 55% | 1,398,321 | 3,580,718 | 4,962,272 | 1,347,627 | 3,285,900 | 4,629,571 |
| 60% | 1,419,296 | 3,740,491 | 5,125,366 | 1,372,330 | 3,414,276 | 4,756,452 |
| 65% | 1,441,044 | 3,905,221 | 5,291,464 | 1,398,661 | 3,545,498 | 4,892,329 |
| 70% | 1,463,357 | 4,089,894 | 5,478,611 | 1,426,376 | 3,688,401 | 5,041,946 |
| 75% | 1,487,151 | 4,293,857 | 5,680,688 | 1,456,844 | 3,845,388 | 5,202,736 |
| 80% | 1,513,867 | 4,526,845 | 5,913,945 | 1,491,904 | 4,021,378 | 5,385,673 |
| 85% | 1,544,974 | 4,806,389 | 6,193,591 | 1,532,274 | 4,238,889 | 5,605,509 |
| 90% | 1,584,638 | 5,159,980 | 6,552,180 | 1,585,572 | 4,517,643 | 5,894,578 |
| 95% | 1,641,775 | 5,691,958 | 7,095,031 | 1,662,394 | 4,937,199 | 6,318,316 |
| 99% | 1,753,919 | 6,697,402 | 8,089,854 | 1,809,276 | 5,735,306 | 7,152,710 |

Table E.69-Risk profile statistics for highway bridge with modification 2c ADT case 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 895,742 | 689,015 | 1,904,978 | 855,949 | 1,755,654 | 2,992,641 |
| Maximum | 2,077,621 | 20,945,465 | 22,411,965 | 2,233,456 | 18,291,914 | 19,720,084 |
| Mean | 1,379,772 | 7,294,866 | 8,674,637 | 1,339,385 | 7,031,657 | 8,371,041 |
| Std Dev | 158,586 | 2,922,082 | 2,926,744 | 181,707 | 2,284,306 | 2,301,206 |
| Percentile | | | | | | |
| 1% | 1,023,311 | 1,774,381 | 3,137,629 | 992,687 | 2,760,500 | 4,061,092 |
| 5% | 1,118,700 | 2,830,968 | 4,209,109 | 1,068,506 | 3,577,956 | 4,891,544 |
| 10% | 1,174,741 | 3,616,066 | 4,990,940 | 1,115,965 | 4,176,818 | 5,504,513 |
| 15% | 1,213,633 | 4,213,265 | 5,593,743 | 1,151,129 | 4,640,209 | 5,959,094 |
| 20% | 1,244,593 | 4,733,439 | 6,109,981 | 1,179,273 | 5,023,088 | 6,351,295 |
| 25% | 1,270,845 | 5,182,274 | 6,558,783 | 1,206,152 | 5,372,103 | 6,699,244 |
| 30% | 1,295,152 | 5,589,822 | 6,964,244 | 1,231,097 | 5,691,357 | 7,021,158 |
| 35% | 1,316,877 | 5,969,555 | 7,344,921 | 1,254,380 | 5,986,215 | 7,323,366 |
| 40% | 1,338,040 | 6,340,356 | 7,718,575 | 1,277,439 | 6,281,710 | 7,617,950 |
| 45% | 1,358,464 | 6,706,647 | 8,087,512 | 1,300,664 | 6,564,454 | 7,905,131 |
| 50% | 1,378,682 | 7,080,610 | 8,462,276 | 1,323,942 | 6,850,362 | 8,190,231 |
| 55% | 1,398,321 | 7,456,941 | 8,841,466 | 1,347,627 | 7,145,440 | 8,485,472 |
| 60% | 1,419,296 | 7,840,403 | 9,221,419 | 1,372,330 | 7,448,397 | 8,788,062 |
| 65% | 1,441,044 | 8,243,085 | 9,624,724 | 1,398,661 | 7,763,326 | 9,108,010 |
| 70% | 1,463,357 | 8,675,817 | 10,063,825 | 1,426,376 | 8,107,913 | 9,453,836 |
| 75% | 1,487,151 | 9,160,396 | 10,547,640 | 1,456,844 | 8,486,121 | 9,830,740 |
| 80% | 1,513,867 | 9,722,103 | 11,104,712 | 1,491,904 | 8,912,855 | 10,267,352 |
| 85% | 1,544,974 | 10,388,192 | 11,769,288 | 1,532,274 | 9,428,254 | 10,789,860 |
| 90% | 1,584,638 | 11,227,889 | 12,609,980 | 1,585,572 | 10,097,358 | 11,456,284 |
| 95% | 1,641,775 | 12,497,744 | 13,894,436 | 1,662,394 | 11,103,441 | 12,471,826 |
| 99% | 1,753,919 | 14,883,292 | 16,261,375 | 1,809,276 | 12,997,375 | 14,381,003 |

Table E.70-Risk profile statistics for highway bridge with modification 2c ADT case 7 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 895,742 | 2,683,260 | 3,818,915 | 855,949 | 2,215,176 | 3,244,134 |
| Maximum | 2,077,621 | 13,297,485 | 14,839,228 | 2,233,456 | 10,527,202 | 11,778,803 |
| Mean | 1,379,772 | 6,273,960 | 7,653,732 | 1,339,385 | 4,862,963 | 6,202,347 |
| Std Dev | 158,586 | 1,325,011 | 1,339,279 | 181,707 | 955,762 | 999,321 |
| Percentile | | | | | | |
| 1% | 1,023,311 | 3,772,649 | 5,113,224 | 992,687 | 3,067,367 | 4,291,144 |
| 5% | 1,118,700 | 4,325,386 | 5,679,221 | 1,068,506 | 3,468,170 | 4,732,429 |
| 10% | 1,174,741 | 4,670,818 | 6,025,303 | 1,115,965 | 3,714,345 | 5,000,148 |
| 15% | 1,213,633 | 4,914,601 | 6,282,928 | 1,151,129 | 3,888,640 | 5,188,634 |
| 20% | 1,244,593 | 5,126,754 | 6,495,848 | 1,179,273 | 4,040,107 | 5,344,333 |
| 25% | 1,270,845 | 5,312,452 | 6,685,770 | 1,206,152 | 4,171,958 | 5,480,212 |
| 30% | 1,295,152 | 5,490,793 | 6,862,248 | 1,231,097 | 4,295,208 | 5,611,502 |
| 35% | 1,316,877 | 5,655,838 | 7,030,055 | 1,254,380 | 4,415,210 | 5,737,998 |
| 40% | 1,338,040 | 5,817,094 | 7,196,436 | 1,277,439 | 4,531,751 | 5,861,158 |
| 45% | 1,358,464 | 5,981,392 | 7,358,774 | 1,300,664 | 4,648,460 | 5,983,983 |
| 50% | 1,378,682 | 6,143,859 | 7,526,655 | 1,323,942 | 4,765,756 | 6,107,468 |
| 55% | 1,398,321 | 6,313,024 | 7,697,791 | 1,347,627 | 4,888,622 | 6,233,391 |
| 60% | 1,419,296 | 6,490,961 | 7,874,646 | 1,372,330 | 5,015,442 | 6,367,416 |
| 65% | 1,441,044 | 6,676,561 | 8,062,641 | 1,398,661 | 5,146,277 | 6,505,801 |
| 70% | 1,463,357 | 6,883,594 | 8,267,338 | 1,426,376 | 5,295,229 | 6,658,704 |
| 75% | 1,487,151 | 7,106,324 | 8,496,964 | 1,456,844 | 5,455,335 | 6,823,481 |
| 80% | 1,513,867 | 7,360,158 | 8,755,498 | 1,491,904 | 5,639,248 | 7,011,400 |
| 85% | 1,544,974 | 7,660,263 | 9,054,870 | 1,532,274 | 5,854,938 | 7,241,000 |
| 90% | 1,584,638 | 8,052,656 | 9,449,128 | 1,585,572 | 6,148,712 | 7,534,781 |
| 95% | 1,641,775 | 8,654,708 | 10,064,082 | 1,662,394 | 6,580,837 | 7,995,078 |
| 99% | 1,753,919 | 9,821,619 | 11,235,365 | 1,809,276 | 7,469,647 | 8,917,280 |

Table E.71-Risk profile statistics for highway bridge with modification 2c ADT case 8 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 895,742 | 2,882,282 | 4,158,787 | 855,949 | 2,511,771 | 3,618,061 |
| Maximum | 2,077,621 | 16,465,364 | 17,931,864 | 2,233,456 | 12,919,265 | 14,335,679 |
| Mean | 1,379,772 | 7,532,309 | 8,912,081 | 1,339,385 | 6,125,268 | 7,464,652 |
| Std Dev | 158,586 | 1,745,619 | 1,756,446 | 181,707 | 1,304,546 | 1,339,438 |
| Percentile | | | | | | |
| 1% | 1,023,311 | 4,211,796 | 5,552,393 | 992,687 | 3,661,849 | 4,904,530 |
| 5% | 1,118,700 | 4,945,512 | 6,308,696 | 1,068,506 | 4,206,371 | 5,487,350 |
| 10% | 1,174,741 | 5,410,309 | 6,774,595 | 1,115,965 | 4,543,188 | 5,839,207 |
| 15% | 1,213,633 | 5,740,546 | 7,111,398 | 1,151,129 | 4,789,982 | 6,090,325 |
| 20% | 1,244,593 | 6,018,517 | 7,392,066 | 1,179,273 | 4,996,143 | 6,310,122 |
| 25% | 1,270,845 | 6,271,119 | 7,644,424 | 1,206,152 | 5,184,207 | 6,502,096 |
| 30% | 1,295,152 | 6,500,630 | 7,876,899 | 1,231,097 | 5,356,898 | 6,677,466 |
| 35% | 1,316,877 | 6,723,971 | 8,099,471 | 1,254,380 | 5,517,149 | 6,846,778 |
| 40% | 1,338,040 | 6,941,171 | 8,316,601 | 1,277,439 | 5,679,853 | 7,012,529 |
| 45% | 1,358,464 | 7,154,030 | 8,534,277 | 1,300,664 | 5,840,125 | 7,176,677 |
| 50% | 1,378,682 | 7,368,758 | 8,748,168 | 1,323,942 | 6,003,326 | 7,342,681 |
| 55% | 1,398,321 | 7,592,289 | 8,974,630 | 1,347,627 | 6,170,856 | 7,509,110 |
| 60% | 1,419,296 | 7,825,854 | 9,205,895 | 1,372,330 | 6,337,773 | 7,688,200 |
| 65% | 1,441,044 | 8,073,028 | 9,455,660 | 1,398,661 | 6,518,057 | 7,875,278 |
| 70% | 1,463,357 | 8,340,592 | 9,731,040 | 1,426,376 | 6,715,764 | 8,076,536 |
| 75% | 1,487,151 | 8,637,039 | 10,024,138 | 1,456,844 | 6,937,390 | 8,298,152 |
| 80% | 1,513,867 | 8,963,984 | 10,352,808 | 1,491,904 | 7,186,157 | 8,550,853 |
| 85% | 1,544,974 | 9,367,750 | 10,756,891 | 1,532,274 | 7,487,156 | 8,860,807 |
| 90% | 1,584,638 | 9,871,275 | 11,269,059 | 1,585,572 | 7,877,563 | 9,258,328 |
| 95% | 1,641,775 | 10,666,711 | 12,055,808 | 1,662,394 | 8,460,748 | 9,859,240 |
| 99% | 1,753,919 | 12,156,586 | 13,561,803 | 1,809,276 | 9,639,339 | 11,063,571 |

Table E.72-Risk profile statistics for highway bridge with modification 2c ADT case 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 895,742 | 2,959,658 | 4,259,926 | 855,949 | 3,401,555 | 4,691,669 |
| Maximum | 2,077,621 | 27,977,793 | 29,444,294 | 2,233,456 | 22,675,560 | 24,103,729 |
| Mean | 1,379,772 | 11,307,355 | 12,687,126 | 1,339,385 | 9,912,183 | 11,251,568 |
| Std Dev | 158,586 | 3,293,978 | 3,299,686 | 181,707 | 2,543,942 | 2,566,159 |
| Percentile | | | | | | |
| 1% | 1,023,311 | 5,058,960 | 6,421,113 | 992,687 | 5,156,399 | 6,445,711 |
| 5% | 1,118,700 | 6,377,537 | 7,749,826 | 1,068,506 | 6,125,381 | 7,429,803 |
| 10% | 1,174,741 | 7,247,668 | 8,617,719 | 1,115,965 | 6,782,936 | 8,101,338 |
| 15% | 1,213,633 | 7,897,333 | 9,274,560 | 1,151,129 | 7,280,337 | 8,606,258 |
| 20% | 1,244,593 | 8,427,211 | 9,804,143 | 1,179,273 | 7,692,870 | 9,010,297 |
| 25% | 1,270,845 | 8,916,963 | 10,290,962 | 1,206,152 | 8,064,880 | 9,386,136 |
| 30% | 1,295,152 | 9,362,805 | 10,739,662 | 1,231,097 | 8,412,394 | 9,741,724 |
| 35% | 1,316,877 | 9,789,223 | 11,166,094 | 1,254,380 | 8,736,917 | 10,069,469 |
| 40% | 1,338,040 | 10,202,445 | 11,581,092 | 1,277,439 | 9,052,970 | 10,387,631 |
| 45% | 1,358,464 | 10,614,153 | 11,989,700 | 1,300,664 | 9,369,656 | 10,708,942 |
| 50% | 1,378,682 | 11,026,138 | 12,407,540 | 1,323,942 | 9,687,138 | 11,025,080 |
| 55% | 1,398,321 | 11,447,806 | 12,826,322 | 1,347,627 | 10,010,676 | 11,350,987 |
| 60% | 1,419,296 | 11,880,965 | 13,259,618 | 1,372,330 | 10,348,433 | 11,689,478 |
| 65% | 1,441,044 | 12,335,916 | 13,723,167 | 1,398,661 | 10,705,127 | 12,050,249 |
| 70% | 1,463,357 | 12,843,762 | 14,224,378 | 1,426,376 | 11,089,808 | 12,433,531 |
| 75% | 1,487,151 | 13,393,523 | 14,778,832 | 1,456,844 | 11,504,486 | 12,854,300 |
| 80% | 1,513,867 | 14,018,362 | 15,402,112 | 1,491,904 | 11,993,586 | 13,346,651 |
| 85% | 1,544,974 | 14,780,998 | 16,169,200 | 1,532,274 | 12,577,667 | 13,941,327 |
| 90% | 1,584,638 | 15,751,410 | 17,134,629 | 1,585,572 | 13,329,478 | 14,701,350 |
| 95% | 1,641,775 | 17,224,035 | 18,608,398 | 1,662,394 | 14,466,273 | 15,845,304 |
| 99% | 1,753,919 | 19,985,728 | 21,369,600 | 1,809,276 | 16,684,256 | 18,080,119 |




Figure E.37-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 1 (Table 3.6)




Figure E.38-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 1 (Table 3.6)




Figure E.39-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 1 (Table 3.6)




Figure E.40-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 1 (Table 3.6)




Figure E.41-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 2 (Table 3.6)




Figure E.42-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 2 (Table 3.6)




Figure E.43-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 2 (Table 3.6)




Figure E.44-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 2 (Table 3.6)




Figure E.45-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 3 (Table 3.6)




Figure E.46-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 3 (Table 3.6)




Figure E.47-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 3 (Table 3.6)




Figure E.48-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 3 (Table 3.6)




Figure E.49-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 4 (Table 3.6)




Figure E.50-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 4 (Table 3.6)




Figure E.51-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 4 (Table 3.6)




Figure E.52-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 4 (Table 3.6)




Figure E.53-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 5 (Table 3.6)




Figure E.54-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 5 (Table 3.6)




Figure E.55-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 5 (Table 3.6)




Figure E.56-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 5 (Table 3.6)




Figure E.57-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 6 (Table 3.6)




Figure E.58-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 6 (Table 3.6)




Figure E.59-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 6 (Table 3.6)




Figure E.60-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 6 (Table 3.6)




Figure E.61-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 7 (Table 3.6)




Figure E.62-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 7 (Table 3.6)




Figure E.63-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 7 (Table 3.6)




Figure E.64-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 7 (Table 3.6)




Figure E.65-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 8 (Table 3.6)




Figure E.66-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 8 (Table 3.6)




Figure E.67-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 8 (Table 3.6)




Figure E.68-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 8 (Table 3.6)




Figure E.69-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 9 (Table 3.6)




Figure E.70-Ascending cumulative probability distributions for highway bridge with modification 1a ADT case 9 (Table 3.6)




Figure E.71-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 9 (Table 3.6)




Figure E.72-Ascending cumulative probability distributions for highway bridge with modification 2a ADT case 9 (Table 3.6)




Figure E.73-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 1 (Table 3.6)




Figure E.74-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 1 (Table 3.6)




Figure E.75-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 1 (Table 3.6)




Figure E.76-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 1 (Table 3.6)




Figure E.77-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 2 (Table 3.6)




Figure E.78-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 2 (Table 3.6)




Figure E.79-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 2 (Table 3.6)




Figure E.80-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 2 (Table 3.6)




Figure E.81-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 3 (Table 3.6)




Figure E.82-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 3 (Table 3.6)




Figure E.83-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 3 (Table 3.6)




Figure E.84-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 3 (Table 3.6)




Figure E.85-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 4 (Table 3.6)




Figure E.86-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 4 (Table 3.6)




Figure E.87-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 4 (Table 3.6)




Figure E.88-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 4 (Table 3.6)




Figure E.89-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 5 (Table 3.6)




Figure E.90-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 5 (Table 3.6)




Figure E.91-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 5 (Table 3.6)




Figure E.92-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 5 (Table 3.6)




Figure E.93-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 6 (Table 3.6)




Figure E.94-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 6 (Table 3.6)




Figure E.95-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 6 (Table 3.6)




Figure E.96-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 6 (Table 3.6)




Figure E.97-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 7 (Table 3.6)




Figure E.98-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 7 (Table 3.6)




Figure E.99-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 7 (Table 3.6)




Figure E.100-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 7 (Table 3.6)




Figure E.101-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 8 (Table 3.6)




Figure E.102-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 8 (Table 3.6)




Figure E.103-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 8 (Table 3.6)




Figure E.104-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 8 (Table 3.6)




Figure E.105-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 9 (Table 3.6)




Figure E.106-Ascending cumulative probability distributions for highway bridge with modification 1b ADT case 9 (Table 3.6)




Figure E.107-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 9 (Table 3.6)




Figure E.108-Ascending cumulative probability distributions for highway bridge with modification 2b ADT case 9 (Table 3.6)




Figure E.109-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 1 (Table 3.6)




Figure E.110-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 1 (Table 3.6)




Figure E.111-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 1 (Table 3.6)




Figure E.112-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 1 (Table 3.6)




Figure E.113-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 2 (Table 3.6)




Figure E.114-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 2 (Table 3.6)




Figure E.115-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 2 (Table 3.6)




Figure E.116-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 2 (Table 3.6)




Figure E.117-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 3 (Table 3.6)




Figure E.118-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 3 (Table 3.6)




Figure E.119-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 3 (Table 3.6)




Figure E.120-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 3 (Table 3.6)




Figure E.121-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 4 (Table 3.6)




Figure E.122-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 4 (Table 3.6)




Figure E.123-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 4 (Table 3.6)




Figure E.124-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 4 (Table 3.6)




Figure E.125-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 5 (Table 3.6)




Figure E.126-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 5 (Table 3.6)




Figure E.127-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 5 (Table 3.6)




Figure E.128-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 5 (Table 3.6)




Figure E.129-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 6 (Table 3.6)




Figure E.130-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 6 (Table 3.6)




Figure E.131-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 6 (Table 3.6)




Figure E.132-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 6 (Table 3.6)




Figure E.133-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 7 (Table 3.6)




Figure E.134-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 7 (Table 3.6)




Figure E.135-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 7 (Table 3.6)




Figure E.136-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 7 (Table 3.6)




Figure E.137-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 8 (Table 3.6)




Figure E.138-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 8 (Table 3.6)




Figure E.139-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 8 (Table 3.6)




Figure E.140-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 8 (Table 3.6)




Figure E.141-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 9 (Table 3.6)




Figure E.142-Ascending cumulative probability distributions for highway bridge with modification 1c ADT case 9 (Table 3.6)




Figure E.143-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 9 (Table 3.6)




Figure E.144-Ascending cumulative probability distributions for highway bridge with modification 2c ADT case 9 (Table 3.6)

Bridge over Waterway

Table E.73-Risk profile statistics for waterway bridge ADT case 1, 2, 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|---------|-----------|----------------------------|---------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 784,705 | 53,116 | 891,678 | 786,562 | 39,006 | 851,797 |
| Maximum | 1,886,683 | 411,419 | 2,099,277 | 2,215,473 | 286,894 | 2,349,832 |
| Mean | 1,203,246 | 169,450 | 1,372,696 | 1,250,895 | 116,344 | 1,367,239 |
| Std Dev | 156,504 | 47,126 | 164,297 | 176,045 | 31,651 | 182,463 |
| Percentile | | | | | | |
| 1% | 873,490 | 80,689 | 1,020,770 | 918,986 | 57,861 | 1,018,704 |
| 5% | 944,947 | 99,017 | 1,103,899 | 989,239 | 69,982 | 1,094,742 |
| 10% | 998,467 | 111,184 | 1,158,942 | 1,034,196 | 77,919 | 1,142,099 |
| 15% | 1,036,577 | 120,374 | 1,198,613 | 1,067,266 | 83,794 | 1,176,580 |
| 20% | 1,066,694 | 128,237 | 1,230,846 | 1,095,370 | 88,830 | 1,206,619 |
| 25% | 1,093,671 | 135,326 | 1,258,182 | 1,120,827 | 93,338 | 1,233,103 |
| 30% | 1,117,573 | 141,718 | 1,283,220 | 1,145,079 | 97,624 | 1,258,271 |
| 35% | 1,139,495 | 148,013 | 1,305,744 | 1,168,546 | 101,627 | 1,282,617 |
| 40% | 1,160,819 | 154,002 | 1,327,379 | 1,191,641 | 105,440 | 1,306,817 |
| 45% | 1,180,699 | 159,803 | 1,348,664 | 1,213,326 | 109,287 | 1,329,282 |
| 50% | 1,200,602 | 165,669 | 1,369,918 | 1,235,845 | 113,264 | 1,352,987 |
| 55% | 1,221,005 | 171,626 | 1,391,100 | 1,259,393 | 117,276 | 1,376,516 |
| 60% | 1,241,661 | 177,741 | 1,412,699 | 1,283,146 | 121,493 | 1,400,997 |
| 65% | 1,263,269 | 184,205 | 1,434,692 | 1,308,004 | 125,914 | 1,426,921 |
| 70% | 1,285,361 | 191,190 | 1,458,179 | 1,335,033 | 130,591 | 1,455,079 |
| 75% | 1,309,835 | 199,092 | 1,483,741 | 1,364,473 | 135,889 | 1,484,959 |
| 80% | 1,336,248 | 207,921 | 1,512,371 | 1,397,719 | 141,935 | 1,519,071 |
| 85% | 1,367,322 | 218,579 | 1,546,293 | 1,436,754 | 149,250 | 1,560,225 |
| 90% | 1,407,246 | 232,484 | 1,587,310 | 1,488,415 | 158,699 | 1,612,862 |
| 95% | 1,465,450 | 253,748 | 1,647,150 | 1,563,780 | 173,397 | 1,690,663 |
| 99% | 1,574,505 | 294,779 | 1,762,279 | 1,709,471 | 202,785 | 1,840,100 |

Table E.74-Risk profile statistics for waterway bridge ADT case 4, 5, 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 784,705 | 531,160 | 1,404,465 | 786,562 | 390,063 | 1,319,945 |
| Maximum | 1,886,683 | 4,114,194 | 5,397,530 | 2,215,473 | 2,868,944 | 4,402,624 |
| Mean | 1,203,246 | 1,694,502 | 2,897,748 | 1,250,895 | 1,163,436 | 2,414,331 |
| Std Dev | 156,504 | 471,264 | 499,374 | 176,045 | 316,507 | 379,687 |
| Percentile | | | | | | |
| 1% | 873,490 | 806,888 | 1,916,097 | 918,986 | 578,605 | 1,673,552 |
| 5% | 944,947 | 990,171 | 2,138,400 | 989,239 | 699,821 | 1,844,358 |
| 10% | 998,467 | 1,111,839 | 2,279,085 | 1,034,196 | 779,185 | 1,950,336 |
| 15% | 1,036,577 | 1,203,738 | 2,380,220 | 1,067,266 | 837,935 | 2,026,018 |
| 20% | 1,066,694 | 1,282,370 | 2,465,145 | 1,095,370 | 888,295 | 2,086,786 |
| 25% | 1,093,671 | 1,353,263 | 2,539,292 | 1,120,827 | 933,381 | 2,141,249 |
| 30% | 1,117,573 | 1,417,176 | 2,607,928 | 1,145,079 | 976,236 | 2,193,665 |
| 35% | 1,139,495 | 1,480,126 | 2,673,755 | 1,168,546 | 1,016,274 | 2,242,670 |
| 40% | 1,160,819 | 1,540,020 | 2,737,070 | 1,191,641 | 1,054,397 | 2,290,398 |
| 45% | 1,180,699 | 1,598,028 | 2,801,269 | 1,213,326 | 1,092,866 | 2,336,830 |
| 50% | 1,200,602 | 1,656,693 | 2,864,064 | 1,235,845 | 1,132,640 | 2,384,659 |
| 55% | 1,221,005 | 1,716,256 | 2,927,224 | 1,259,393 | 1,172,760 | 2,431,600 |
| 60% | 1,241,661 | 1,777,412 | 2,992,245 | 1,283,146 | 1,214,929 | 2,482,383 |
| 65% | 1,263,269 | 1,842,052 | 3,061,717 | 1,308,004 | 1,259,139 | 2,534,923 |
| 70% | 1,285,361 | 1,911,902 | 3,134,515 | 1,335,033 | 1,305,909 | 2,590,858 |
| 75% | 1,309,835 | 1,990,920 | 3,215,510 | 1,364,473 | 1,358,891 | 2,655,160 |
| 80% | 1,336,248 | 2,079,215 | 3,308,260 | 1,397,719 | 1,419,350 | 2,725,250 |
| 85% | 1,367,322 | 2,185,789 | 3,418,098 | 1,436,754 | 1,492,501 | 2,808,542 |
| 90% | 1,407,246 | 2,324,844 | 3,560,087 | 1,488,415 | 1,586,986 | 2,915,979 |
| 95% | 1,465,450 | 2,537,476 | 3,781,195 | 1,563,780 | 1,733,969 | 3,088,225 |
| 99% | 1,574,505 | 2,947,792 | 4,205,849 | 1,709,471 | 2,027,848 | 3,425,844 |

Table E.75-Risk profile statistics for waterway bridge ADT case 7, 8, 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 784,705 | 2,655,799 | 3,565,685 | 786,562 | 1,950,313 | 3,105,571 |
| Maximum | 1,886,683 | 20,570,971 | 21,854,307 | 2,215,473 | 14,344,720 | 15,829,508 |
| Mean | 1,203,246 | 8,472,510 | 9,675,756 | 1,250,895 | 5,817,179 | 7,068,074 |
| Std Dev | 156,504 | 2,356,318 | 2,364,463 | 176,045 | 1,582,536 | 1,612,570 |
| Percentile | | | | | | |
| 1% | 873,490 | 4,034,439 | 5,207,906 | 918,986 | 2,893,025 | 4,069,846 |
| 5% | 944,947 | 4,950,856 | 6,132,518 | 989,239 | 3,499,104 | 4,703,621 |
| 10% | 998,467 | 5,559,193 | 6,744,633 | 1,034,196 | 3,895,925 | 5,110,781 |
| 15% | 1,036,577 | 6,018,690 | 7,220,006 | 1,067,266 | 4,189,675 | 5,413,799 |
| 20% | 1,066,694 | 6,411,848 | 7,609,122 | 1,095,370 | 4,441,475 | 5,666,699 |
| 25% | 1,093,671 | 6,766,314 | 7,962,096 | 1,120,827 | 4,666,907 | 5,898,997 |
| 30% | 1,117,573 | 7,085,878 | 8,281,463 | 1,145,079 | 4,881,179 | 6,112,208 |
| 35% | 1,139,495 | 7,400,629 | 8,603,959 | 1,168,546 | 5,081,368 | 6,319,369 |
| 40% | 1,160,819 | 7,700,099 | 8,902,410 | 1,191,641 | 5,271,986 | 6,517,858 |
| 45% | 1,180,699 | 7,990,138 | 9,192,793 | 1,213,326 | 5,464,328 | 6,708,379 |
| 50% | 1,200,602 | 8,283,463 | 9,487,001 | 1,235,845 | 5,663,198 | 6,908,288 |
| 55% | 1,221,005 | 8,581,282 | 9,788,007 | 1,259,393 | 5,863,799 | 7,118,068 |
| 60% | 1,241,661 | 8,887,059 | 10,098,029 | 1,283,146 | 6,074,643 | 7,328,280 |
| 65% | 1,263,269 | 9,210,260 | 10,418,757 | 1,308,004 | 6,295,693 | 7,553,893 |
| 70% | 1,285,361 | 9,559,512 | 10,768,974 | 1,335,033 | 6,529,546 | 7,799,913 |
| 75% | 1,309,835 | 9,954,600 | 11,164,774 | 1,364,473 | 6,794,455 | 8,067,118 |
| 80% | 1,336,248 | 10,396,073 | 11,610,581 | 1,397,719 | 7,096,749 | 8,370,980 |
| 85% | 1,367,322 | 10,928,945 | 12,136,716 | 1,436,754 | 7,462,507 | 8,743,362 |
| 90% | 1,407,246 | 11,624,219 | 12,844,990 | 1,488,415 | 7,934,928 | 9,224,814 |
| 95% | 1,465,450 | 12,687,378 | 13,901,461 | 1,563,780 | 8,669,846 | 9,968,150 |
| 99% | 1,574,505 | 14,738,961 | 15,955,857 | 1,709,471 | 10,139,242 | 11,465,950 |




Figure E.145-Ascending cumulative probability distributions for waterway bridge ADT case 1, 2, 3 (Table 3.6)




Figure E.146-Ascending cumulative probability distributions for waterway bridge ADT Case 1, 2, 3 (Table 3.6)




Figure E.147-Ascending cumulative probability distributions for waterway bridge ADT case 4, 5, 6 (Table 3.6)




Figure E.148-Ascending cumulative probability distributions for waterway bridge ADT case 4, 5, 6 (Table 3.6)




Figure E.149-Ascending cumulative probability distributions for waterway bridge ADT case 7, 8, 9 (Table 3.6)




Figure E.150-Ascending cumulative probability distributions for waterway bridge ADT case 7, 8, 9 (Table 3.6)

Bridge over Waterway with Modified Bridge Construction Time and Cost

Table E.76-Risk profile statistics for waterway bridge with modification 1a ADT case 1, 2, 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|---------|-----------|----------------------------|---------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 784,705 | 50,462 | 878,697 | 786,562 | 37,023 | 844,252 |
| Maximum | 1,886,683 | 318,976 | 2,045,934 | 2,215,473 | 223,416 | 2,322,575 |
| Mean | 1,203,246 | 135,950 | 1,339,196 | 1,250,895 | 94,874 | 1,345,769 |
| Std Dev | 156,504 | 34,486 | 161,082 | 176,045 | 23,339 | 180,518 |
| Percentile | | | | | | |
| 1% | 873,490 | 72,026 | 995,642 | 918,986 | 52,318 | 1,003,432 |
| 5% | 944,947 | 85,399 | 1,075,061 | 989,239 | 61,317 | 1,076,928 |
| 10% | 998,467 | 94,017 | 1,129,640 | 1,034,196 | 66,938 | 1,123,153 |
| 15% | 1,036,577 | 100,444 | 1,167,716 | 1,067,266 | 71,083 | 1,157,207 |
| 20% | 1,066,694 | 105,939 | 1,199,980 | 1,095,370 | 74,662 | 1,186,684 |
| 25% | 1,093,671 | 110,844 | 1,226,823 | 1,120,827 | 77,922 | 1,212,716 |
| 30% | 1,117,573 | 115,419 | 1,251,272 | 1,145,079 | 80,938 | 1,237,875 |
| 35% | 1,139,495 | 119,871 | 1,273,624 | 1,168,546 | 83,790 | 1,261,860 |
| 40% | 1,160,819 | 124,157 | 1,294,753 | 1,191,641 | 86,603 | 1,285,743 |
| 45% | 1,180,699 | 128,404 | 1,315,628 | 1,213,326 | 89,350 | 1,308,208 |
| 50% | 1,200,602 | 132,696 | 1,336,446 | 1,235,845 | 92,258 | 1,331,598 |
| 55% | 1,221,005 | 136,998 | 1,357,312 | 1,259,393 | 95,266 | 1,354,812 |
| 60% | 1,241,661 | 141,479 | 1,378,422 | 1,283,146 | 98,393 | 1,379,027 |
| 65% | 1,263,269 | 146,278 | 1,400,320 | 1,308,004 | 101,615 | 1,404,645 |
| 70% | 1,285,361 | 151,486 | 1,423,473 | 1,335,033 | 105,134 | 1,432,535 |
| 75% | 1,309,835 | 157,321 | 1,448,159 | 1,364,473 | 109,127 | 1,462,076 |
| 80% | 1,336,248 | 163,969 | 1,476,105 | 1,397,719 | 113,660 | 1,496,003 |
| 85% | 1,367,322 | 171,806 | 1,508,923 | 1,436,754 | 119,076 | 1,536,803 |
| 90% | 1,407,246 | 182,362 | 1,549,870 | 1,488,415 | 126,197 | 1,588,580 |
| 95% | 1,465,450 | 198,289 | 1,608,450 | 1,563,780 | 137,366 | 1,666,087 |
| 99% | 1,574,505 | 229,168 | 1,720,538 | 1,709,471 | 159,461 | 1,813,068 |

Table E.77-Risk profile statistics for waterway bridge with modification 1a ADT case 4, 5, 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 784,705 | 504,623 | 1,367,381 | 786,562 | 370,228 | 1,293,643 |
| Maximum | 1,886,683 | 3,189,762 | 4,473,098 | 2,215,473 | 2,234,163 | 3,773,227 |
| Mean | 1,203,246 | 1,359,503 | 2,562,749 | 1,250,895 | 948,737 | 2,199,632 |
| Std Dev | 156,504 | 344,861 | 382,190 | 176,045 | 233,395 | 309,790 |
| Percentile | | | | | | |
| 1% | 873,490 | 720,262 | 1,800,877 | 918,986 | 523,176 | 1,591,370 |
| 5% | 944,947 | 853,994 | 1,983,348 | 989,239 | 613,168 | 1,734,404 |
| 10% | 998,467 | 940,172 | 2,092,779 | 1,034,196 | 669,378 | 1,820,516 |
| 15% | 1,036,577 | 1,004,441 | 2,169,886 | 1,067,266 | 710,829 | 1,881,749 |
| 20% | 1,066,694 | 1,059,391 | 2,233,208 | 1,095,370 | 746,623 | 1,932,811 |
| 25% | 1,093,671 | 1,108,442 | 2,289,556 | 1,120,827 | 779,219 | 1,977,809 |
| 30% | 1,117,573 | 1,154,192 | 2,342,139 | 1,145,079 | 809,378 | 2,019,624 |
| 35% | 1,139,495 | 1,198,711 | 2,391,608 | 1,168,546 | 837,903 | 2,059,645 |
| 40% | 1,160,819 | 1,241,574 | 2,439,186 | 1,191,641 | 866,029 | 2,098,634 |
| 45% | 1,180,699 | 1,284,045 | 2,486,845 | 1,213,326 | 893,501 | 2,136,824 |
| 50% | 1,200,602 | 1,326,962 | 2,535,272 | 1,235,845 | 922,582 | 2,175,215 |
| 55% | 1,221,005 | 1,369,979 | 2,584,441 | 1,259,393 | 952,662 | 2,215,582 |
| 60% | 1,241,661 | 1,414,791 | 2,634,951 | 1,283,146 | 983,933 | 2,255,127 |
| 65% | 1,263,269 | 1,462,780 | 2,687,483 | 1,308,004 | 1,016,153 | 2,298,383 |
| 70% | 1,285,361 | 1,514,857 | 2,742,879 | 1,335,033 | 1,051,340 | 2,345,443 |
| 75% | 1,309,835 | 1,573,207 | 2,804,908 | 1,364,473 | 1,091,270 | 2,396,356 |
| 80% | 1,336,248 | 1,639,689 | 2,876,218 | 1,397,719 | 1,136,595 | 2,453,672 |
| 85% | 1,367,322 | 1,718,057 | 2,960,598 | 1,436,754 | 1,190,760 | 2,521,701 |
| 90% | 1,407,246 | 1,823,621 | 3,069,533 | 1,488,415 | 1,261,972 | 2,609,220 |
| 95% | 1,465,450 | 1,982,885 | 3,236,658 | 1,563,780 | 1,373,657 | 2,748,404 |
| 99% | 1,574,505 | 2,291,682 | 3,569,357 | 1,709,471 | 1,594,609 | 3,017,879 |

Table E.78-Risk profile statistics for waterway bridge with modification 1a ADT case 7, 8, 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 784,705 | 2,523,113 | 3,400,785 | 786,562 | 1,851,139 | 2,954,448 |
| Maximum | 1,886,683 | 15,948,811 | 17,232,147 | 2,215,473 | 11,170,816 | 12,678,953 |
| Mean | 1,203,246 | 6,797,514 | 8,000,760 | 1,250,895 | 4,743,686 | 5,994,581 |
| Std Dev | 156,504 | 1,724,305 | 1,735,211 | 176,045 | 1,166,973 | 1,202,224 |
| Percentile | | | | | | |
| 1% | 873,490 | 3,601,310 | 4,757,595 | 918,986 | 2,615,882 | 3,775,001 |
| 5% | 944,947 | 4,269,971 | 5,447,293 | 989,239 | 3,065,840 | 4,251,908 |
| 10% | 998,467 | 4,700,861 | 5,892,111 | 1,034,196 | 3,346,888 | 4,553,437 |
| 15% | 1,036,577 | 5,022,204 | 6,217,744 | 1,067,266 | 3,554,144 | 4,769,096 |
| 20% | 1,066,694 | 5,296,956 | 6,492,414 | 1,095,370 | 3,733,115 | 4,953,753 |
| 25% | 1,093,671 | 5,542,211 | 6,736,375 | 1,120,827 | 3,896,095 | 5,123,665 |
| 30% | 1,117,573 | 5,770,960 | 6,968,443 | 1,145,079 | 4,046,891 | 5,279,485 |
| 35% | 1,139,495 | 5,993,554 | 7,192,082 | 1,168,546 | 4,189,513 | 5,427,788 |
| 40% | 1,160,819 | 6,207,871 | 7,410,809 | 1,191,641 | 4,330,147 | 5,570,745 |
| 45% | 1,180,699 | 6,420,223 | 7,622,902 | 1,213,326 | 4,467,506 | 5,716,492 |
| 50% | 1,200,602 | 6,634,811 | 7,838,297 | 1,235,845 | 4,612,910 | 5,866,043 |
| 55% | 1,221,005 | 6,849,893 | 8,056,223 | 1,259,393 | 4,763,310 | 6,018,669 |
| 60% | 1,241,661 | 7,073,957 | 8,285,443 | 1,283,146 | 4,919,666 | 6,176,606 |
| 65% | 1,263,269 | 7,313,899 | 8,520,860 | 1,308,004 | 5,080,763 | 6,346,734 |
| 70% | 1,285,361 | 7,574,285 | 8,786,388 | 1,335,033 | 5,256,700 | 6,532,484 |
| 75% | 1,309,835 | 7,866,035 | 9,077,445 | 1,364,473 | 5,456,352 | 6,729,995 |
| 80% | 1,336,248 | 8,198,443 | 9,414,293 | 1,397,719 | 5,682,976 | 6,960,087 |
| 85% | 1,367,322 | 8,590,287 | 9,807,257 | 1,436,754 | 5,953,798 | 7,241,111 |
| 90% | 1,407,246 | 9,118,105 | 10,340,163 | 1,488,415 | 6,309,862 | 7,605,528 |
| 95% | 1,465,450 | 9,914,427 | 11,131,725 | 1,563,780 | 6,868,283 | 8,174,185 |
| 99% | 1,574,505 | 11,458,411 | 12,688,674 | 1,709,471 | 7,973,047 | 9,313,334 |

Table E.79-Risk profile statistics for waterway bridge with modification 1b ADT case 1, 2, 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|---------|-----------|----------------------------|---------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 814,445 | 50,462 | 908,436 | 803,479 | 37,023 | 856,142 |
| Maximum | 1,931,128 | 318,976 | 2,090,379 | 2,242,801 | 223,416 | 2,349,903 |
| Mean | 1,247,349 | 135,950 | 1,383,299 | 1,272,992 | 94,874 | 1,367,866 |
| Std Dev | 157,159 | 34,486 | 161,720 | 177,439 | 23,339 | 181,981 |
| Percentile | | | | | | |
| 1% | 910,355 | 72,026 | 1,033,715 | 937,342 | 52,318 | 1,021,347 |
| 5% | 987,360 | 85,399 | 1,117,199 | 1,008,814 | 61,317 | 1,096,408 |
| 10% | 1,042,592 | 94,017 | 1,173,545 | 1,054,312 | 66,938 | 1,143,348 |
| 15% | 1,080,966 | 100,444 | 1,211,972 | 1,087,896 | 71,083 | 1,177,845 |
| 20% | 1,111,106 | 105,939 | 1,244,323 | 1,116,296 | 74,662 | 1,207,596 |
| 25% | 1,138,098 | 110,844 | 1,271,247 | 1,141,945 | 77,922 | 1,233,993 |
| 30% | 1,162,017 | 115,419 | 1,295,700 | 1,166,642 | 80,938 | 1,259,188 |
| 35% | 1,183,939 | 119,871 | 1,318,069 | 1,190,207 | 83,790 | 1,283,446 |
| 40% | 1,205,263 | 124,157 | 1,339,191 | 1,213,547 | 86,603 | 1,307,543 |
| 45% | 1,225,144 | 128,404 | 1,360,066 | 1,235,535 | 89,350 | 1,330,272 |
| 50% | 1,245,047 | 132,696 | 1,380,890 | 1,258,215 | 92,258 | 1,353,794 |
| 55% | 1,265,450 | 136,998 | 1,401,756 | 1,281,871 | 95,266 | 1,377,149 |
| 60% | 1,286,106 | 141,479 | 1,422,866 | 1,305,830 | 98,393 | 1,401,702 |
| 65% | 1,307,713 | 146,278 | 1,444,765 | 1,330,715 | 101,615 | 1,427,359 |
| 70% | 1,329,806 | 151,486 | 1,467,918 | 1,357,969 | 105,134 | 1,455,444 |
| 75% | 1,354,279 | 157,321 | 1,492,603 | 1,387,360 | 109,127 | 1,485,031 |
| 80% | 1,380,693 | 163,969 | 1,520,550 | 1,420,865 | 113,660 | 1,519,330 |
| 85% | 1,411,766 | 171,806 | 1,553,368 | 1,460,507 | 119,076 | 1,560,504 |
| 90% | 1,451,690 | 182,362 | 1,594,315 | 1,512,227 | 126,197 | 1,612,240 |
| 95% | 1,509,895 | 198,289 | 1,652,895 | 1,587,923 | 137,366 | 1,690,023 |
| 99% | 1,618,949 | 229,168 | 1,764,982 | 1,734,741 | 159,461 | 1,838,539 |

Table E.80-Risk profile statistics for waterway bridge with modification 1b ADT case 4, 5, 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 814,445 | 504,623 | 1,408,298 | 803,479 | 370,228 | 1,312,095 |
| Maximum | 1,931,128 | 3,189,762 | 4,517,543 | 2,242,801 | 2,234,163 | 3,799,729 |
| Mean | 1,247,349 | 1,359,503 | 2,606,852 | 1,272,992 | 948,737 | 2,221,730 |
| Std Dev | 157,159 | 344,861 | 382,464 | 177,439 | 233,395 | 311,185 |
| Percentile | | | | | | |
| 1% | 910,355 | 720,262 | 1,842,715 | 937,342 | 523,176 | 1,610,334 |
| 5% | 987,360 | 853,994 | 2,026,660 | 1,008,814 | 613,168 | 1,754,317 |
| 10% | 1,042,592 | 940,172 | 2,136,318 | 1,054,312 | 669,378 | 1,840,943 |
| 15% | 1,080,966 | 1,004,441 | 2,213,706 | 1,087,896 | 710,829 | 1,902,220 |
| 20% | 1,111,106 | 1,059,391 | 2,277,286 | 1,116,296 | 746,623 | 1,953,307 |
| 25% | 1,138,098 | 1,108,442 | 2,333,615 | 1,141,945 | 779,219 | 1,999,003 |
| 30% | 1,162,017 | 1,154,192 | 2,386,331 | 1,166,642 | 809,378 | 2,040,882 |
| 35% | 1,183,939 | 1,198,711 | 2,435,742 | 1,190,207 | 837,903 | 2,081,244 |
| 40% | 1,205,263 | 1,241,574 | 2,483,476 | 1,213,547 | 866,029 | 2,120,216 |
| 45% | 1,225,144 | 1,284,045 | 2,530,965 | 1,235,535 | 893,501 | 2,158,819 |
| 50% | 1,245,047 | 1,326,962 | 2,579,477 | 1,258,215 | 922,582 | 2,197,247 |
| 55% | 1,265,450 | 1,369,979 | 2,628,681 | 1,281,871 | 952,662 | 2,237,712 |
| 60% | 1,286,106 | 1,414,791 | 2,679,162 | 1,305,830 | 983,933 | 2,277,386 |
| 65% | 1,307,713 | 1,462,780 | 2,731,749 | 1,330,715 | 1,016,153 | 2,321,023 |
| 70% | 1,329,806 | 1,514,857 | 2,787,158 | 1,357,969 | 1,051,340 | 2,368,419 |
| 75% | 1,354,279 | 1,573,207 | 2,849,166 | 1,387,360 | 1,091,270 | 2,419,301 |
| 80% | 1,380,693 | 1,639,689 | 2,920,544 | 1,420,865 | 1,136,595 | 2,477,126 |
| 85% | 1,411,766 | 1,718,057 | 3,004,902 | 1,460,507 | 1,190,760 | 2,545,269 |
| 90% | 1,451,690 | 1,823,621 | 3,113,742 | 1,512,227 | 1,261,972 | 2,632,848 |
| 95% | 1,509,895 | 1,982,885 | 3,281,090 | 1,587,923 | 1,373,657 | 2,772,554 |
| 99% | 1,618,949 | 2,291,682 | 3,613,802 | 1,734,741 | 1,594,609 | 3,043,057 |

Table E.81-Risk profile statistics for waterway bridge with modification 1b ADT case 7, 8, 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 814,445 | 2,523,113 | 3,445,229 | 803,479 | 1,851,139 | 2,971,340 |
| Maximum | 1,931,128 | 15,948,811 | 17,276,592 | 2,242,801 | 11,170,816 | 12,705,455 |
| Mean | 1,247,349 | 6,797,514 | 8,044,863 | 1,272,992 | 4,743,686 | 6,016,678 |
| Std Dev | 157,159 | 1,724,305 | 1,735,276 | 177,439 | 1,166,973 | 1,203,206 |
| Percentile | | | | | | |
| 1% | 910,355 | 3,601,310 | 4,801,679 | 937,342 | 2,615,882 | 3,794,834 |
| 5% | 987,360 | 4,269,971 | 5,491,229 | 1,008,814 | 3,065,840 | 4,273,246 |
| 10% | 1,042,592 | 4,700,861 | 5,936,345 | 1,054,312 | 3,346,888 | 4,574,195 |
| 15% | 1,080,966 | 5,022,204 | 6,261,742 | 1,087,896 | 3,554,144 | 4,790,036 |
| 20% | 1,111,106 | 5,296,956 | 6,536,457 | 1,116,296 | 3,733,115 | 4,974,944 |
| 25% | 1,138,098 | 5,542,211 | 6,780,449 | 1,141,945 | 3,896,095 | 5,145,445 |
| 30% | 1,162,017 | 5,770,960 | 7,012,545 | 1,166,642 | 4,046,891 | 5,300,820 |
| 35% | 1,183,939 | 5,993,554 | 7,236,223 | 1,190,207 | 4,189,513 | 5,449,547 |
| 40% | 1,205,263 | 6,207,871 | 7,455,047 | 1,213,547 | 4,330,147 | 5,592,891 |
| 45% | 1,225,144 | 6,420,223 | 7,667,158 | 1,235,535 | 4,467,506 | 5,738,158 |
| 50% | 1,245,047 | 6,634,811 | 7,882,593 | 1,258,215 | 4,612,910 | 5,887,744 |
| 55% | 1,265,450 | 6,849,893 | 8,100,204 | 1,281,871 | 4,763,310 | 6,040,812 |
| 60% | 1,286,106 | 7,073,957 | 8,329,510 | 1,305,830 | 4,919,666 | 6,199,064 |
| 65% | 1,307,713 | 7,313,899 | 8,565,004 | 1,330,715 | 5,080,763 | 6,369,028 |
| 70% | 1,329,806 | 7,574,285 | 8,830,672 | 1,357,969 | 5,256,700 | 6,554,640 |
| 75% | 1,354,279 | 7,866,035 | 9,121,479 | 1,387,360 | 5,456,352 | 6,752,595 |
| 80% | 1,380,693 | 8,198,443 | 9,458,364 | 1,420,865 | 5,682,976 | 6,982,787 |
| 85% | 1,411,766 | 8,590,287 | 9,851,033 | 1,460,507 | 5,953,798 | 7,265,447 |
| 90% | 1,451,690 | 9,118,105 | 10,384,198 | 1,512,227 | 6,309,862 | 7,629,221 |
| 95% | 1,509,895 | 9,914,427 | 11,176,042 | 1,587,923 | 6,868,283 | 8,198,402 |
| 99% | 1,618,949 | 11,458,411 | 12,733,119 | 1,734,741 | 7,973,047 | 9,341,598 |

Table E.82-Risk profile statistics for waterway bridge with modification 1c ADT case 1, 2, 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|---------|-----------|----------------------------|---------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 844,185 | 50,462 | 938,176 | 815,708 | 37,023 | 868,033 |
| Maximum | 1,975,490 | 318,976 | 2,134,741 | 2,270,078 | 223,416 | 2,377,180 |
| Mean | 1,291,442 | 135,950 | 1,427,392 | 1,295,084 | 94,874 | 1,389,958 |
| Std Dev | 157,697 | 34,486 | 162,244 | 178,841 | 23,339 | 183,451 |
| Percentile | | | | | | |
| 1% | 947,834 | 72,026 | 1,072,240 | 956,108 | 52,318 | 1,039,688 |
| 5% | 1,030,505 | 85,399 | 1,160,063 | 1,028,309 | 61,317 | 1,115,854 |
| 10% | 1,086,610 | 94,017 | 1,217,487 | 1,074,461 | 66,938 | 1,163,499 |
| 15% | 1,125,246 | 100,444 | 1,256,192 | 1,108,358 | 71,083 | 1,198,351 |
| 20% | 1,155,457 | 105,939 | 1,288,657 | 1,137,138 | 74,662 | 1,228,490 |
| 25% | 1,182,460 | 110,844 | 1,315,609 | 1,163,136 | 77,922 | 1,255,202 |
| 30% | 1,206,379 | 115,419 | 1,340,053 | 1,188,173 | 80,938 | 1,280,621 |
| 35% | 1,228,301 | 119,871 | 1,362,431 | 1,211,917 | 83,790 | 1,305,009 |
| 40% | 1,249,625 | 124,157 | 1,383,542 | 1,235,386 | 86,603 | 1,329,146 |
| 45% | 1,269,506 | 128,404 | 1,404,428 | 1,257,768 | 89,350 | 1,352,301 |
| 50% | 1,289,409 | 132,696 | 1,425,252 | 1,280,426 | 92,258 | 1,375,904 |
| 55% | 1,309,812 | 136,998 | 1,446,118 | 1,304,081 | 95,266 | 1,399,247 |
| 60% | 1,330,468 | 141,479 | 1,467,228 | 1,328,370 | 98,393 | 1,424,195 |
| 65% | 1,352,075 | 146,278 | 1,489,127 | 1,353,555 | 101,615 | 1,450,083 |
| 70% | 1,374,167 | 151,486 | 1,512,280 | 1,380,785 | 105,134 | 1,478,135 |
| 75% | 1,398,641 | 157,321 | 1,536,965 | 1,410,323 | 109,127 | 1,508,107 |
| 80% | 1,425,054 | 163,969 | 1,564,912 | 1,443,877 | 113,660 | 1,542,537 |
| 85% | 1,456,128 | 171,806 | 1,597,730 | 1,484,062 | 119,076 | 1,584,119 |
| 90% | 1,496,052 | 182,362 | 1,638,677 | 1,536,174 | 126,197 | 1,636,298 |
| 95% | 1,554,257 | 198,289 | 1,697,256 | 1,612,251 | 137,366 | 1,714,758 |
| 99% | 1,663,311 | 229,168 | 1,809,344 | 1,760,364 | 159,461 | 1,864,628 |

Table E.83-Risk profile statistics for waterway bridge with modification 1c ADT case 4, 5, 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 844,185 | 504,623 | 1,452,660 | 815,708 | 370,228 | 1,325,058 |
| Maximum | 1,975,490 | 3,189,762 | 4,561,905 | 2,270,078 | 2,234,163 | 3,826,182 |
| Mean | 1,291,442 | 1,359,503 | 2,650,945 | 1,295,084 | 948,737 | 2,243,822 |
| Std Dev | 157,697 | 344,861 | 382,693 | 178,841 | 233,395 | 312,586 |
| Percentile | | | | | | |
| 1% | 947,834 | 720,262 | 1,885,296 | 956,108 | 523,176 | 1,629,933 |
| 5% | 1,030,505 | 853,994 | 2,069,895 | 1,028,309 | 613,168 | 1,774,224 |
| 10% | 1,086,610 | 940,172 | 2,179,969 | 1,074,461 | 669,378 | 1,860,886 |
| 15% | 1,125,246 | 1,004,441 | 2,257,723 | 1,108,358 | 710,829 | 1,922,803 |
| 20% | 1,155,457 | 1,059,391 | 2,321,350 | 1,137,138 | 746,623 | 1,974,241 |
| 25% | 1,182,460 | 1,108,442 | 2,377,727 | 1,163,136 | 779,219 | 2,020,011 |
| 30% | 1,206,379 | 1,154,192 | 2,430,359 | 1,188,173 | 809,378 | 2,062,161 |
| 35% | 1,228,301 | 1,198,711 | 2,479,922 | 1,211,917 | 837,903 | 2,102,555 |
| 40% | 1,249,625 | 1,241,574 | 2,527,637 | 1,235,386 | 866,029 | 2,141,639 |
| 45% | 1,269,506 | 1,284,045 | 2,575,203 | 1,257,768 | 893,501 | 2,180,679 |
| 50% | 1,289,409 | 1,326,962 | 2,623,694 | 1,280,426 | 922,582 | 2,219,270 |
| 55% | 1,309,812 | 1,369,979 | 2,672,880 | 1,304,081 | 952,662 | 2,259,868 |
| 60% | 1,330,468 | 1,414,791 | 2,723,477 | 1,328,370 | 983,933 | 2,299,902 |
| 65% | 1,352,075 | 1,462,780 | 2,776,029 | 1,353,555 | 1,016,153 | 2,343,527 |
| 70% | 1,374,167 | 1,514,857 | 2,831,443 | 1,380,785 | 1,051,340 | 2,391,253 |
| 75% | 1,398,641 | 1,573,207 | 2,893,452 | 1,410,323 | 1,091,270 | 2,442,514 |
| 80% | 1,425,054 | 1,639,689 | 2,964,732 | 1,443,877 | 1,136,595 | 2,500,408 |
| 85% | 1,456,128 | 1,718,057 | 3,049,147 | 1,484,062 | 1,190,760 | 2,568,741 |
| 90% | 1,496,052 | 1,823,621 | 3,158,091 | 1,536,174 | 1,261,972 | 2,656,862 |
| 95% | 1,554,257 | 1,982,885 | 3,325,260 | 1,612,251 | 1,373,657 | 2,797,479 |
| 99% | 1,663,311 | 2,291,682 | 3,658,164 | 1,760,364 | 1,594,609 | 3,068,157 |

Table E.84-Risk profile statistics for waterway bridge with modification 1c ADT case 7, 8, 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 844,185 | 2,523,113 | 3,489,591 | 815,708 | 1,851,139 | 2,988,201 |
| Maximum | 1,975,490 | 15,948,811 | 17,320,953 | 2,270,078 | 11,170,816 | 12,731,907 |
| Mean | 1,291,442 | 6,797,514 | 8,088,956 | 1,295,084 | 4,743,686 | 6,038,771 |
| Std Dev | 157,697 | 1,724,305 | 1,735,333 | 178,841 | 1,166,973 | 1,204,191 |
| Percentile | | | | | | |
| 1% | 947,834 | 3,601,310 | 4,845,478 | 956,108 | 2,615,882 | 3,815,402 |
| 5% | 1,030,505 | 4,269,971 | 5,534,964 | 1,028,309 | 3,065,840 | 4,293,929 |
| 10% | 1,086,610 | 4,700,861 | 5,980,510 | 1,074,461 | 3,346,888 | 4,594,950 |
| 15% | 1,125,246 | 5,022,204 | 6,306,051 | 1,108,358 | 3,554,144 | 4,811,630 |
| 20% | 1,155,457 | 5,296,956 | 6,580,191 | 1,137,138 | 3,733,115 | 4,996,409 |
| 25% | 1,182,460 | 5,542,211 | 6,824,662 | 1,163,136 | 3,896,095 | 5,166,636 |
| 30% | 1,206,379 | 5,770,960 | 7,056,622 | 1,188,173 | 4,046,891 | 5,322,168 |
| 35% | 1,228,301 | 5,993,554 | 7,280,243 | 1,211,917 | 4,189,513 | 5,471,363 |
| 40% | 1,249,625 | 6,207,871 | 7,499,256 | 1,235,386 | 4,330,147 | 5,614,406 |
| 45% | 1,269,506 | 6,420,223 | 7,711,190 | 1,257,768 | 4,467,506 | 5,760,322 |
| 50% | 1,289,409 | 6,634,811 | 7,926,715 | 1,280,426 | 4,612,910 | 5,909,693 |
| 55% | 1,309,812 | 6,849,893 | 8,144,472 | 1,304,081 | 4,763,310 | 6,063,023 |
| 60% | 1,330,468 | 7,073,957 | 8,373,729 | 1,328,370 | 4,919,666 | 6,220,997 |
| 65% | 1,352,075 | 7,313,899 | 8,609,177 | 1,353,555 | 5,080,763 | 6,391,481 |
| 70% | 1,374,167 | 7,574,285 | 8,874,549 | 1,380,785 | 5,256,700 | 6,577,295 |
| 75% | 1,398,641 | 7,866,035 | 9,165,665 | 1,410,323 | 5,456,352 | 6,775,681 |
| 80% | 1,425,054 | 8,198,443 | 9,502,627 | 1,443,877 | 5,682,976 | 7,005,468 |
| 85% | 1,456,128 | 8,590,287 | 9,895,395 | 1,484,062 | 5,953,798 | 7,289,360 |
| 90% | 1,496,052 | 9,118,105 | 10,428,502 | 1,536,174 | 6,309,862 | 7,652,709 |
| 95% | 1,554,257 | 9,914,427 | 11,219,729 | 1,612,251 | 6,868,283 | 8,221,137 |
| 99% | 1,663,311 | 11,458,411 | 12,773,673 | 1,760,364 | 7,973,047 | 9,366,168 |

Table E.85-Risk profile statistics for waterway bridge with modification 2a ADT case 1, 2, 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|---------|-----------|----------------------------|---------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 784,705 | 45,949 | 859,920 | 786,562 | 34,432 | 836,343 |
| Maximum | 1,886,683 | 216,853 | 1,988,698 | 2,215,473 | 153,217 | 2,293,340 |
| Mean | 1,203,246 | 100,290 | 1,303,536 | 1,250,895 | 72,019 | 1,322,914 |
| Std Dev | 156,504 | 21,120 | 158,712 | 176,045 | 14,550 | 178,854 |
| Percentile | | | | | | |
| 1% | 873,490 | 61,426 | 968,061 | 918,986 | 45,570 | 984,594 |
| 5% | 944,947 | 69,841 | 1,042,670 | 989,239 | 51,326 | 1,056,620 |
| 10% | 998,467 | 74,952 | 1,096,395 | 1,034,196 | 54,800 | 1,102,368 |
| 15% | 1,036,577 | 78,775 | 1,134,441 | 1,067,266 | 57,305 | 1,136,131 |
| 20% | 1,066,694 | 82,011 | 1,166,032 | 1,095,370 | 59,484 | 1,165,066 |
| 25% | 1,093,671 | 84,916 | 1,192,744 | 1,120,827 | 61,483 | 1,190,834 |
| 30% | 1,117,573 | 87,607 | 1,216,565 | 1,145,079 | 63,302 | 1,215,615 |
| 35% | 1,139,495 | 90,260 | 1,238,994 | 1,168,546 | 65,052 | 1,239,876 |
| 40% | 1,160,819 | 92,868 | 1,259,737 | 1,191,641 | 66,752 | 1,263,093 |
| 45% | 1,180,699 | 95,461 | 1,280,255 | 1,213,326 | 68,500 | 1,285,692 |
| 50% | 1,200,602 | 98,045 | 1,300,966 | 1,235,845 | 70,264 | 1,308,333 |
| 55% | 1,221,005 | 100,641 | 1,321,292 | 1,259,393 | 72,130 | 1,331,773 |
| 60% | 1,241,661 | 103,397 | 1,342,273 | 1,283,146 | 74,061 | 1,355,893 |
| 65% | 1,263,269 | 106,406 | 1,363,672 | 1,308,004 | 76,105 | 1,381,257 |
| 70% | 1,285,361 | 109,571 | 1,387,266 | 1,335,033 | 78,334 | 1,408,731 |
| 75% | 1,309,835 | 113,240 | 1,411,186 | 1,364,473 | 80,831 | 1,438,135 |
| 80% | 1,336,248 | 117,309 | 1,438,297 | 1,397,719 | 83,672 | 1,471,716 |
| 85% | 1,367,322 | 122,286 | 1,470,588 | 1,436,754 | 87,100 | 1,511,936 |
| 90% | 1,407,246 | 128,886 | 1,511,022 | 1,488,415 | 91,559 | 1,563,631 |
| 95% | 1,465,450 | 138,838 | 1,569,277 | 1,563,780 | 98,669 | 1,640,693 |
| 99% | 1,574,505 | 158,060 | 1,679,685 | 1,709,471 | 112,620 | 1,787,086 |

Table E.86-Risk profile statistics for waterway bridge with modification 2a ADT case 4, 5, 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 784,705 | 459,493 | 1,329,434 | 786,562 | 344,323 | 1,222,185 |
| Maximum | 1,886,683 | 2,168,532 | 3,471,023 | 2,215,473 | 1,532,168 | 3,155,651 |
| Mean | 1,203,246 | 1,002,901 | 2,206,147 | 1,250,895 | 720,187 | 1,971,082 |
| Std Dev | 156,504 | 211,204 | 267,580 | 176,045 | 145,501 | 244,984 |
| Percentile | | | | | | |
| 1% | 873,490 | 614,263 | 1,652,597 | 918,986 | 455,701 | 1,484,464 |
| 5% | 944,947 | 698,406 | 1,792,727 | 989,239 | 513,261 | 1,599,599 |
| 10% | 998,467 | 749,517 | 1,873,505 | 1,034,196 | 547,997 | 1,668,806 |
| 15% | 1,036,577 | 787,753 | 1,930,772 | 1,067,266 | 573,054 | 1,718,006 |
| 20% | 1,066,694 | 820,113 | 1,977,010 | 1,095,370 | 594,840 | 1,758,253 |
| 25% | 1,093,671 | 849,160 | 2,017,401 | 1,120,827 | 614,832 | 1,795,811 |
| 30% | 1,117,573 | 876,067 | 2,055,018 | 1,145,079 | 633,024 | 1,829,819 |
| 35% | 1,139,495 | 902,595 | 2,089,796 | 1,168,546 | 650,522 | 1,861,001 |
| 40% | 1,160,819 | 928,677 | 2,123,745 | 1,191,641 | 667,523 | 1,892,244 |
| 45% | 1,180,699 | 954,605 | 2,157,465 | 1,213,326 | 684,998 | 1,922,740 |
| 50% | 1,200,602 | 980,450 | 2,191,485 | 1,235,845 | 702,639 | 1,953,652 |
| 55% | 1,221,005 | 1,006,408 | 2,224,884 | 1,259,393 | 721,300 | 1,985,052 |
| 60% | 1,241,661 | 1,033,966 | 2,259,707 | 1,283,146 | 740,608 | 2,017,136 |
| 65% | 1,263,269 | 1,064,055 | 2,296,040 | 1,308,004 | 761,048 | 2,051,227 |
| 70% | 1,285,361 | 1,095,710 | 2,334,639 | 1,335,033 | 783,338 | 2,088,616 |
| 75% | 1,309,835 | 1,132,398 | 2,377,762 | 1,364,473 | 808,306 | 2,128,712 |
| 80% | 1,336,248 | 1,173,087 | 2,426,109 | 1,397,719 | 836,723 | 2,174,004 |
| 85% | 1,367,322 | 1,222,864 | 2,484,964 | 1,436,754 | 870,998 | 2,227,706 |
| 90% | 1,407,246 | 1,288,855 | 2,559,643 | 1,488,415 | 915,589 | 2,296,077 |
| 95% | 1,465,450 | 1,388,383 | 2,671,593 | 1,563,780 | 986,693 | 2,401,356 |
| 99% | 1,574,505 | 1,580,604 | 2,893,080 | 1,709,471 | 1,126,196 | 2,604,266 |

Table E.87-Risk profile statistics for waterway bridge with modification 2a ADT case 7, 8, 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 784,705 | 2,297,467 | 3,232,298 | 786,562 | 1,721,617 | 2,797,876 |
| Maximum | 1,886,683 | 10,842,662 | 12,125,998 | 2,215,473 | 7,660,839 | 9,189,605 |
| Mean | 1,203,246 | 5,014,507 | 6,217,753 | 1,250,895 | 3,600,933 | 4,851,828 |
| Std Dev | 156,504 | 1,056,021 | 1,073,389 | 176,045 | 727,503 | 774,292 |
| Percentile | | | | | | |
| 1% | 873,490 | 3,071,315 | 4,216,187 | 918,986 | 2,278,503 | 3,410,110 |
| 5% | 944,947 | 3,492,029 | 4,657,607 | 989,239 | 2,566,305 | 3,732,198 |
| 10% | 998,467 | 3,747,585 | 4,927,894 | 1,034,196 | 2,739,985 | 3,926,433 |
| 15% | 1,036,577 | 3,938,764 | 5,127,752 | 1,067,266 | 2,865,271 | 4,066,385 |
| 20% | 1,066,694 | 4,100,565 | 5,288,688 | 1,095,370 | 2,974,201 | 4,187,635 |
| 25% | 1,093,671 | 4,245,799 | 5,437,469 | 1,120,827 | 3,074,159 | 4,293,871 |
| 30% | 1,117,573 | 4,380,337 | 5,576,315 | 1,145,079 | 3,165,121 | 4,392,024 |
| 35% | 1,139,495 | 4,512,976 | 5,710,067 | 1,168,546 | 3,252,612 | 4,485,442 |
| 40% | 1,160,819 | 4,643,384 | 5,844,339 | 1,191,641 | 3,337,615 | 4,579,187 |
| 45% | 1,180,699 | 4,773,025 | 5,976,721 | 1,213,326 | 3,424,988 | 4,674,102 |
| 50% | 1,200,602 | 4,902,250 | 6,108,769 | 1,235,845 | 3,513,196 | 4,768,216 |
| 55% | 1,221,005 | 5,032,041 | 6,243,040 | 1,259,393 | 3,606,499 | 4,865,763 |
| 60% | 1,241,661 | 5,169,828 | 6,381,822 | 1,283,146 | 3,703,042 | 4,969,404 |
| 65% | 1,263,269 | 5,320,276 | 6,531,544 | 1,308,004 | 3,805,242 | 5,078,406 |
| 70% | 1,285,361 | 5,478,550 | 6,697,417 | 1,335,033 | 3,916,688 | 5,197,719 |
| 75% | 1,309,835 | 5,661,988 | 6,878,859 | 1,364,473 | 4,041,531 | 5,326,433 |
| 80% | 1,336,248 | 5,865,433 | 7,086,533 | 1,397,719 | 4,183,616 | 5,474,104 |
| 85% | 1,367,322 | 6,114,321 | 7,337,039 | 1,436,754 | 4,354,989 | 5,652,049 |
| 90% | 1,407,246 | 6,444,277 | 7,665,598 | 1,488,415 | 4,577,947 | 5,886,920 |
| 95% | 1,465,450 | 6,941,916 | 8,167,642 | 1,563,780 | 4,933,467 | 6,248,513 |
| 99% | 1,574,505 | 7,903,018 | 9,150,922 | 1,709,471 | 5,630,981 | 6,986,954 |

Table E.88-Risk profile statistics for waterway bridge with modification 2b ADT case 1, 2, 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|---------|-----------|----------------------------|---------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 844,185 | 45,949 | 919,400 | 815,708 | 34,432 | 860,124 |
| Maximum | 1,975,490 | 216,853 | 2,077,505 | 2,270,078 | 153,217 | 2,347,945 |
| Mean | 1,291,442 | 100,290 | 1,391,732 | 1,295,084 | 72,019 | 1,367,103 |
| Std Dev | 157,697 | 21,120 | 159,889 | 178,841 | 14,550 | 181,760 |
| Percentile | | | | | | |
| 1% | 947,834 | 61,426 | 1,042,838 | 956,108 | 45,570 | 1,020,654 |
| 5% | 1,030,505 | 69,841 | 1,127,323 | 1,028,309 | 51,326 | 1,095,908 |
| 10% | 1,086,610 | 74,952 | 1,184,418 | 1,074,461 | 54,800 | 1,142,439 |
| 15% | 1,125,246 | 78,775 | 1,223,027 | 1,108,358 | 57,305 | 1,177,174 |
| 20% | 1,155,457 | 82,011 | 1,254,765 | 1,137,138 | 59,484 | 1,206,732 |
| 25% | 1,182,460 | 84,916 | 1,281,533 | 1,163,136 | 61,483 | 1,233,258 |
| 30% | 1,206,379 | 87,607 | 1,305,350 | 1,188,173 | 63,302 | 1,258,600 |
| 35% | 1,228,301 | 90,260 | 1,327,800 | 1,211,917 | 65,052 | 1,282,931 |
| 40% | 1,249,625 | 92,868 | 1,348,543 | 1,235,386 | 66,752 | 1,306,464 |
| 45% | 1,269,506 | 95,461 | 1,369,061 | 1,257,768 | 68,500 | 1,329,802 |
| 50% | 1,289,409 | 98,045 | 1,389,773 | 1,280,426 | 70,264 | 1,352,683 |
| 55% | 1,309,812 | 100,641 | 1,410,098 | 1,304,081 | 72,130 | 1,376,461 |
| 60% | 1,330,468 | 103,397 | 1,431,080 | 1,328,370 | 74,061 | 1,400,978 |
| 65% | 1,352,075 | 106,406 | 1,452,478 | 1,353,555 | 76,105 | 1,426,684 |
| 70% | 1,374,167 | 109,571 | 1,476,072 | 1,380,785 | 78,334 | 1,454,494 |
| 75% | 1,398,641 | 113,240 | 1,499,992 | 1,410,323 | 80,831 | 1,484,098 |
| 80% | 1,425,054 | 117,309 | 1,527,104 | 1,443,877 | 83,672 | 1,518,448 |
| 85% | 1,456,128 | 122,286 | 1,559,395 | 1,484,062 | 87,100 | 1,559,118 |
| 90% | 1,496,052 | 128,886 | 1,599,829 | 1,536,174 | 91,559 | 1,611,614 |
| 95% | 1,554,257 | 138,838 | 1,658,083 | 1,612,251 | 98,669 | 1,689,328 |
| 99% | 1,663,311 | 158,060 | 1,768,491 | 1,760,364 | 112,620 | 1,838,009 |

Table E.89-Risk profile statistics for waterway bridge with modification 2b ADT case 4, 5, 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 844,185 | 459,493 | 1,414,713 | 815,708 | 344,323 | 1,245,966 |
| Maximum | 1,975,490 | 2,168,532 | 3,559,829 | 2,270,078 | 1,532,168 | 3,211,298 |
| Mean | 1,291,442 | 1,002,901 | 2,294,343 | 1,295,084 | 720,187 | 2,015,271 |
| Std Dev | 157,697 | 211,204 | 268,288 | 178,841 | 145,501 | 248,120 |
| Percentile | | | | | | |
| 1% | 947,834 | 614,263 | 1,735,549 | 956,108 | 455,701 | 1,522,149 |
| 5% | 1,030,505 | 698,406 | 1,879,361 | 1,028,309 | 513,261 | 1,638,921 |
| 10% | 1,086,610 | 749,517 | 1,960,829 | 1,074,461 | 547,997 | 1,708,892 |
| 15% | 1,125,246 | 787,753 | 2,018,429 | 1,108,358 | 573,054 | 1,759,037 |
| 20% | 1,155,457 | 820,113 | 2,064,920 | 1,137,138 | 594,840 | 1,799,803 |
| 25% | 1,182,460 | 849,160 | 2,105,756 | 1,163,136 | 614,832 | 1,837,570 |
| 30% | 1,206,379 | 876,067 | 2,143,213 | 1,188,173 | 633,024 | 1,872,192 |
| 35% | 1,228,301 | 902,595 | 2,178,261 | 1,211,917 | 650,522 | 1,903,718 |
| 40% | 1,249,625 | 928,677 | 2,212,229 | 1,235,386 | 667,523 | 1,935,768 |
| 45% | 1,269,506 | 954,605 | 2,245,993 | 1,257,768 | 684,998 | 1,966,372 |
| 50% | 1,289,409 | 980,450 | 2,280,017 | 1,280,426 | 702,639 | 1,997,782 |
| 55% | 1,309,812 | 1,006,408 | 2,313,450 | 1,304,081 | 721,300 | 2,029,464 |
| 60% | 1,330,468 | 1,033,966 | 2,348,335 | 1,328,370 | 740,608 | 2,062,097 |
| 65% | 1,352,075 | 1,064,055 | 2,384,731 | 1,353,555 | 761,048 | 2,096,651 |
| 70% | 1,374,167 | 1,095,710 | 2,423,175 | 1,380,785 | 783,338 | 2,134,411 |
| 75% | 1,398,641 | 1,132,398 | 2,466,418 | 1,410,323 | 808,306 | 2,174,809 |
| 80% | 1,425,054 | 1,173,087 | 2,514,841 | 1,443,877 | 836,723 | 2,220,930 |
| 85% | 1,456,128 | 1,222,864 | 2,573,751 | 1,484,062 | 870,998 | 2,274,986 |
| 90% | 1,496,052 | 1,288,855 | 2,648,409 | 1,536,174 | 915,589 | 2,344,216 |
| 95% | 1,554,257 | 1,388,383 | 2,760,328 | 1,612,251 | 986,693 | 2,450,573 |
| 99% | 1,663,311 | 1,580,604 | 2,981,886 | 1,760,364 | 1,126,196 | 2,655,872 |

Table E.90-Risk profile statistics for waterway bridge with modification 2b ADT Case 7, 8, 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 844,185 | 2,297,467 | 3,321,104 | 815,708 | 1,721,617 | 2,831,629 |
| Maximum | 1,975,490 | 10,842,662 | 12,214,804 | 2,270,078 | 7,660,839 | 9,242,559 |
| Mean | 1,291,442 | 5,014,507 | 6,305,949 | 1,295,084 | 3,600,933 | 4,896,017 |
| Std Dev | 157,697 | 1,056,021 | 1,073,575 | 178,841 | 727,503 | 776,718 |
| Percentile | | | | | | |
| 1% | 947,834 | 3,071,315 | 4,304,327 | 956,108 | 2,278,503 | 3,451,207 |
| 5% | 1,030,505 | 3,492,029 | 4,744,706 | 1,028,309 | 2,566,305 | 3,772,223 |
| 10% | 1,086,610 | 3,747,585 | 5,016,132 | 1,074,461 | 2,739,985 | 3,967,527 |
| 15% | 1,125,246 | 3,938,764 | 5,215,765 | 1,108,358 | 2,865,271 | 4,107,815 |
| 20% | 1,155,457 | 4,100,565 | 5,376,692 | 1,137,138 | 2,974,201 | 4,229,460 |
| 25% | 1,182,460 | 4,245,799 | 5,525,769 | 1,163,136 | 3,074,159 | 4,336,340 |
| 30% | 1,206,379 | 4,380,337 | 5,664,613 | 1,188,173 | 3,165,121 | 4,434,409 |
| 35% | 1,228,301 | 4,512,976 | 5,797,975 | 1,211,917 | 3,252,612 | 4,528,767 |
| 40% | 1,249,625 | 4,643,384 | 5,932,466 | 1,235,386 | 3,337,615 | 4,622,710 |
| 45% | 1,269,506 | 4,773,025 | 6,064,869 | 1,257,768 | 3,424,988 | 4,718,106 |
| 50% | 1,289,409 | 4,902,250 | 6,196,795 | 1,280,426 | 3,513,196 | 4,812,761 |
| 55% | 1,309,812 | 5,032,041 | 6,331,335 | 1,304,081 | 3,606,499 | 4,910,798 |
| 60% | 1,330,468 | 5,169,828 | 6,469,970 | 1,328,370 | 3,703,042 | 5,014,422 |
| 65% | 1,352,075 | 5,320,276 | 6,619,538 | 1,353,555 | 3,805,242 | 5,123,340 |
| 70% | 1,374,167 | 5,478,550 | 6,785,726 | 1,380,785 | 3,916,688 | 5,243,263 |
| 75% | 1,398,641 | 5,661,988 | 6,967,174 | 1,410,323 | 4,041,531 | 5,371,613 |
| 80% | 1,425,054 | 5,865,433 | 7,174,693 | 1,443,877 | 4,183,616 | 5,520,330 |
| 85% | 1,456,128 | 6,114,321 | 7,425,733 | 1,484,062 | 4,354,989 | 5,698,947 |
| 90% | 1,496,052 | 6,444,277 | 7,753,532 | 1,536,174 | 4,577,947 | 5,933,554 |
| 95% | 1,554,257 | 6,941,916 | 8,256,361 | 1,612,251 | 4,933,467 | 6,297,195 |
| 99% | 1,663,311 | 7,903,018 | 9,239,728 | 1,760,364 | 5,630,981 | 7,034,622 |

Table E.91-Risk profile statistics for waterway bridge with modification 2c ADT case 1, 2, 3 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|---------|-----------|----------------------------|---------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 909,896 | 45,949 | 985,120 | 839,311 | 34,432 | 883,904 |
| Maximum | 2,064,296 | 216,853 | 2,166,311 | 2,324,683 | 153,217 | 2,402,550 |
| Mean | 1,379,872 | 100,290 | 1,480,162 | 1,339,390 | 72,019 | 1,411,409 |
| Std Dev | 158,496 | 21,120 | 160,679 | 181,686 | 14,550 | 184,711 |
| Percentile | | | | | | |
| 1% | 1,023,595 | 61,426 | 1,120,739 | 993,354 | 45,570 | 1,058,336 |
| 5% | 1,118,214 | 69,841 | 1,214,863 | 1,067,949 | 51,326 | 1,135,029 |
| 10% | 1,175,202 | 74,952 | 1,272,967 | 1,114,835 | 54,800 | 1,183,164 |
| 15% | 1,214,014 | 78,775 | 1,311,795 | 1,149,658 | 57,305 | 1,218,281 |
| 20% | 1,244,247 | 82,011 | 1,343,561 | 1,179,435 | 59,484 | 1,248,831 |
| 25% | 1,271,267 | 84,916 | 1,370,329 | 1,205,478 | 61,483 | 1,275,533 |
| 30% | 1,295,186 | 87,607 | 1,394,156 | 1,231,215 | 63,302 | 1,301,452 |
| 35% | 1,317,108 | 90,260 | 1,416,607 | 1,255,319 | 65,052 | 1,326,321 |
| 40% | 1,338,432 | 92,868 | 1,437,350 | 1,278,975 | 66,752 | 1,350,260 |
| 45% | 1,358,312 | 95,461 | 1,457,868 | 1,301,968 | 68,500 | 1,373,933 |
| 50% | 1,378,215 | 98,045 | 1,478,579 | 1,324,922 | 70,264 | 1,397,287 |
| 55% | 1,398,619 | 100,641 | 1,498,905 | 1,348,819 | 72,130 | 1,421,200 |
| 60% | 1,419,274 | 103,397 | 1,519,886 | 1,373,112 | 74,061 | 1,446,199 |
| 65% | 1,440,882 | 106,406 | 1,541,285 | 1,398,954 | 76,105 | 1,472,385 |
| 70% | 1,462,974 | 109,571 | 1,564,879 | 1,426,604 | 78,334 | 1,500,249 |
| 75% | 1,487,448 | 113,240 | 1,588,799 | 1,456,370 | 80,831 | 1,530,237 |
| 80% | 1,513,861 | 117,309 | 1,615,910 | 1,490,684 | 83,672 | 1,565,132 |
| 85% | 1,544,935 | 122,286 | 1,648,202 | 1,531,113 | 87,100 | 1,606,617 |
| 90% | 1,584,859 | 128,886 | 1,688,635 | 1,584,222 | 91,559 | 1,659,381 |
| 95% | 1,643,063 | 138,838 | 1,746,890 | 1,660,925 | 98,669 | 1,738,614 |
| 99% | 1,752,118 | 158,060 | 1,857,298 | 1,810,143 | 112,620 | 1,890,035 |

Table E.92-Risk profile statistics for waterway bridge with modification 2c ADT case 4, 5, 6 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|-----------|-----------|----------------------------|-----------|-----------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 909,896 | 459,493 | 1,498,659 | 839,311 | 344,323 | 1,269,747 |
| Maximum | 2,064,296 | 2,168,532 | 3,648,636 | 2,324,683 | 1,532,168 | 3,266,945 |
| Mean | 1,379,872 | 1,002,901 | 2,382,773 | 1,339,390 | 720,187 | 2,059,577 |
| Std Dev | 158,496 | 211,204 | 268,762 | 181,686 | 145,501 | 251,286 |
| Percentile | | | | | | |
| 1% | 1,023,595 | 614,263 | 1,820,420 | 993,354 | 455,701 | 1,559,675 |
| 5% | 1,118,214 | 698,406 | 1,966,727 | 1,067,949 | 513,261 | 1,678,130 |
| 10% | 1,175,202 | 749,517 | 2,048,974 | 1,114,835 | 547,997 | 1,748,955 |
| 15% | 1,214,014 | 787,753 | 2,106,578 | 1,149,658 | 573,054 | 1,800,121 |
| 20% | 1,244,247 | 820,113 | 2,153,405 | 1,179,435 | 594,840 | 1,841,607 |
| 25% | 1,271,267 | 849,160 | 2,194,148 | 1,205,478 | 614,832 | 1,879,366 |
| 30% | 1,295,186 | 876,067 | 2,231,724 | 1,231,215 | 633,024 | 1,914,385 |
| 35% | 1,317,108 | 902,595 | 2,266,838 | 1,255,319 | 650,522 | 1,946,249 |
| 40% | 1,338,432 | 928,677 | 2,300,814 | 1,278,975 | 667,523 | 1,979,189 |
| 45% | 1,358,312 | 954,605 | 2,334,662 | 1,301,968 | 684,998 | 2,010,053 |
| 50% | 1,378,215 | 980,450 | 2,368,618 | 1,324,922 | 702,639 | 2,042,135 |
| 55% | 1,398,619 | 1,006,408 | 2,402,189 | 1,348,819 | 721,300 | 2,074,291 |
| 60% | 1,419,274 | 1,033,966 | 2,437,081 | 1,373,112 | 740,608 | 2,107,216 |
| 65% | 1,440,882 | 1,064,055 | 2,473,374 | 1,398,954 | 761,048 | 2,142,198 |
| 70% | 1,462,974 | 1,095,710 | 2,511,913 | 1,426,604 | 783,338 | 2,180,131 |
| 75% | 1,487,448 | 1,132,398 | 2,555,127 | 1,456,370 | 808,306 | 2,221,227 |
| 80% | 1,513,861 | 1,173,087 | 2,603,640 | 1,490,684 | 836,723 | 2,267,773 |
| 85% | 1,544,935 | 1,222,864 | 2,662,542 | 1,531,113 | 870,998 | 2,322,614 |
| 90% | 1,584,859 | 1,288,855 | 2,737,216 | 1,584,222 | 915,589 | 2,393,079 |
| 95% | 1,643,063 | 1,388,383 | 2,849,134 | 1,660,925 | 986,693 | 2,499,746 |
| 99% | 1,752,118 | 1,580,604 | 3,070,693 | 1,810,143 | 1,126,196 | 2,707,795 |

Table E.93-Risk profile statistics for waterway bridge with modification 2c ADT case 7, 8, 9 (Table 3.6)

| Basic Statistic | Life-cycle Costs, Dollars | | | | | |
|--------------------|---------------------------|------------|------------|----------------------------|------------|------------|
| | Replacement Alternative | | | Rehabilitation Alternative | | |
| | Agency | User | Total | Agency | User | Total |
| Minimum | 844,185 | 2,523,113 | 3,489,591 | 815,708 | 1,851,139 | 2,988,201 |
| Maximum | 1,975,490 | 15,948,811 | 17,320,953 | 2,270,078 | 11,170,816 | 12,731,907 |
| Mean | 1,291,442 | 6,797,514 | 8,088,956 | 1,295,084 | 4,743,686 | 6,038,771 |
| Std Dev | 157,697 | 1,724,305 | 1,735,333 | 178,841 | 1,166,973 | 1,204,191 |
| Percentile | | | | | | |
| 1% | 947,834 | 3,601,310 | 4,845,478 | 956,108 | 2,615,882 | 3,815,402 |
| 5% | 1,030,505 | 4,269,971 | 5,534,964 | 1,028,309 | 3,065,840 | 4,293,929 |
| 10% | 1,086,610 | 4,700,861 | 5,980,510 | 1,074,461 | 3,346,888 | 4,594,950 |
| 15% | 1,125,246 | 5,022,204 | 6,306,051 | 1,108,358 | 3,554,144 | 4,811,630 |
| 20% | 1,155,457 | 5,296,956 | 6,580,191 | 1,137,138 | 3,733,115 | 4,996,409 |
| 25% | 1,182,460 | 5,542,211 | 6,824,662 | 1,163,136 | 3,896,095 | 5,166,636 |
| 30% | 1,206,379 | 5,770,960 | 7,056,622 | 1,188,173 | 4,046,891 | 5,322,168 |
| 35% | 1,228,301 | 5,993,554 | 7,280,243 | 1,211,917 | 4,189,513 | 5,471,363 |
| 40% | 1,249,625 | 6,207,871 | 7,499,256 | 1,235,386 | 4,330,147 | 5,614,406 |
| 45% | 1,269,506 | 6,420,223 | 7,711,190 | 1,257,768 | 4,467,506 | 5,760,322 |
| 50% | 1,289,409 | 6,634,811 | 7,926,715 | 1,280,426 | 4,612,910 | 5,909,693 |
| 55% | 1,309,812 | 6,849,893 | 8,144,472 | 1,304,081 | 4,763,310 | 6,063,023 |
| 60% | 1,330,468 | 7,073,957 | 8,373,729 | 1,328,370 | 4,919,666 | 6,220,997 |
| 65% | 1,352,075 | 7,313,899 | 8,609,177 | 1,353,555 | 5,080,763 | 6,391,481 |
| 70% | 1,374,167 | 7,574,285 | 8,874,549 | 1,380,785 | 5,256,700 | 6,577,295 |
| 75% | 1,398,641 | 7,866,035 | 9,165,665 | 1,410,323 | 5,456,352 | 6,775,681 |
| 80% | 1,425,054 | 8,198,443 | 9,502,627 | 1,443,877 | 5,682,976 | 7,005,468 |
| 85% | 1,456,128 | 8,590,287 | 9,895,395 | 1,484,062 | 5,953,798 | 7,289,360 |
| 90% | 1,496,052 | 9,118,105 | 10,428,502 | 1,536,174 | 6,309,862 | 7,652,709 |
| 95% | 1,554,257 | 9,914,427 | 11,219,729 | 1,612,251 | 6,868,283 | 8,221,137 |
| 99% | 1,663,311 | 11,458,411 | 12,773,673 | 1,760,364 | 7,973,047 | 9,366,168 |




Figure E.151-Ascending cumulative probability distributions for waterway bridge with modification 1a ADT case 1, 2, 3 (Table 3.6)




Figure E.152-Ascending cumulative probability distributions for waterway bridge with modification 1a ADT case 1, 2, 3 (Table 3.6)




Figure E.153-Ascending cumulative probability distributions for waterway bridge with modification 2a ADT case 1, 2, 3 (Table 3.6)




Figure E.154-Ascending cumulative probability distributions for waterway bridge with modification 2a ADT case 1, 2, 3 (Table 3.6)




Figure E.155-Ascending cumulative probability distributions for waterway bridge with modification 1a ADT case 4, 6, 6 (Table 3.6)




Figure E.156-Ascending cumulative probability distributions for waterway bridge with modification 2a ADT case 4, 5, 6 (Table 3.6)




Figure E.157-Ascending cumulative probability distributions for waterway bridge with modification 1a ADT case 7, 8, 9 (Table 3.6)




Figure E.158-Ascending cumulative probability distributions for waterway bridge with modification 2a ADT Case 7, 8, 9 (Table 3.6)




Figure E.159-Ascending cumulative probability distributions for waterway bridge with modification 1b ADT case 1, 2, 3 (Table 3.6)




Figure E.160-Ascending cumulative probability distributions for waterway bridge with modification 2b ADT case 1, 2, 3 (Table 3.6)




Figure E.161-Ascending cumulative probability distributions for waterway bridge with modification 1b ADT case 4, 5, 6 (Table 3.6)




Figure E.162-Ascending cumulative probability distributions for waterway bridge with modification 2b ADT case 4, 5, 6 (Table 3.6)




Figure E.163-Ascending cumulative probability distributions for waterway bridge with modification 1b ADT case 7, 8, 9 (Table 3.6)




Figure E.164-ascending cumulative probability distributions for waterway bridge with modification 2b ADT case 7, 8, 9 (Table 3.6)




Figure E.165-ascending cumulative probability distributions for waterway bridge with modification 1c ADT Case 1, 2, 3 (Table 3.6)




Figure E.166-Ascending cumulative probability distributions for waterway bridge with modification 2c ADT Case 1, 2, 3 (Table 3.6)




Figure E.167-Ascending cumulative probability distributions for waterway bridge with modification 1c ADT case 4, 5, 6 (Table 3.6)




Figure E.168-Ascending cumulative probability distributions for waterway bridge with modification 2c ADT case 4, 5, 6 (Table 3.6)




Figure E.169-Ascending cumulative probability distributions for waterway bridge with modification 1c ADT Case 7, 8, 9 (Table 3.6)




Figure E.170-Ascending cumulative probability distributions for waterway bridge with modification 2c ADT case 7, 8, 9 (Table 3.6)

APPENDIX F: SPREADSHEET INPUT

Appendix F contains a summary of the required spreadsheet input.

| | |
|-------------------------|----|
| Analysis Period (years) | 75 |
|-------------------------|----|

| | |
|-----------------------|-------|
| Discount Rates | |
| Short term | 0.035 |
| Long term | 0.025 |

| | |
|---|--------|
| Agency Costs | |
| Preliminary Engineering (%) | 10 |
| Construction Engineering (%) | 11 |
| Maintenance of Traffic - replacement (%) | 3.41 |
| Maintenance of Traffic - rehabilitation (%) | 15.12 |
| Bridge replacement (\$/SF) | 107.52 |
| Deck overlay - new bridge (\$/SF) | 16.54 |
| Deck overlay - old bridge (\$/SF) | 16.54 |
| Overlay approach pavement - new bridge (\$/SY) | 40.01 |
| Overlay approach pavement - old bridge (\$/SY) | 54.83 |
| Deck replacement (\$/SF) | 38.17 |
| FRP wrap - 1 layer (\$/SF) | 54.39 |
| Bridge rail retrofit with thrie beam (\$/LF) | 76.99 |
| Bridge removal (\$/SF) | 14.13 |
| Deck removal (\$/SF) | 4.87 |
| Routine annual maintenance - new bridge (\$/SF) | 0.10 |
| Routine annual maintenance - old bridge (\$/SF) | 0.15 |

| | |
|-------------------------------------|-----|
| Bridge Replacement | |
| New Bridge | |
| Roadway width (ft) | 28 |
| Total width (ft) | 31 |
| Length (ft) | 204 |
| Approach roadway (%) | 5 |
| Overlay approach pavement area (SY) | 355 |

| | |
|-------------------------------------|------|
| Bridge Rehabilitation | |
| Existing bridge | |
| Roadway width (ft) | 25 |
| Total width (ft) | 28 |
| Length (ft) | 204 |
| Area of applied FRP - 1 layer (SF) | 5700 |
| Overlay approach pavement area (SY) | 278 |

| Activity - Replacement Alternative | Duration (d) | Timing (yr) |
|------------------------------------|--------------|-------------|
| Bridge replacement | 240 | 0 |
| Deck overlay | 30 | 20 |
| Deck replacement | 45 | 40 |
| Deck overlay | 30 | 60 |

| Activity - Rehabilitation Alternative | Duration (d) | Timing (yr) |
|---------------------------------------|--------------|-------------|
| Bridge rehabilitation | 30 | 0 |
| Bridge replacement | 240 | 20 |
| Deck overlay | 30 | 40 |
| Deck replacement | 45 | 60 |

| User Costs | |
|--|-----------|
| Length of detour (miles) | |
| Replacement | 2.00 |
| Rehabilitation | 0.00 |
| Average daily traffic, ADT, initial | |
| On bridge | 100 |
| Under bridge | 5000 |
| Truck traffic, ADTT (%) | |
| On bridge | 5 |
| Under bridge | 12 |
| Annual traffic growth rate (%) | |
| On bridge | 1 |
| Under bridge | 2 |
| Value of time, VOT (\$/hr) | |
| Cars | 16.28 |
| Trucks | 25.30 |
| Vehicle Operating Cost, VOC (\$/mile) | |
| Cars | 0.27 |
| Trucks | 0.74 |
| Vehicle occupancy rate (persons/vehicle) | |
| Cars | 1.5 |
| Trucks | 1.05 |
| User Time Delay (min) | |
| Bridge replacement-on bridge | 10 |
| Bridge replacement-under bridge | 5 |
| Bridge rehabilitation-on bridge | 5 |
| Bridge rehabilitation-under bridge | 5 |
| Deck overlay-on bridge | 5 |
| Deck overlay-under bridge | 0 |
| Deck replacement-on bridge | 10 |
| Deck replacement-under bridge | 0 |
| Cost per crash (\$) | |
| Non-fatal | 126,870 |
| Fatal | 9,100,000 |
| Crash and fatality rates (per million vehicle-miles) | |
| Non-fatal crashes | 2.65 |
| Fatalities | 0.015 |

REFERENCES

AASHTO, 2010a, *AASHTO LRFD Bridge Design Specifications*, 5th Edition, American Association of State Highway and Transportation Officials, Washington, D.C., 1591 pp.

AASHTO, 2010b, *User and Non-User Benefit Analysis for Highways*, 3rd ed., American Association of State Highway and Transportation Officials, Washington, D.C., 488 pp.

Aidoo, J., Harries, K.A., and Petrou, M.F., 2004, "Fatigue Behavior of Carbon Fiber Reinforced Polymer-Strengthened Reinforced Concrete Bridge Girders," *Journal of Composites for Construction*, ASCE, Vol. 8, No. 6, pp. 501-509.

Al-Subhi, K.M., Johnston, D.W., and Farid, F., 1990, "Resource-Constrained Capital Budgeting Model for Bridge Maintenance, Rehabilitation, and Replacement," *Transportation Research Record 1268*, TRB, National Research Council, Washington, D.C., pp. 110-117.

Alagusundaramoorthy, P., Harik, I.E., and Choo, C.C., 2003, "Flexural Behavior of R/C Beams Strengthened with Carbon Fiber Reinforced Polymer Sheets or Fabric," *Journal of Composites for Construction*, ASCE, Vol. 7, No. 4, pp. 292-301.

Alam, M., Timothy, D., and Sissel, S., 2005, "New Capital Cost Table for Highway Investment Economic Analysis," *Transportation Research Record 1932*, TRB, National Research Council, Washington, D.C., pp. 33-42.

Allen, D.G. and Atadero, R.A., 2012, "Evaluating the Long-Term Durability of Externally Bonded FRP via Field Assessments," *Journal of Composites for Construction*, ASCE, Vol. 16, No. 6, pp. 737-746.

Alkhrdaji, T., Nanni, A., and Mayo, R., 2000, "Upgrading Missouri Transportation Infrastructure: Solid Reinforced-Concrete Decks Strengthened with Fiber-Reinforced Polymer Systems," *Transportation Research Record 1740*, TRB, National Research Council, Washington, D.C., pp. 157-163.

Arduini, M. and Nanni, A., 1997, "Behavior of Precracked RC Beams Strengthened with Carbon FRP Sheets," *Journal of Composites for Construction*, ASCE, Vol. 1, No. 2, pp. 63-70.

ASCE, 2013, *ASCE Infrastructure Report Card: Bridges, 2013*. American Society of Civil Engineers, Reston, Va. Accessed May 19, 2014.
www.infrastructurereportcard.org.

Bae, S.-W., Murphy, M., Mirmiran, A., and Belarbi, A., 2013, "Behavior of RC T-Beams Strengthened in Shear with CFRP under Cyclic Loading," *Journal of Bridge Engineering*, ASCE, Vol. 18, No. 2, pp. 99-109.

Bakis, C.E., Bank, L.C., Brown, V.L., Cosenza, E., Davalos, J.F., Lesko, J.J., Machida, A., Rizkalla, S.H., and Triantafillou, T.C., 2002, "Fiber-Reinforced Polymer Composites for Construction - State-of-the-Art Review." *Journal of Composites for Construction*, ASCE, Vol. 6, No. 2, pp. 73-87.

Barnes, G. and Langworthy, P., 2004, "Per Mile Costs of Operating Automobiles and Trucks," *Transportation Research Record 1864*, TRB, National Research Council, Washington, D.C., pp. 71-77.

Beg, M.A., Zhang, Z., and Hudson, W.R., 2000, "Development of Pavement Type Evaluation Procedure for Texas Department of Transportation," *Transportation Research Record 1699*, TRB, National Research Council, Washington, D.C., pp. 23-32.

Berger, R.H. and Gorgon, S., 1978, "Extending the Service Life of Existing Bridges," *Transportation Research Record 664 Volume 1*, TRB, National Research Council, Washington, D.C., pp. 47-55.

Blank, L. and Tarquin, A., 1998, *Engineering Economy*, 4th Edition, McGraw-Hill.

Boardman, A.E., Greenberg, D.H., Vining, A.R., and Weimer, D.L., 2011, *Cost-Benefit Analysis: Concepts and Practice*, Fourth Edition, Prentice Hall, Upper Saddle River, NJ, 541 pp.

Cady, P.D., 1985, "Bridge Deck Rehabilitation Decision Making," *Transportation Research Record 1035*, TRB, National Research Council, Washington, D.C., pp. 13-20.

Carolin, A., Täljsten, B., and Hejll, A., 2005, "Concrete Beams Exposed to Live Loading during Carbon Fiber Reinforced Polymer Strengthening," *Journal of Composites for Construction*, ASCE, Vol. 9, No. 2, pp. 178-186.

Catbas, F.N., Grimmelsman, K.A., iloglu, S.K., Burgos-Gil, I., and Coll-Borgo, M., (2006, "Static and Dynamic Testing of a Concrete T-Beam Bridge Before and After Carbon Fiber-Reinforced Polymer Retrofit," *Transportation Research Record 1976*, TRB, National Research Council, Washington, D.C., pp. 77-87.

Chaallal, O., Nollet, M.-J., and Perraton, D., 1998, "Shear Strengthening of RC Beams by Externally Bonded Side CFRP Strips," *Journal of Composites for Construction*, ASCE, Vol. 2, No. 2, pp. 111-113.

Chen, Chwen-Jinq and Johnston, D.W., 1990, "Forecasting Optimum Bridge Management Decisions and Funding Needs on the Basis of Economic Analysis,"

Transportation Research Record 1268, TRB, National Research Council, Washington, D.C., pp. 84-94.

Choi, H.T., West, J.S., and Soudki, K.A., 2008, "Analysis of the Flexural Behavior of Partially Bonded FRP Strengthened Concrete Beams," *Journal of Composites for Construction*, ASCE, Vol. 12, No. 4, pp. 375-386.

Cosenza, E. and Manfredi, G., 2002, "Research Needs and Unresolved Issues of Composites for Built Infrastructure." *Journal of Composites for Construction*, ASCE, Vol. 6, No. 3, pp. 141-142.

Deniaud, C. and Cheng, J.J.R., 2003, "Reinforced Concrete T-Beams Strengthened in Shear with Fiber Reinforced Polymer Sheets," *Journal of Composites for Construction*, ASCE, Vol. 7, No. 4, pp. 302-310.

dos Santos, B.M.B., de Picado-Santos, L.G., and Cavaleiro, V.M.P., 2011, "Simplified Model of Road-User Costs for Portuguese Highways," *Transportation Research Record 2225*, TRB, National Research Council, Washington, D.C., pp. 3-10.

Ehlen, M. A., 1997, "Life-Cycle Costs of New Construction Materials." *Journal of Infrastructure Systems*, ASCE, Vol. 3, No. 4, pp. 129-133.

Ehlen, M. A., 1999, "Life-Cycle Costs of Fiber-Reinforced-Polymer Bridge Decks." *Journal of Materials in Civil Engineering*, 11(3), 224-230. ASCE, Vol. 11, No. 3, pp. 224-230.

Ehlen, M.A. and Marshall, H.E., 1996, "The Economics of New-Technology Materials: A Case Study of FRP Bridge Decking." *NISTIR 5864*, National Institute of Standards and Technology, Gaithersburg, MD, 80 pp.

Ekenel, M., Galati, N., Myers, J.J., Nanni, A., and Godínez, V., 2005, “Acousto-Ultrasonic Technology for Nondestructive Evaluation of Concrete Bridge Members Strengthened by Carbon Fiber-Reinforced Polymer,” *Transportation Research Record 1928*, TRB, National Research Council, Washington, D.C., pp. 245-251.

Elbehairy, H., Hegazy, T., and Soudki, K., 2009, “Integrated Multiple-Element Bridge Management System,” *Journal of Bridge Engineering*, ASCE, Vol. 14, No. 3, pp. 179-187.

El Maaddawy, T. and Soudki, K., 2005, “Carbon-Fiber-Reinforced Polymer Repair to Extend Service Life of Corroded Reinforced Concrete Beams,” *Journal of Composites for Construction*, ASCE, Vol. 9, No. 2, pp. 187-194.

Evdorides, H.T., Kerli, H.G.R., Rivière, N, and Ørnskov, J.K., 2002, “Condition-Based Method for Programming Road Infrastructure Maintenance,” *Transportation Research Record 1816*, TRB, National Research Council, Washington, D.C., pp. 10-15.

Fagen, M.E. and Phares, B.M., 2000, “Life-Cycle Costs Analysis of a Low-Volume Road Bridge Alternative,” *Transportation Research Record 1696 Volume 2*, TRB, National Research Council, Washington, D.C., pp. 8-13.

FHWA, 2002, *Life-Cycle Cost Analysis Primer*, Federal Highway Administration, Washington, DC, 24 pp.

Flowers, J.N., Zech, W.C., and Abbas, H.H., 2010, “Rapid Bridge Deck Replacement Construction Techniques: State of the Practice,” *Transportation Research Record 2152*, TRB, National Research Council, Washington, D.C., pp. 39-48.

Frangopol, D.M., Gharaibeh, E.S., Kong, J.S., and Miyake, M., 2000, “Optimal Network-Level Bridge Maintenance Planning Based on Minimum Expected Cost,”

Transportation Research Record 1696 Volume 2, TRB, National Research Council, Washington, D.C., pp. 26-33.

Gerbrandt, R. and Berthelot, C., 2007, "Life-Cycle Economic Evaluation of Alternative Road Construction Methods on Low-Volume Roads," *Transportation Research Record 1989*, TRB, National Research Council, Washington, D.C., pp. 61-71.

Grace, N.F., Jensen, E.A., Eamon, C.D., and Shi, X., 2012, "Life-Cycle Cost Analysis of Carbon Fiber-Reinforced Polymer Reinforced Concrete Bridges." *ACI Structural Journal*, ACI, Vol. 109, No. 5, pp. 697-704.

Hag-Elsafi, O., Kunin, J., Alampalli, S., and Conway, T., 2001, "*Strengthening of Route 378 Bridge Over Wynantskill Creek In New York Using FRP Laminates, Special Report 135*, FHWA/NY/SR-01/135, Transportation Research and Development Bureau, New York State Department of Transportation, 57 pp.

Hastak, M. and Halpin, D.W., 2000, "Assessment of Life-Cycle Benefit-Cost of Composites in Construction," *Journal of Composites for Construction*, ASCE, Vol. 4, No. 3, pp. 103-111.

Hawk, H., 2003, "Bridge Life-Cycle Cost Analysis." *NCHRP Report 483*, TRB, National Research Council, Washington, D.C., 138 pp.

Hoult, N.A. and Lees, J.M., 2009, "Efficient CFRP Strap Configurations for the Shear Strengthening of Reinforced Concrete T-Beams," *Journal of Composites for Construction*, ASCE, Vol. 13, No. 1, pp. 45-52.

James, R.W., Stukhart, G., Garcia-Diaz, A., Bligh, R., and Sobanjo, J., 1991, "Analytical Approach to the Development of a Bridge Management System,"

Transportation Research Record 1290 Volume 2, TRB, National Research Council, Washington, D.C., pp. 157-170.

Johnson, B., Powell, T., and Queiroz, C., 1998, "Economic Analysis of Bridge Rehabilitation Options Considering Life-Cycle Costs," *Transportation Research Record 1624*, TRB, National Research Council, Washington, D.C., pp. 8-15.

Jones, J.X., Heymsfield, E., and Durham, S.A., 2004, "Fiber-Reinforced Polymer Shear Strengthening of Short-Span, Precast Channel Beams in Bridge Superstructures," *Transportation Research Record 1892*, TRB, National Research Council, Washington, D.C., pp. 56-65.

Katz, A., 2004, "Environmental Impact of Steel and Fiber-Reinforced Polymer Reinforced Pavements," *Journal of Composites for Construction*, ASCE, Vol. 8, No. 6, pp. 481-488.

Kim, Y.J., Green, M.F., and Fallis, G.J., 2008, "Repair of Bridge Girder Damaged by Impact Loads with FRP Sheets," *Journal of Bridge Engineering*, ASCE, Vol. 13, No. 1, pp. 15-23.

Kim, Y.J. and Harries, K.A., 2013, "Statistical Characterization of Reinforced Concrete Beams Strengthened with FRP Sheets," *Journal of Composites for Construction*, ASCE, Vol. 17, No. 3, pp. 357-370.

Klaiber, F.W., Dunker, K.F., Wipf, T.J., and Sanders Jr., W.W., 1988, "Methods of Strengthening Existing Highway Bridges," *Transportation Research Record 1180*, TRB, National Research Council, Washington, D.C., pp. 1-6.

Kulkarni, R.B., 1984, "Life-Cycle Costing of Paved Alaskan Highways," *Transportation Research Record 997*, TRB, National Research Council, Washington, D.C., pp. 19-27.

KYTC, 2011, Kentucky Strategic Highway Safety Plan, 2011-2014, Office of Highway Safety, Kentucky Transportation Cabinet, Frankfort, KY.

Lee, E.-B., Kim, C., and Harvey, J.T., 2011, "Selection of Pavement for Highway Rehabilitation Based on Life-Cycle Cost Analysis: Validation of California Interstate 710 Project, Phase 1," *Transportation Research Record 2227*, TRB, National Research Council, Washington, D.C., pp. 23-32.

Lees, J.M., Winistörfer, A.U., and Meier, U., 2002, "External Prestressed Carbon Fiber-Reinforced Polymer Straps for Shear Reinforcement of Concrete," *Journal of Composites for Construction*, ASCE, Vol. 6, No. 4, pp. 249-256.

Malek, A.M. and Patel, K., 2002, "Flexural Strengthening of Reinforced Concrete Flanged Beams with Composite Laminates," *Journal of Composites for Construction*, ASCE, Vol. 6, No. 2, pp. 97-103.

Markow, M.J., Madanat, S.M., and Gurenich, D.I., 1993, "Optimal Rehabilitation Times for Concrete Bridge Decks," *Transportation Research Record 1392*, TRB, National Research Council, Washington, D.C., pp. 79-89.

Meiarashi, S., Nishizaki, I., and Kishima, T., 2002, "Life-Cycle Cost of All-Composite Suspension Bridge," *Journal of Composites for Construction*, ASCE, Vol. 6, No. 4, pp. 206-214.

Monti, G. and Santini, S., 2002, "Reliability-based Calibration of Partial Safety Coefficients for Fiber-Reinforced Plastic," *Journal of Composites for Construction*, ASCE, Vol. 6, No. 3, pp. 162-167.

Mullard, J.A. and Stewart, M.G., 2012, "Life-Cycle Assessment of Maintenance Strategies for RC Structures in Chloride Environments," *Journal of Bridge Engineering*, ASCE, Vol. 17, No. 2, pp. 353-362.

Nezamian, A. and Setunge, S., 2007, "Case Study of Application of FRP Composites in Strengthening the Reinforced Concrete Headstock of a Bridge Structure," *Journal of Composites for Construction*, ASCE, Vol. 11, No. 5, pp. 531-544.

O'Connor, J., Hoyos, H., Yannotti, A., Alampalli, S., and Luu, K., 1999, "Reinforced Concrete Cap-Beam Strengthening Using FRP Composites," *Fourth International Symposium, Fiber Reinforced Polymer Reinforcement for Reinforced Concrete Structures, SP-188*, American Concrete Institute, Farmington Hills, MI, pp. 481-490.

Okasha, N.M., Frangopol, D.M., Fletcher, F.B., and Wilson, A.D., 2012, "Life-Cycle Cost Analyses of a New Steel for Bridges," *Journal of Bridge Engineering*, ASCE, Vol. 17, No. 1, pp. 168-172.

Okeil, A.M., Belarbi, A. and Kuchma, D.A., 2013, "Reliability Assessment of FRP-Strengthened Concrete Bridge Girders in Shear," *Journal of Composites for Construction*, ASCE, Vol. 17, No. 1, pp. 91-100.

Ozbay, K., Jawad, D., Parker, N.A. and Hussain, S., 2004, "Life-Cycle Cost Analysis: State of the Practice Versus State of the Art," *Transportation Research Record 1864*, TRB, National Research Council, Washington, D.C., pp. 62-70.

Palisade Corporation, 798 Cascadilla Street, Ithaca, NY 14850 USA,
www.palisade.com

Patidar, V., Labi, S.A., Sinha, K.C., and Thompson, P.D., 2007, *NCHRP Report 590: Multi-Objective Optimization for Bridge Management Systems*. TRB, National Research Council, Washington, D.C.

Petrou, M.F., Parler, D., Harries, K.A., and Rizos, D.C., 2008, "Strengthening of Reinforced Concrete Bridge Decks Using Carbon Fiber-Reinforced Polymer Composite Materials," *Journal of Bridge Engineering*, ASCE, Vol. 13, No. 5, pp. 455-467.

Pittenger, D., Gransberg, D.D., Zaman, M., and Riemer, C., 2011, "Life-Cycle Cost-Based Pavement Preservation Treatment Design," *Transportation Research Record* 2235, TRB, National Research Council, Washington, D.C., pp. 28-35.

Pittenger, D., Gransberg, D.D., Zaman, M., and Riemer, C., 2012, "Stochastic Life-Cycle Cost Analysis for Pavement Preservation Treatments," *Transportation Research Record* 2292, TRB, National Research Council, Washington, D.C., pp. 45-51.

Porter, M. and Harries, K., 2007, "Future Directions for Research in FRP Composites in Concrete Construction." *Journal of Composites for Construction*, ASCE, Vol. 11, No. 3, pp. 252-257.

Pour, S.A. and Jeong, D.H.S., 2012, "Realistic Life-Cycle Cost Analysis with Typical Sequential Patterns of Pavement Treatment Through Association Analysis," *Transportation Research Record* 2304, TRB, National Research Council, Washington, D.C., pp. 104-111.

Praticò, F., Saride, S., and Puppala, A.J., 2011, "Comprehensive Life-Cycle Cost Analysis for Selection of Stabilization Alternatives for Better Performance of Low-

Volume Roads,” *Transportation Research Record 2204*, TRB, National Research Council, Washington, D.C., pp. 120-129.

Reed, C.E., Peterman, R.J., Rasheed, H., and Meggers, D., 2002, “Adhesive Applications Used During Repair and Strengthening of 30-Year-Old Prestressed Concrete Girders,” *Transportation Research Record 1827*, TRB, National Research Council, Washington, D.C., pp. 36-43.

Reigle, J.A. and Zaniewski, J.P., 2002, “Risk-Based Life-Cycle Cost Analysis for Project-Level Pavement Management,” *Transportation Research Record 1816*, TRB, National Research Council, Washington, D.C., pp. 34-42.

Safi, M., Sundquist, H., Karoumi, R., and Racutanu, G., 2012, “Integration of Life-Cycle Cost Analysis with Bridge Management Systems: Case Study of Swedish Bridge and Tunnel Management System,” *Transportation Research Record 2292*, TRB, National Research Council, Washington, D.C., pp. 125-133.

Safronetz, J.D. and Sparks, G.A., 2003, “Project-Level Highway Management Model for Secondary Highways in Saskatchewan, Canada,” *Transportation Research Record 1819 Volume 1*, TRB, National Research Council, Washington, D.C., pp. 297-304.

Saito, M. and Sinha, K.C., 1987, “Review of Current Practices of Bridge Management at the State Level,” *Transportation Research Record 1113*, TRB, National Research Council, Washington, D.C., pp. 1-8.

Seible, F., Priestley, M.J.N., and Krishman, K., 1991, “Bridge Superstructure Rehabilitation and Replacement,” *Transportation Research Record 1290 Volume 1*, TRB, National Research Council, Washington, D.C., pp. 59-67.

Shahawy, M., Beitelman, T.E. and Chaallal, O., 2000, "Construction Considerations for Repair of Bridges with Externally Bonded Fiber-Reinforced Plastic Material," *Transportation Research Record 1740*, TRB, National Research Council, Washington, D.C., pp. 164-169.

Shahrooz, B.M. and Boy, S., 2004, "Retrofit of a Three-Span Slab Bridge with Fiber Reinforced Polymer Systems-Testing and Rating," *Journal of Composites for Construction*, ASCE, Vol. 8, No. 3, pp. 241-247.

Shekar, V., Petro, S.H., and GangaRao, H.V.S., 2003, "Fiber-Reinforced Polymer Composite Bridges in West Virginia," *Transportation Research Record 1819 Volume 2*, TRB, National Research Council, Washington, D.C., pp. 378-384.

Shirole, A.M., Winkler, W.J., and Hill, J.J., 1991, "Bridge Management Systems-State of the Art," *Transportation Research Record 1290 Volume 2*, TRB, National Research Council, Washington, D.C., pp. 149-156.

Smith, K.L., Titus-Glover, L., Darter, M.I., Von Quintus, H., Stubstad, R., and Scofield, L., 2005, "Cost-Benefit Analysis of Continuous Pavement Preservation Design Strategies Versus Reconstruction," *Transportation Research Record 1933*, TRB, National Research Council, Washington, D.C., pp. 83-93.

Son, Y. and Sinha, K.C., 1997, "Methodology to Estimate User Costs in Indiana Bridge Management System," *Transportation Research Record 1597*, TRB, National Research Council, Washington, D.C., pp. 43-51.

Soudki, K., El-Salakawy, E., and Craig, B., 2007, "Behavior of CFRP Strengthened Reinforced Concrete Beams in Corrosive Environment," *Journal of Composites for Construction*, ASCE, Vol. 11, No. 3, pp. 291-298.

Spadea, G., Bencardino, F., and Swamy, R.N., 1998, "Structural Behavior of Composite RC Beams with Externally Bonded CFRP," *Journal of Composites for Construction*, ASCE, Vol. 2, No. 3, pp. 132-137.

Swan, D.J., Hajek, J.J., Hein, D.K., and Jacques, B., 2007, "Estimation of Representative Capital and Maintenance Costs for Canadian Roads," *Transportation Research Record 1991*, TRB, National Research Council, Washington, D.C., pp. 3-11.

Täljsten, B., Hejll, A., and James, G., 2007, "Carbon Fiber-Reinforced Polymer Strengthening and Monitoring of the Gröndals Bridge in Sweden," *Journal of Composites for Construction*, ASCE, Vol. 11, No. 2, pp. 227-235.

Tavakkolizadeh, M. and Saadatmanesh, H., 2003, "Repair of Damaged Steel-Concrete Composite Girders Using Carbon Fiber-Reinforced Polymer Sheets," *Journal of Composites for Construction*, ASCE, Vol. 7, No. 4, pp. 311-322.

Thompson, P.D., 2004, "Bridge Life-Cycle Costing in Integrated Environment of Design, Rating, and Management," *Transportation Research Record 1866*, TRB, National Research Council, Washington, D.C., pp. 51-58.

Thompson, P.D., Soares, R., Choung, H.J., Najafi, F.T., and Kerr, R., 2000, "User Cost Model for Bridge Management Systems," *Transportation Research Record 1697*, TRB, National Research Council, Washington, D.C., pp. 6-13.

Trejo, D. and Reinschmidt, K., 2007a, "Justifying Materials Selection for Reinforced Concrete Structures. I: Sensitivity Analysis," *Journal of Bridge Engineering*, ASCE, Vol. 12, No. 1, pp. 31-37.

Trejo, D. and Reinschmidt, K., 2007b, "Justifying Materials Selection for Reinforced Concrete Structures II: Economic Analysis," *Journal of Bridge Engineering*, ASCE, Vol. 12, No. 1, pp. 38-44.

U.S. Department of Commerce, Bureau of Economic Analysis, National Income and Product Accounts Table, Table 1.1.9. Implicit Price Deflators for Gross Domestic Product

<http://www.bea.gov/iTable/iTable.cfm?ReqID=9&step=1#reqid=9&step=3&isuri=1&903=13>

USDOT, 2012, *TIGER Benefit-Cost Analysis (BCA) Resource Guide*, US Department of Transportation, Washington, DC, 19 pp.

USDOT, 2013a, *2013 Status of the Nation's Highways, Bridges, and Transit: Conditions & Performance, Report to Congress*, US Department of Transportation, Washington, D.C., 482 pp. <http://www.fhwa.dot.gov/policy/2013cpr/pdfs.htm>

USDOT, 2013b, Revised Departmental Guidance 2013: Treatment of the Value of Preventing Fatalities and Injuries in Preparing Economic Analyses, 10 pp.

Walls III, J. and Smith, M.R., 1998, "Life-Cycle Cost Analysis in Pavement Design-Interim Technical Bulletin." Report FHWA-SA-98-079, Federal Highway Administration, Washington, DC, 107 pp. (013017.PDF)

Wang, W.-W., Dai, J.-G., and Harries, K.A., 2013, "Performance Evaluation of RC Beams Strengthened with an Externally Bonded FRP System under Simulated Vehicle Loads," *Journal of Bridge Engineering*, ASCE, Vol. 18, No. 1, pp. 76-82.

Wang, C.-Y., Shis, C.-C., Hong, S.-C., and Hwang, W.-C., 2004, "Rehabilitation of Cracked and Corroded Reinforced Concrete Beams with Fiber-Reinforced Plastic Patches," *Journal of Composites for Construction*, ASCE, Vol. 8, No. 3, pp. 219-228.

Weissmann, J. and Harrison, R., 1998, "Impact of 44 000-kg (97,000-lb) Six-Axle Semitrailer Trucks on Bridges on Rural and Urban U.S. Interstate System," *Transportation Research Record 1624*, TRB, National Research Council, Washington, D.C., pp. 180-183.

Watts, M.Y., Zech, W.C., Turochy, R.E., Holman, D.B., and LaMondia, J.J., 2012, "Effects of Vehicle Volume and Lane Closure Length on Construction Road User Costs in Rural Areas," *Transportation Research Record 2268*, TRB, National Research Council, Washington, D.C., pp. 3-11.

Wipf, T.J., Erickson, D.L., and Klaiber, F.W., 1987, "Cost-Effectiveness Analysis for Strengthening Existing Bridges," *Transportation Research Record 1113*, TRB, National Research Council, Washington, D.C., pp. 9-17.

Wipf, T.J., Klaiber, F.W., Rhodes, J.D., and Kempers, B.J., 2004, "Effective Structural Concrete Repair, Volume 1 of 3, Repair of Impact Damaged Prestressed Concrete Beams with CFRP," *Report TR 428 Vol 1*, Iowa State University, 195 pp.

Zhu, J. and Liu, B., 2013, "Performance of Life Cost-Based Maintenance Strategy Optimization for Reinforced Concrete Girder Bridges," *Journal of Bridge Engineering*, ASCE, Vol. 18, No. 2, pp. 172-178.

Zimmerman, K.A., Smith, K.D., and Grogg, M.G., 2000, "Applying Economic Concepts from Life-Cycle Cost Analysis to Pavement Management Analysis,"

Transportation Research Record 1699, TRB, National Research Council, Washington,
D.C., pp. 58-65.

VITA

Jeffrey L. Smith

Educational institutions attended:

- Miami University, Bachelor of Environmental Design, 1975
- University of Toledo, Bachelor of Science in Civil Engineering, 1979
- University of Kansas, Master of Science in Civil Engineering, 1995

Professional positions held:

- Bridge Engineer, Federal Highway Administration (FHWA), 1979-2011

Scholastic and professional honors:

- Member of Tau Beta Pi
- Fellow of American Concrete Institute
- Licensed Professional Engineer in Ohio

Professional publications:

- Life-Cycle Cost Analysis of Reinforced Concrete T-beam Bridges Rehabilitated with CFRP, submitted to American Concrete Institute for publication in Structural Journal 2015
- Design Example: Strengthening a Reinforced Concrete T-beam Bridge with Fiber Reinforced Polymers, FHWA, 2009
- Prestressed Concrete Beam Design Workshop: Load and Resistance Factor Design, 2001-2007, Workshop Manual, design examples, and related workshop training materials
- Materials and Methods for Corrosion Control of Reinforced and Prestressed Concrete Structures in New Construction, June 2000, Report FHWA-RD-00-081 and a Technical Bulletin
- Performance of Epoxy Coated Rebars in Bridge Decks, Autumn 1996, FHWA Public Roads Article, also published by Concrete Reinforcing Steel Institute Research Series – 5 in 1999
- Performance of Epoxy Coated Rebars in Bridge Decks, August 1996, Report FHWA-RD-96-092 and a Technical Summary
- Corrosion-Resistant Steel Reinforcing Bars Initial Tests, April 1995, Masters Research Report